



Arboricultural Assessment and Report

Precinct Structure Plan - Melton East

21 July 2022

Tree Logic Ref. 012208

Prepared for Victorian Planning Authority

Prepared by Bruce Callander –
Senior Consulting Arborist
Tree Logic Pty. Ltd.

Contents

Contents	2
1 Executive Summary	3
Background.....	3
Objectives	3
Summary	3
2 Method	5
3 Observations	7
4 Permit Requirements	14
5 Tree Protection Zones	16
6 Scarred trees.....	19
7 Presence of weed infestation	19
8 Recommended works	20
9 Conclusion	21
References and bibliography:.....	24
Appendix 1: Tree Assessment Data: Melton East PSP.....	25
Appendix 1B: Tree numbers sorted by Arboricultural rating: Melton East PSP	26
Appendix 1C: Properties sorted by tree count & Arb. rating: Melton East PSP	27
Appendix 2A: Tree Location Maps: Melton East PSP	28
Appendix 2B: Precinct Maps showing only High, Moderate & Low Arboricultural rated trees	29
Tree pictures – Melton East PSP	30
Appendix 3: Arboricultural Descriptors (June 2018).....	220
Appendix 4: Tree protection zones.....	228
Construction Guidelines.....	232
Disclaimer	234

Tree Report_Melton East

File No.	Version	Author	Issue date	Edits	Issued by.
012208	Version 1	Bruce Callander	14/06/2022	Preliminary tree assessment report	BC
012208	Version 2	Bruce Callander	21/07/2022	Edits & inclusion of Precinct maps showing High, Moderate & Low rated trees	BC

1 Executive Summary

Background

Tree Logic was engaged by the Victorian Planning Authority (VPA) to undertake a visual assessment of trees and tree groups within the Melton East precinct to inform future planning and zoning layouts. The report provides information on tree condition and retention value for consideration during development of high level planning strategy, as well as identify tree protection zones and management requirements where appropriate.

Objectives

The primary objectives of the arboricultural report include;

- Provide information on the species, origin, dimensions, health, structure and retention value of the trees associated with the defined study area, excluding trees within the Kororoit Creek flood zone to the north and Western Highway to the south.
- Determine appropriate tree protection zone dimensions compliant with Australian Standard AS4970 'Protection of trees on development sites'
- Identify trees subject to permit requirement under Melton Council Planning Scheme.

Summary

1. The tree assessment was required to inspect all tree features within the defined study area for the purposes of informing the Precinct Structure Plan (PSP) the Melton East precinct (PSP 1076).
2. The study area covers a total of approximately 1,005 hectares.
3. The precinct is comprised of seventy eight (78) individual land parcels and eight (8) associated road reserves.
4. The assessment was undertaken by three Certificate 5 trained arborists over 6 days in May 2022 during which time 782 tree features were assessed within the study area including 590 trees and 190 tree groups (comprising approximately 6300 additional constituent trees or shrubs).
5. Based on the assessment of individual trees and observations of tree groups, each assessed tree feature was attributed an arboricultural rating which considers species, age class, tree health and structure and summarises a trees' worthiness of retention in conjunction with site redevelopment and also conveys an amenity value. In summary,
 - Twelve (12) trees were attributed an arboricultural rating of High being generally indigenous trees that displayed better than typical condition and had additional qualities such as ecological and cultural significance to the area. These trees should be retained and protected if future development is to occur.

- Five hundred and eighty seven (587) of the assessed tree features were attributed a Moderate arboricultural rating which included;
 - 52 tree features that were rated Moderate A, being landscape features that displayed better than typical condition for the species and may also have additional ecological and cultural qualities. These trees are worthy of protection and retention if future development is to occur.
 - 286 tree features that were rated Moderate B, being trees that displayed typical condition for the species and are suitable and worthy of being retained.
 - 249 tree features that were rated Moderate C, being either maturing trees that are developing deficiencies & defects that are trending towards becoming a Low rated tree or being smaller, semi-mature trees. Retention of these trees is could be considered wherever possible and if not requiring excessive expenditure of resources to achieve appropriate protection.
 - One hundred and fifty nine (159) tree features were attributed a Low arboricultural rating that are generally not considered worthy of being a constraint on reasonable design intent and outcome.
 - Twenty five (25) tree features were attributed an arboricultural rating of Very Low being generally defective trees that are unsuitable to retain in conjunction with site redevelopment and may be recommended for removal.
6. Tree protection zones (TPZ) were assigned according to the Australian Standard® AS4970-2009 (Protection of Trees on Development Sites).
 7. Trees were assessed for risk using the International Society of Arboriculture (ISA) Tree Risk Assessment method (TRAQ).
 - All of the trees were attributed a risk rating of Low primarily because in the majority of cases there were few or no targets at risk of being impacted by a tree or tree part were it to fail and partly because of the generally smaller size with more than 90% of the trees being less than 15 metres in height.
 8. Thirty (30) trees were recommended tree work and/or regular re-inspection including;
 - 29 trees recommended for Medium-priority work (within 12 months),
 - 1 trees recommended for Low-priority work (within 24 months).
 9. A summary of relevant observations and tree recommendations are outlined in this report with more detailed information for each tree feature presented in the full data table in Appendix 1. Tree numbers sorted by Arb. Ratings are provided in Appendix 1B. Refer to Appendix 2 for tree location maps which are produced as one map per property parcel and are displayed by arboricultural rating and includes the appropriate tree protection zones (TPZ) for each tree feature.

Refer to Appendix 3 for descriptions of arboricultural rating and other descriptors used in this assessment and Appendix 4 for details on applying and managing the TPZ.

2 Method

- 2.1 The project was managed by Bruce Callander, Senior Consultant Arborist with Tree Logic (Dip Hort. Cert 5 Arb. NMIT, TRAQ trained and qualified), Harry Webb (Masters / Botany, Grad. Cert - Arb) and James Cross (Degree – Environmental Science, Grad. Cert - Arb).
- 2.2 The assessment was undertaken by three (3) Certificate 5 arborists over six days in early May 2022.
- 2.3 Tree locations were recorded on mobile field computers equipped with in-built GPS and GIS software displaying aerial imagery, cadastral layers including property boundaries, lidar data from DELWP - Forest Urban and planning overlay extents.
- 2.4 Observations were made of the assessed trees to determine the species, age category and condition with measurements taken to establish tree crown height (measured with a height meter), crown width (paced) and trunk dimensions (measured 1.4 metres above ground level with a diameter tape unless otherwise stated).
Tree features within properties where the landowner had refused site access or was not contactable were not accessed unless permission to access site had been previously obtained. In those cases observations and measurements were estimated based on what could be seen from the best available vantage point outside the property boundary.
- 2.5 Data fields collected for each tree record included:
 - Location (GPS coordinates)
 - Tree number
 - Species (botanical name)
 - Common Name
 - Number of trees (where trees are assessed as a group)
 - Tree origin (exotic, native, indigenous, planted)
 - Dimensions (DBH, height, canopy spread)
 - Age class
 - Health and structure rating
 - Estimate Useful Life Expectancy (ULE)
 - Arboriculture Retention Value (ARV) indicating the suitability for retention in the urban environment
 - Possible works required to maximise longer term viability or minimize risk.
 - Structural Root Zone (SRZ) and Tree Protection Zone (TPZ) based on Australian Standards (AS 4970-2009)
 - Relevant comments on condition, wounds, defects, habitat potential (nests, hollows, possible tree scarring that may relate to aboriginal cultural heritage)
 - Photograph of each tree (provided separately).

- 2.6 Assessment details of individual trees are listed in Appendix 1 and a copy of the tree location plan, 1 map per property, can be seen in Appendix 2.
Descriptors used in the assessment can be seen in Appendix 3.
- 2.7 Photographs of the trees and the environs were taken for further reference when preparing the report.
- 2.8 Each of the assessed trees was attributed an 'Arboricultural Rating'. The arboricultural rating correlates the combination of tree condition factors (health and structure) with tree amenity value. Definitions of arboricultural ratings can be seen in Appendix 3.
- 2.9 The assessed trees have been allocated tree protection zones (TPZ). The Australian Standard, AS 4970-2009, has been used as a guide in the allocation of TPZs for the assessed trees. This method provides a TPZ that addresses both the stability and growing requirements of a tree. TPZ distances are measured as a radius, from the centre of the trunk at (or near) ground level. All TPZ measurements are provided in Appendix 1.
- 2.10 A basic risk assessment was undertaken for those trees displaying elevated levels of risk using the ISA Tree Risk Assessment method.

Documents reviewed;

- Arboricultural Assessment request for quotation - Melton East PSP 1076 – VPA
- Melton East_Land Access Consent sheet - Updated
- Planning Overlays-Vicplan-Planning -. Department of Planning & Community Development, 13/10/2021
- Melton Shire Council Planning Scheme Online – 7/6/22 including
- Environmental Significance Overlay (ESO)
- Environmental Significance Overlay - Schedule 2 (ESO2)
- Environmental Significance Overlay - Schedule 5 (ESO5)
- Melton - 37.07 Urban Growth Zone (UGZ)
- Melton - 43.01 Heritage Overlay (HO)
- Heritage Overlay Schedules – HO54 (Bridge over Kororoit Creek, HO119 (House at 107-121 Water Reserve Road), HO135 (Former Fulham Park Building & tank), HO205 (Selection Wall).



3 Observations

Site description

- 3.1 The tree study area comprised the Melton East precinct (PSP 1076) covers 1,005 hectares. It extends south and east of the Melton Highway, west and south of the Kororoit Creek, north of the Western Highway and east of Leakes Road. Beattys Road and Mount Cottrell Roads run through the study area.
- 3.2 Trees within the abutting road reserves were also required to be assessed.
- 3.3 Within the precinct there were 78 individual land parcels and 8 road reserves, being a total of 86 parcels in which trees were inspected. The parcel numbering is derived from the Property Landowners Access Consent sheet - Updated provided by the VPA. It is noted that the numbering is not sequential and that there are some numbers missing, i.e. 33, 43, 53, 73, 79, 81, 82, 84.
- 3.4 The road reserves have been allocated a parcel number to identify where trees exist in the road easements for reference in the report, tree data and mapping. The road reserves are allocated the following parcel references.
Melton Highway (101), Mt Cottrell Road (102), Judd Court (103), Beattys Road (104), Paynes Road (105), Leakes Road (106), Water Reserve Road (107), Western Highway (108).
- 3.5 Refer to Figure 1 below for Study area and VPA allocated Property ID numbers for Melton East (PSP 1076).




Figure 1: Study area and VPA allocated Property ID numbers for Melton East (PSP 1076)

- 3.6 The study area is ostensibly flat with an imperceptible fall of approximately 1 in 100 metre from the northern boundary of Parcel 9 (143m alt) to the northern boundary of Parcel 40 (101m alt.). The site is within the Victorian Volcanic Plain bioregion and the majority of the site is classed as the Ecological Vegetation Class - Grassy Woodland (EVC 132).
- 3.7 There are several depressions that may become periodically inundated, namely within Parcels 51 (108m alt.) and 70 (99m alt.). These areas are classed as EVC 125. In each of these depressions there was found to be a small remnant stand of River Red Gum (*Eucalyptus camaldulensis*).
- 3.8 The Kororoit Creek flanks the northern and eastern edge of the precinct falling from 111 metres alt. to 99 metres alt. over the approximate 4.6 kilometre length of the creekline within the site. The Kororoit Creek is within the EVC 68 Creekline Grassy Woodland. Remnant River Red Gum trees were observed to be most abundant along the creek flood plain and on the lower reaches of the escarpment that rises to the west and south of the creek by between 15 metres at the northern reaches to approximately 2 metres at the eastern – lower end of the creekline within the study area.

Given that the Grassy Woodlands (EVC 132) comprises treeless vegetation mostly less than 1 m tall dominated by largely graminoid and herb life forms it becomes evident how elevation and proximity to areas of periodic inundation is directly linked to the presence of various indigenous tree species, especially River Red Gum on the lower areas and Grey Box (*Eucalyptus microcarpa*) which is present at the higher and drier elevations above the escarpment.

Tree population

- 3.9 Seven hundred and eighty two (782) tree features were recorded within the Melton East tree study area comprising;

- 592 individual trees
- 190 tree groups comprising approximately 6300 additional trees / shrubs.

Trees were collected as groups where they comprised either

- linear windrows of the same species with intermingling canopies that require ongoing management as a group rather than as individual specimens
- where the trees were random specimens planted & grown for garden and amenity purposes around house lots and of generally unremarkable condition, size, age or environmental significance.
- or where the property was unable to be accessed and observations of trees could not be confirmed from the nearest boundaries.

- 3.10 The greatest concentration of trees were found in the parcels abutting the Kororoit Creek or within the road reserves of Melton Highway and Beattys Road.

- 3.11 Approximately seventy seven (77) different species of trees were identified during the tree assessment occurring either individually or within tree groups. The top 20 most frequently recorded species are listed below in Table 1.

Table 1: Count of individual trees by most prevalent species

Botanic name	Common Name	Origin	Tree count
<i>Eucalyptus camaldulensis</i>	River Red Gum	Indigenous	83
<i>Eucalyptus cladocalyx</i>	Sugar Gum	Australian native	61
<i>Eucalyptus leucoxylon</i>	Yellow Gum	Victorian native	55
<i>Corymbia maculata</i>	Spotted Gum	Victorian native	53
<i>Eucalyptus spathulata</i>	Swamp Mallet	Australian native	52
<i>Eucalyptus camaldulensis</i>	River Red Gum	Indigenous (Planted)	48
<i>Eucalyptus sideroxylon</i>	Red Ironbark	Victorian native	40
<i>Schinus areira</i>	Peppercorn Tree	Exotic evergreen	24
<i>XCupressocyparis leylandii</i>	Leyland Cypress	Exotic conifer	24
<i>Pinus radiata</i>	Monterey Pine	Exotic conifer	21
<i>Eucalyptus botryoides</i>	Southern Mahogany	Victorian native	21
<i>Eucalyptus cladocalyx 'Nana'</i>	Bushy Sugar Gum	Australian native	20
<i>Eucalyptus leucoxylon 'Rosea'</i>	Pink-flowered Yellow Gum	Australian native	20
<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Australian native	17
<i>Cupressus macrocarpa</i>	Monterey Cypress	Exotic conifer	17
<i>Eucalyptus microcarpa</i>	Grey Box	Indigenous (Planted)	18
<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Victorian native	8
<i>Eucalyptus occidentalis</i>	Swamp Yate	Australian native	7
<i>Olea europaea</i>	Olive	Exotic evergreen	7
<i>Eucalyptus melliodora</i>	Yellow Box	Victorian native	7

- 3.12 **Tree Origin** was assessed based on species in conjunction with observations of age and spatial arrangement to better ascertain if trees are naturally occurring indigenous specimens that may trigger tree permit and offset requirements under Native Vegetation – Clause 52.17 were they to be removed or have TPZ encroachment greater than 10%. Table 2 indicates the origins of the assessed trees and tree groups recorded.

Table 2: Tree origin across the PSP areas.

Origin	Total	~ % of tree population
Indigenous	91	11.6%
Indigenous (Planted)	65	8.3%
Victorian native	218	27.9%
Australian native	217	27.7%
Assorted	52	6.6%
Exotic conifer	80	10.2%
Exotic evergreen	33	4.2%
Exotic deciduous	13	1.7%
Introduced natives	10	1.3%
Exotic evergreen weed	2	0.3%
Exotic palm	1	0.1%
Total	782	100.0%

The greatest concentration of naturally occurring indigenous or remnant vegetation was observed and recorded along the Kororoit Creek flood plain or within depressions associated with Parcels 51 and 70.

By contrast there were comparatively few naturally occurring indigenous trees found on the remainder of the sites where Grassy Woodlands is the more prevalent vegetation class comprising introduced pasture and cropping or grazing and horse agistment. In these areas the tree population comprised introduced species planted in groups or windrows around house lots, driveways and fence lines.

3.13 Eleven (11) parcels were found to have no trees on them, being Parcels 11, 24, 58, 73, 74, 75, 76, 77, 78, 80 and 83.

3.14 **Tree health** was assessed based on foliage colour, size and density as well as shoot initiation and elongation where possible. Refer to Table 3.

Tree health is strongly influenced by tree age along with other influences associated with soil type, accumulated mulch, drainage conditions, site soil disturbance and compaction and general exposure to prevailing weather conditions. The condition of road side trees and semi or early mature plantings of assorted natives around house lots within the various parcels accounted for the general prevalence of trees displaying Fair to Good Health.

One of the more prominent observations of Poor health was associated with numerous windrows of exotic Leyland and Monterey Cypress that were being impacted by Cypress Canker (*Seiridium* species) which was spreading through and killing windrow and shelterbelt plantings.

Table 3: Tree Health

Health	Tree count	% of trees in population
Good	48	6.1%
Fair	539	68.9%
Fair to Poor	157	20.1%
Poor	31	4.0%
Dead	7	0.9%
Total	782	100%

3.15 **Tree structure** was assessed for structural defects and deficiencies, likelihood of failures and risk to potential targets.

Tree structure is strongly influenced by tree age which can reflect a longer history of wounding and failures in mature trees as opposed to younger trees. Other influences include a history of site disturbance associated with clearing and subsequent exposure to prevailing weather conditions, lopping for timber harvest or clearance pruning and dieback.

Many of the remnant indigenous trees on the flats displayed Fair to Good structure having been generally sheltered in the low lying areas from damaging wind exposure and set away from frequent site access. Despite this they appeared to have some history of branch or limb failure that has allowed habitat hollows to develop over time.

Refer to Table 4 for count of Tree Structure ratings.

Table 4: Tree Structure.

Structure	Tree count	% of trees in population
Fair	377	48.2%
Fair to Poor	284	36.3%
Poor	108	13.8%
Very Poor	13	1.7%
Total	782	100%

3.16 Age class and Useful Life Expectancy (ULE)

The Age class of the assessed trees is dependant on known species characteristics and longevity in the urban setting and partially informs the assessment of the useful life expectancy.

Assessment of useful life expectancy (ULE) provides an indication of health and appropriateness of trees in the urban landscape context, particularly in relation to street trees. It offers an estimate of how long a tree is likely to remain viable in the landscape based on species, stage of life (cycle), health, contribution to environmental and amenity values, conflicts with adjacent infrastructure and risk to the community.

It is not a measure of the biological life of the tree within the natural range of the species. It is more a measure of the health status and the trees positive contribution to the urban landscape and suggests a point at which the costs to maintain the asset (tree) outweigh the benefits the tree might be returning. It may assist tree managers to develop long-term plans for the eventual removal and replacement of existing trees in the public realm. The assessment of ULE is based on the site conditions not being significantly altered and that any prescribed maintenance works are carried out.

A break up of the Age and ULE for the subject site can be seen below in Tables 5 and 6.

Table 5: Age class

Age class	Tree count	% of trees in population
Young	10	1.3%
Semi-mature	256	32.7%
Early-mature	337	43.1%
Maturing	161	20.6%
Over-mature	18	2.3%
Total	782	100%

Table 6: Useful Life Expectancy

Age class	Tree count	% of trees in population
<1 y	15	1.9%
1-5 y	25	3.2%
6-10 y	121	15.5%
11-20 y	242	30.9%
21-40 y	189	24.2%
>40 y	190	24.3%
Total	782	100%

3.17 Arboricultural Rating

All of the assessed tree features were attributed an arboricultural rating. This rating relates to the combination of tree condition factors, including health and structure (arboricultural merit). It should be noted that the arboricultural rating is different to the conservation/ecological values placed on trees by other professions.

- Tree attributed an arboricultural rating of High are generally a prominent arboricultural/landscape feature or a particularly good example of the species; rare or uncommon. These trees may have significant conservation or other cultural value. They generally have potential to be a medium- to long-term components of the landscape (moderately long to long ULE) if managed appropriately. Retention of these trees is highly desirable.
- Trees attributed an arboricultural rating of Moderate A are generally prominent landscape features displaying better than typical condition and having a moderate to long useful life expectancy (ULE). These trees are recommended to be retained and adequately protected from construction impacts wherever possible.
- Trees rated Moderate B are generally typical of the species growing in the area under prevailing conditions and are deemed suitable to retain in conjunction with development where possible.
- Trees rated Moderate C are either established smaller trees of Fair condition or maturing trees that might be accumulating deficiencies and tending towards becoming of Low arboricultural value.
- Trees attributed an arboricultural rating of Low are generally not considered worthy of being a constraint on reasonable design intent and outcome delivery due to either health and / or structural deficiencies, being a suckering specimen or being woody weed species.
- Trees attributed an arboricultural rating of Very Low are generally considered unsuitable to retain or should be removed for environmental and / or safety reasons.

Refer to Table 7 for count of Trees sorted by arboricultural ratings.

Table 7: Number of trees sorted by Arboricultural rating.

Arboricultural rating	Tree count	% of trees in population
High	11	1.4%
Moderate A	52	6.6%
Moderate B	286	36.6%
Moderate C	249	31.8%
Low	159	20.3%
Very Low	25	3.2%
Total	782	100%

The arboricultural ratings for each tree are shown in the column titled 'Arb rating' in Appendix 1 – Tree Assessment Data.

Appendix 1B provides tree and group numbers sorted by Arboricultural Rating.

Appendix 1C provides a break down of the Property Identification number sorted by the number of trees and the Arboricultural Ratings.

All Arboricultural Ratings are shown as various coloured shapes in the tree and group symbology in Appendix 2 – Tree Location Maps.



4 Permit Requirements

- 4.1 The study area is located within the Melton Council Planning Scheme and is within the Urban Growth Zone (UGZ). Overlays that apply to the study area include
- 4.2 Environmental Significance Overlay (ESO). Under the ESO a permit is required to remove, destroy or lop any vegetation, including dead vegetation unless it is planted vegetation or specified in a schedule to the overlay.
- Environmental Significance Overlay - Schedule 2 (ESO2). No additional specific tree controls apply.
 - Environmental Significance Overlay - Schedule 5 (ESO5). Under ESO5 a A permit is not required to remove, destroy or lop any vegetation, including dead vegetation:
 - Where the vegetation is non-native.
 - Where the vegetation is a plant proclaimed as a weed under the *Catchment and Land Protection 1994*.
 - Where the vegetation has been planted or grown for aesthetic or amenity purposes, including agroforestry (the simultaneous and substantial production of forest and other agricultural products from the same land unit), shelter belts, woodlots, street trees, gardens or the like.

This exemption does not apply if public funding was provided to assist in planting or managing the vegetation for conservation purposes and the terms of the funding did not anticipate removal or harvesting of the vegetation.
- 4.3 Native Vegetation - Clause 52.17. Under the Clause 52.17 a permit is required to remove, destroy or lop native vegetation (naturally occurring vegetation native to Victoria), including dead native vegetation. This does not apply:
- to a standing dead tree with a trunk diameter of 40 centimetres or more at a height of 1.3 metres above ground level.
 - Native vegetation that is to be removed, destroyed or lopped that was either planted or grown as a result of direct seeding.
 - This exemption does not apply to native vegetation planted or managed with public funding for the purpose of land protection or enhancing biodiversity unless the removal, destruction or lopping of the native vegetation is in accordance with written permission of the agency (or its successor) that provided the funding.
- 4.4 Heritage Overlay (HO) and Heritage Overlay Schedules – HO54 (Bridge over Kororoit Creek, HO119 (House at 107-121 Water Reserve Road), HO135 (Former Fulham Park Building & tank), HO205 (Selection Wall).
- No tree controls apply under any of these Heritage Overlay site, though the TPZs of some trees may extend to or be present within the HO zone.

Table 8 indicates the number of tree features that trigger permits.

Permit	Count	Tree / Group numbers
52.17	75	54, 55, 59, 60, 178, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 236, 251, 252, 253, 258, 361, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 425, 436, 439, 440, 441, 442, 443, 444, 494, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, G167, G182, G184
ESO2, ESO5, 52.17	9	G2, G46, G84, G85, G86, G114, G133, G179, G180
ESO, 52.17	6	189, 235, 319, 320, 424, 427
ESO	7	184, 186, 190, 191, 192, 194, 426
ESO2	1	G1
No	684	Refer to Permit column in Appendix 1 – tree assessment data for tree numbers
Total	782	



5 Tree Protection Zones

- 5.1 The Tree Protection Zones (TPZs) provided for each tree in the Tree Assessment Table in Appendix 1 are calculated using the formula provided in the Australian Standard AS4970 where the Radial TPZ = Trunk diameter (DBH) measured at 1.4m above grade and multiplied by 12. TPZ distances are measured as a radius from the centre of the trunk at (or near) ground level. The method for calculating, applying and managing the tree protection zone is described in Appendix 4.

The TPZ forms an area around a tree or group of trees that addresses both the stability and growing requirements of a tree in which excavation or fill, vehicle movements, installation of underground services and other construction activities must be either excluded or controlled.

Minor encroachment, up to 10% of the TPZ area, is generally permissible provided encroachment is compensated for by recruitment of an equal area contiguous with the TPZ. Encroachment greater than 10% is considered major encroachment under AS4970 and is only permissible if it can be demonstrated that after such encroachment the tree would remain viable. Refer to Figure 2A and 2B.




Diagram 1A & 1B - Examples of minor encroachment into a TPZ.

(Extract from: AS4970-2009, Appendix D, pg. 30 of 32)

- 5.2 The Structural Root Zone (SRZ) provided for each tree has been calculated using the method provided in AS4970. The SRZ is the area in which the larger woody roots required for tree stability are found close to the trunk and which then generally taper rapidly. This is the minimum area recommended to maintain tree stability but does not reflect the area required to sustain tree health. No works should occur within the SRZ radius as tree stability could be compromised.

Construction and worksite activities within the TPZ must be reviewed by the project arborist to determine the perceived impacts to trees and recommend design amendments, specific construction controls or TPZ management in order to preserve the condition of trees that are required to be retained.

See Appendix 4 for TPZ establishment and management guidelines.

All TPZ measurements are provided in the tree assessment data in Appendix 1 and shown on Tree Location Maps at Appendix 2.

- 5.3 The TPZs for all trees to be retained must be transferred and overlaid on all design plans. Where trees are to be retained in groups, the TPZ fencing can extend around the perimeter of all of the identified TPZs of the trees in the group rather than around individual trees, providing the entire group is effectively excluded from potential TPZ encroachment.
- 5.4 The TPZ fencing must be in the form of either temporary fencing panels with concrete block feet and locked together or water filled barriers with locking pins installed. TPZ fencing must be sufficiently robust to withstand knocks and bumps from plant and machinery, delivery vehicles, storage of materials and dumping of spoil.
- 5.5 Appropriate signage stating 'Tree Protection Zone- No Access' is to be fixed to the fencing to alert people as to importance of the tree protection zone.
Refer to Diagram 1 for fencing example.



Diagram 2. Above left - Example of TPZ fencing above right - Example of TPZ signage.

- 5.6 The following activities must be excluded from or controlled within the Tree Protection Zones (TPZ) unless otherwise approved by the Project Arborist.
 - Machine excavation (including trenching) for continuous strip footings or installation of underground services or road base
 - Alteration of soil levels including placement of fill
 - Storage of wastes or materials (including fuels, oils or chemicals)
 - Preparation of or cleaning of any cement products
 - Storage and or parking of vehicles or any plant/machinery within TPZ

- Washing down of equipment
- Installation of utilities
- Physical damage of any kind to the tree (including direct attachment of anything into the tree)
- Soil cultivation

5.7 The tree protection zones for all trees to be retained within the site must be clearly shown on all design drawings and plans with appropriate notations so that all staff and contractors are aware of the responsibility to protect trees throughout the design, development and delivery of the project.

- The SRZ of a retained tree must always be treated as a No-Go zone.

5.8 Trenching for the installation of any and all underground services must be designed to avoid encroaching the TPZ of any retained trees including street trees.

- If this cannot be avoided the underground service must be installed via directional boring with a minimum depth of 750mm to the top of the bore head.

5.9 All TPZ and SRZ radius distances are provided in Appendix 1.
Refer to Appendix 3 for Tree Descriptors and Appendix 4 for TPZ establishment and management guidelines.



6 Scarred trees

- 6.1 During the assessment arboricultural staff were also looking for evidence of scarring on trees that might potentially have cultural heritage associations.
- 6.2 Typically scarred trees would be associated with River Red Gum (*Eucalyptus camaldulensis*) due the characteristic of being extremely long lived with very durable timber.
- 6.3 Within the assessed tree population, there was no evidence of wounds that resemble intentional scarring or removal of bark by first nation people in the past for various uses. Individual trees within the tree groups were not assessed for presence of trunk scarring, but again most of the tree groups were not River Red Gum or if they were, they comprised sapling regrowth and were too small to have any scarring.
- 6.4 However, assessment of the River Red Gum trees within the Kororoit Creek floodway where the majority of remnant River Red Gum trees were observed was not included in the scope of works.
- 6.5 Detailed investigations to identify potential scar trees within the remnant River Red Gum tree population in the Kororoit Creek flood zone should be completed by specialists in the disciplines of Ecology and Cultural Heritage to identify possible appropriate creek crossings or recreational use. Arboricultural advice should then be sought as to how best to retain and protect the trees from any potential impacts from future proposed changes to site usage.

7 Presence of weed infestation

- 7.1 Presence of obvious weed infestations were noted either in relation to individual trees or tree groups. In general the level of weed infestation was relatively low and confined to only several parcels that had infestations of primarily Box Thorn and Prickly Pear both of which are highly invasive if not removed and controlled early, especially to avoid spreading along the creek line.
- 7.2 Parcels 1, 22, 26, 29, 49, 71 and 101 had weed species or infestation recorded.
- 7.3 Concerted efforts must be made to eradicate and control weed infestation in these areas and to encourage native trees and understorey vegetation to re-establish and self mulch the associated trees in these areas.



8 Recommended works

- 8.1 Arboricultural remedial works were recorded for thirty (30) of the tree features which were classified under 6 broad headings with more definitive description of works provided in a second column. The works were either recorded to reduce the potential for damage or injury associated with partial or whole tree failure, to reduce the likelihood of damage to the tree that might reduce the useful life expectancy, to remove weed infestations or to review the tree condition within a specified timeframe.
- 8.2 Each work recommendation was accompanied by a priority in which the works should be scheduled. Table 11 identifies recommended works sorted by priority.

Table 11: Recommended works sorted by priority

Priority	Recommended works	Tree count	Tree / Group Number
Medium (<12 months)	Clearance pruning	2	586, 591
	Crown maintenance	13	47, 231, 234, 265, 319, 320, 332, 335, 458, G3, G57, G113, G133
	Crown reduction	2	358, 579
	Selective pruning	12	3, 4, 48, 53, 249, 279, 338, 339, 419, 456, G48, G49
	Tree removal	1	52
	None required	752	
Total		782	

- 8.3 Tree removals, where recommended, as well as any pruning must be undertaken by suitably experienced and trained staff and completed in a controlled manner so that no damage occurs to any adjacent trees that may be required to be retained and protected.
- 8.4 All pruning works must be undertaken by suitably trained and experienced arborists complying with Australian Standard (4373-2007) - Pruning of Amenity trees. Climbing spurs must not be used to access trees for pruning purposes that are otherwise required to be retained.
- 8.5 Crown reduction works include reducing or removing the upper canopy (habitat prune) to reduce the crown canopy sail area above an identified trunk hollow, cavity or other defect.



9 Conclusion

- 9.1 The tree study area comprised trees within or adjacent to the Melton East precinct. The Melton East precinct (PSP1076) extends east from Melton, between the Western Highway and Melton Highway, south and west of Kororoit Creek and goes through to Leakes Road in the east.
- 9.2 The study area comprises 78 individual land parcels and 8 road reserves, being a total of 86 parcels in which trees were inspected. The parcel numbering is derived from the Property Landowners Access Consent sheet - Updated provided by the VPA. The property numbering is not sequential and some numbers are missing from the list including numbers 33, 43, 53, 79, 81, 82 and 84.
- The road reserves have been allocated a parcel number to identify where trees exist in the road easements for reference in the report, tree data and mapping. The road reserves are allocated the following parcel references.
Melton Highway (101), Mt Cottler Road (102), Judd Court (103), Beattys Road (104), Paynes Road (105), Leakes Road (106), Water Reserve Road (107), Western Highway (108).
 - Eleven (11) parcels were found to have no trees on them, being Parcels 11, 24, 58, 73, 74, 75, 76, 77, 78, 80 and 83.
 - Refer to Section 3 for details and landowners consent map.
- 9.3 Seven hundred and eighty two (782) tree features were assessed in total of which 592 were individual trees and 190 were tree groups comprising approximately 6,300 trees or shrubs.
- 9.4 Each tree feature was attributed an arboricultural rating that summarises the tree species, size and condition and suitability to retain. Refer to Table 7 at Section 3.17 for numbers of trees and groups attributed which arboricultural ratings.
- Trees attributed an arboricultural rating of High are generally trees with significant conservation or other cultural value. They generally have potential to be a medium- to long-term components of the landscape (moderately long to long ULE) if managed appropriately. Retention of these trees is highly desirable.
 - Trees attributed an arboricultural rating of Moderate A are generally prominent landscape features displaying better than typical condition and having a moderate to long useful life expectancy (ULE). These trees are recommended to be retained and adequately protected from construction impacts wherever possible.
 - Trees rated Moderate B are generally typical of the species growing in the area under prevailing conditions and are deemed suitable to retain in conjunction with development where possible.

- Trees rated Moderate C are either established smaller trees of Fair condition or maturing trees that might be accumulating deficiencies and tending towards becoming of Low arboricultural value.

Trees attributed an arboricultural rating of Moderate A and Moderate B should be preferentially retained wherever possible and Moderate C rated trees retained if not requiring excessive expenditure of resources to achieve appropriate protection.

- In general terms, trees and groups rated Low are not considered worthy of being a constraint on reasonable design intent and outcomes.
- Trees rated Very Low are generally unsuitable to retain in conjunction with development of the site.

9.5 The arboricultural ratings for each tree are shown in the column titled 'Arb rating' in Appendix 1 – Tree Assessment Data.

- Appendix 1B provides tree and group numbers sorted by Arboricultural Rating.
- Appendix 1C provides a break down of the Property Identification number sorted by the number of trees and the Arboricultural Ratings.
- All Arboricultural Ratings are shown as various coloured shapes in the tree and group symbology in Appendix 2 – Tree Location Maps.

9.6 All TPZ and SRZ radius distances are provided in Appendix 1 and displayed on the tree location maps in Appendix 2.

- The tree protection zones for all trees to be retained within the site must be clearly shown on all design drawings and plans with appropriate notations so that all staff and contractors are aware of the responsibility to protect trees throughout the design, development and delivery of the project.
- The SRZ of a retained tree must always be treated as a No-Go zone.
- Trenching for the installation of any and all underground services must be designed to avoid encroaching the TPZ of any retained trees including street trees.
If this cannot be avoided the underground service must be installed via directional boring with a minimum depth of 750mm to the top of the bore head.
- Refer to Section 6 and Appendix 4 for more information.

9.7 Tree removal permit conditions apply to many of the trees under various planning controls and overlays including Schedules 2 and 5 of the Environmental Significance Overlay (ESO2 and ESO5) Clause 52.17 pertaining to Native Vegetation removal.

A column, titled 'Permit', has been included in the Tree Assessment Data tables in Appendix 1 that indicates the type of permit that may be triggered if trees are proposed to be removed in various areas.

- The information in relation to permit and tree controls should not be relied on as these are not definitive and tree removal permit (and offset) requirements must be checked with the relevant authorities before undertaking any tree pruning or demolition works.
 - Refer to Figure 2 in Section 4 for map showing extents of overlays within the site.
 - Table 8 in Section 4 provides tree numbers sorted by potential permit triggers.
- 9.8 Observations for evidence of Scar Trees was undertaken only on individually assessed trees and not on trees within tree groups. No scar trees were identified within the study area, though detailed assessment of the River Red Gum trees within the Kororoit Creek floodway was not included in the scope of works.
- Identification of potential scar trees should be included if and when the trees within the flood zone are assessed.
- 9.9 In general there was relatively little obvious weed infestation across the study area generally confined to Parcels 1, 22, 26, 29, 49, 71 and 101 where weed species or infestation recorded.
- Concerted efforts must be made to eradicate and control weed infestation in these parcels to encourage native understorey vegetation to re-establish.
- 9.10 Work recommendations and priorities were provided for 30 tree records that fall into 6 broad categories.
- Refer to Table 11 in Section 8 for tree numbers sorted by work recommendations.
- 9.11 Tree condition can change quickly in response to environmental conditions or altered landscape conditions. Retained trees should be re-inspected on a 3-5 year basis or following any locally damaging weather events and appropriate remedial works undertaken as required.

I am available to answer any questions arising from this report.

No part of this report is to be reproduced unless in full.

Signed



Bruce Callander

Senior Consultant Arborist

TreeLogic P/L

E: bruce.callander@treelogic.com.au T: 03 9870 7700 Mob: 0425 872 007

References and bibliography:

Australian Standard (4970-2009) Protection of Trees on development sites. Standards Australia, Sydney NSW Australia

Harris, R.W, Clark, J.R. & Matheny, N.P. (2004), Arboriculture: Integrated Management of Landscape trees, shrubs and vines, Prentice Hall, New Jersey.

Clark, J.R. & Matheny, N.P (1998), Trees and Development: A technical guide to preservation of trees during land development. ISA, Champaign, Illinois.

Standards Australia (2007), Australian Standard (4373-2007) - Pruning of Amenity trees, Standards Australia, Homebush, NSW



Appendix 1: Tree Assessment Data: Melton East PSP

Refer to following thirty six (36) pages.

Key:

DBH = Diameter measured in centimetres at breast height (1.4m up trunk) unless otherwise indicated.

Basal = Trunk diameter at base immediately above root buttress.

Arb. Rating = Arboricultural Rating. ULE = Useful Life Expectancy

TPZ = Tree protection zone in radial metres.

SRZ = Structural root zone in radial metres.

Definition of the descriptor categories used in the assessment can be seen in Appendix 3.

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
1	1	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	1	25,23,22,20 (est.)	5 x 11	Fair	Fair to Poor	Mod.C	11-20 y	Woody weed sp On escarpment.	No hollows, No nests	No	5.4	2.7	None required		NA	1
2	1	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	38,34,34, (est.)	6 x 13	Fair	Fair	Mod.C	11-20 y	Woody weed sp On escarpment.	No hollows, No nests	No	7.4	3	None required		NA	1
3	1	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	36,34,30,30	19 x 16	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks, multi-stemmed.	No hollows, No nests	No	7.8	3.2	Selective pruning	Reduce lesser co-dominant stem	Med	1
4	1	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	34,34	17 x 13	Fair	Fair to Poor	Mod.B	11-20 y	Co-dominant stems, included bark forks.	No hollows, No nests	No	5.8	2.7	Selective pruning	Reduce lesser co-dominant stem	Med	1
5	1	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	66	16 x 17	Good	Fair	Mod.A	21-40 y		No hollows, No nests	No	7.9	2.8	None required		NA	1
6	3	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	26	7 x 5	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks.	No hollows, No nests	No	3.1	2	None required		NA	2
7	3	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	25	7 x 6	Fair	Fair	Mod.B	21-40 y	Acute forks.	No hollows, No nests	No	3	2	None required		NA	2
8	3	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	21,14,14	7 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks.	No hollows, No nests	No	3.5	2	None required		NA	2
9	3	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	22,15	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks.	No hollows, No nests	No	3.2	2	None required		NA	2
10	3	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	23	6 x 6	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	2.8	1.8	None required		NA	2
11	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	123 @ 1.0m	15 x 12	Fair to Poor	Poor	Low	6-10 y	Coppiced_multi-stemmed w decay, deadwood >50mm.	Habitat hollows-Main trunk	No	14.8	3.9	None required		NA	2
12	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	68	15 x 5	Poor	Poor	Low	6-10 y	In irreversible decline, main leader dead, suckering.	No hollows, No nests	No	8.2	3	None required		NA	2
13	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	102	15 x 12	Fair to Poor	Poor	Low	6-10 y	Deadwood >50mm, lost main leader, over-extended limbs.	Habitat hollows-Main trunk	No	12.2	3.4	None required		NA	2
14	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	96	16 x 15	Fair to Poor	Poor	Low	6-10 y	Borers, lost main leader, trunk decay.	Trunk cavity, Habitat hollows-Main union	No	11.5	3.4	None required		NA	2
15	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	112	19 x 16	Fair to Poor	Poor	Low	6-10 y	Deadwood >50mm, hangers, major dieback, past stem failure.	Habitat hollows-Main union	No	13.4	3.6	None required		NA	2
16	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	75	8 x 8	Poor	Poor	Low	1-5 y	Lost main leader, trunk decay.	Habitat hollows-Main union	No	9	3.2	None required		NA	2
17	3	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	105	15 x 14	Fair to Poor	Fair to Poor	Mod.C	6-10 y	Deadwood >50mm, decay, past stem failure.	Habitat hollows-Main union	No	12.6	3.4	None required		NA	2
18	101	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	30	12 x 6	Good	Fair	Mod.B	>40 y	& 5 smaller trees to NE.	No hollows, No nests	No	3.6	2.3	None required		NA	76
19	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	30	8 x 8	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.6	2.3	None required		NA	76
20	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	37	12 x 9	Good	Fair	Mod.A	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	76
21	101	<i>Eucalyptus viridis</i>	Green Mallee	Early-mature	Victorian native	1	16,11	8 x 5	Fair to Poor	Fair	Mod.B	11-20 y		No hollows, No nests	No	2.3	1.8	None required		NA	76
22	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	56,38	13 x 14	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	8.1	2.8	None required		NA	76
23	101	<i>Eucalyptus viridis</i>	Green Mallee	Early-mature	Victorian native	1	11	6 x 3	Fair	Fair	Mod.C	21-40 y		No hollows, No nests	No	2	1.5	None required		NA	76
24	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	25	9 x 7	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3	2	None required		NA	76
25	101	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	33	9 x 6	Fair	Fair	Mod.B	>40 y	Past limb failure, trunk wounds.	No hollows, No nests	No	4	2.3	None required		NA	76
26	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	41,36	10 x 10	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	6.5	3	None required		NA	76
27	101	<i>Pinus pinaster</i>	Maritime Pine	Semi-mature	Exotic conifer	1	19,10	6 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Woody weed sp	No hollows, No nests	No	2.6	1.8	None required		NA	76
28	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	23	9 x 5	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	2.8	2	None required		NA	76
29	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	55	14 x 13	Fair	Fair	Mod.B	11-20 y	Crown bias -. Nth.	No hollows, No nests	No	6.6	2.8	None required		NA	76
30	101	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	33	12 x 8	Fair	Fair	Mod.B	21-40 y	Basal wounds.	No hollows, No nests	No	4	2.3	None required		NA	76
31	101	<i>Pinus canariensis</i>	Canary Island Pine	Semi-mature	Exotic conifer	1	16	3 x 3	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	76
32	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	26	5 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Dieback, main leader dead.	No hollows, No nests	No	3.1	2	None required		NA	76

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
33	101	<i>Fraxinus angustifolia</i> subsp. <i>angustifolia</i>	Desert Ash	Early-mature	Exotic deciduous	1	26	5 x 6	Fair	Fair to Poor	Low	6-10 y	Woody weed sp	No hollows, No nests	No	3.1	2.3	None required		NA	76
34	101	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	20	6 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Main leader dead.	No hollows, No nests	No	2.4	1.8	None required		NA	76
35	101	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	20	8 x 6	Fair to Poor	Fair	Mod.B	11-20 y		No hollows, No nests	No	2.4	1.8	None required		NA	76
36	101	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	52	16 x 13	Fair	Fair	Mod.A	>40 y		No hollows, No nests	No	6.2	2.7	None required		NA	76
37	101	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	24	8 x 6	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Dieback.	No hollows, No nests	No	2.9	2	None required		NA	76
38	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	34	16 x 13	Good	Fair	Mod.A	>40 y		No hollows, No nests	No	4.1	2.3	None required		NA	76
39	101	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	34	10 x 7	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	4.1	2.3	None required		NA	76
40	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	64,48	16 x 13	Fair	Fair to Poor	Mod.B	11-20 y		No hollows, No nests	No	9.6	3.6	None required		NA	76
41	101	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Early-mature	Australian native	1	10 @MSm	5 x 4	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2	1.8	None required		NA	76
42	101	<i>Casuarina glauca</i>	Swamp She-oak	Early-mature	Australian native	1	16 (est.)	8 x 5	Fair	Poor	Low	6-10 y	Suckering. Around 10m radius.	No hollows, No nests	No	2	1.7	None required		NA	76
43	101	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	38	12 x 7	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.6	2.3	None required		NA	76
44	101	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	53,44,24	15 x 15	Fair	Poor	Mod.C	11-20 y	Incipient decay, multi-stemmed, past stem failure, suckers.	No hollows, No nests	No	8.8	3.6	None required		NA	76
45	101	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	75	20 x 20	Fair	Fair	Mod.A	21-40 y		No hollows, No nests	No	9	3.2	None required		NA	76
46	101	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Semi-mature	Australian native	1	18	6 x 3	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	2.2	1.7	None required		NA	76
47	101	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	34	12 x 6	Fair	Fair	Mod.B	21-40 y	Swamp she-oak suckers.	No hollows, No nests	No	4.1	2.3	Crown maintenance	Remove weeds	Med	76
48	101	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Maturing	Victorian native	1	56,45	15 x 11	Fair	Poor	Mod.B	>40 y	Fungal brackets, incipient decay, included bark forks, leaning trunk.	No hollows, No nests	No	8.6	3	Selective pruning	Reduce lesser co-dominant stem	Med	76
49	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	33,29	12 x 9	Fair	Fair to Poor	Mod.B	21-40 y	Acute forks, co-dominant stems.	No hollows, No nests	No	5.3	2.5	None required		NA	76
50	101	<i>Casuarina glauca</i>	Swamp She-oak	Early-mature	Australian native	1	37	10 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Suckering.	No hollows, No nests	No	4.4	2.3	None required		NA	76
51	101	<i>Eucalyptus astrigens</i>	Brown Mallet	Maturing	Australian native	1	70	19 x 17	Fair	Fair	Mod.B	11-20 y	Over-extended limbs.	No hollows, No nests	No	8.4	3	None required		NA	76
52	101	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	38	13 x 7	Fair	Poor	Low	1-5 y	Incipient decay, past stem failure, trunk wounds.	No hollows, No nests	No	4.6	2.3	Tree removal	Remove to cut stump	Med	76
53	101	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	54,47	19 x 16	Fair	Fair to Poor	Mod.C	6-10 y	Basal wounds, co-dominant stems, incipient decay, past limb failure.	No hollows, No nests	No	8.6	3.2	Selective pruning	Reduce lesser co-dominant stem	Med	76
54	101	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous	1	36	8 x 12	Fair	Fair to Poor	Mod.B	21-40 y	Fungal brackets, over-extended limbs. Phaolus Fungi at base.	No hollows, No nests	52.17	4.3	2.3	None required		NA	76
55	101	<i>Allocasuarina verticillata</i>	Drooping She-oak	Maturing	Indigenous	1	50	12 x 9	Fair	Fair to Poor	Mod.C	11-20 y	Basal wounds, incipient decay, past stem failure.	No hollows, No nests	52.17	6	2.7	None required		NA	76
56	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	64 @1.0m	23 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Dieback, poor taper.	No hollows, No nests	No	7.7	2.8	None required		NA	76
57	101	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	75 @0.8m	11 x 14	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	9	3	None required		NA	76
58	101	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	22	11 x 5	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	2.6	2	None required		NA	76
59	101	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous	1	46	11 x 12	Fair	Fair	Mod.B	21-40 y	Past limb failure, partly suppressed - crown bias nw.	No hollows, No nests	52.17	5.5	2.5	None required		NA	76
60	101	<i>Allocasuarina verticillata</i>	Drooping She-oak	Maturing	Indigenous	1	40,38	10 x 9	Fair	Fair to Poor	Mod.B	11-20 y		No hollows, No nests	52.17	6.6	2.7	None required		NA	76
61	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	22,19	10 x 5	Fair to Poor	Fair	Mod.C	21-40 y	Commemorative.	No hollows	No	3.5	2	None required		NA	76
62	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	28	9 x 8	Fair	Fair	Mod.B	>40 y	Commemorative.	No hollows	No	3.4	2.3	None required		NA	76
63	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	25	9 x 6	Fair	Fair	Mod.B	>40 y	Commemorative.	No hollows	No	3	2	None required		NA	76

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
64	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	28	8 x 8	Good	Fair	Mod.C	11-20 y	Limb wounds. Commemorative.	No hollows	No	3.4	2.3	None required		NA	76
65	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	13,11	6 x 4	Fair to Poor	Fair	Low	11-20 y	Commemorative.	No hollows	No	2	1.7	None required		NA	76
66	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	12	6 x 3	Fair to Poor	Fair to Poor	Low	6-10 y	Past stem failure. Commemorative.	No hollows	No	2	1.5	None required		NA	76
67	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	15	7 x 3	Fair to Poor	Fair	Low	11-20 y	Commemorative.	No hollows	No	2	1.7	None required		NA	76
68	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	20	10 x 6	Fair	Fair to Poor	Mod.C	21-40 y	Active split. Commemorative.	No hollows	No	2.4	1.8	None required		NA	76
69	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	26	10 x 7	Good	Fair	Mod.B	>40 y	Commemorative.	No hollows	No	3.1	2	None required		NA	76
70	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	19	8 x 6	Fair	Fair to Poor	Mod.C	21-40 y	Acute forks. Commemorative.	No hollows	No	2.3	1.8	None required		NA	76
71	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	16	8 x 4	Fair to Poor	Fair	Low	11-20 y	Commemorative.	No hollows	No	2	1.7	None required		NA	76
72	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	27	9 x 7	Fair	Fair	Mod.B	>40 y	Commemorative.	No hollows	No	3.2	2	None required		NA	76
73	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	17	6 x 6	Good	Fair	Mod.C	>40 y	Commemorative.	No hollows	No	2	1.8	None required		NA	76
74	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	15	7 x 4	Fair	Fair	Mod.C	21-40 y	Commemorative.	No hollows	No	2	1.7	None required		NA	76
75	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	22	7 x 6	Fair	Fair	Mod.C	21-40 y	Commemorative.	No hollows	No	2.6	2	None required		NA	76
76	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	22	7 x 5	Good	Fair	Mod.C	>40 y	Commemorative.	No hollows	No	2.6	2	None required		NA	76
77	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	25	8 x 6	Fair	Fair	Mod.C	>40 y	Commemorative.	No hollows	No	3	2	None required		NA	76
78	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	10	5 x 4	Fair to Poor	Fair	Low	11-20 y	Commemorative.	No hollows	No	2	1.5	None required		NA	76
79	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	13,12	6 x 4	Fair to Poor	Fair	Low	11-20 y	Commemorative.	No hollows	No	2.1	1.7	None required		NA	76
80	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	20	6 x 6	Fair to Poor	Fair	Mod.C	11-20 y	Commemorative.	No hollows	No	2.4	1.8	None required		NA	76
81	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	13	5 x 4	Fair to Poor	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2	1.5	None required		NA	76
82	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	23	7 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	2.8	1.8	None required		NA	76
83	101	<i>Corymbia maculata</i>	Spotted Gum	Young	Victorian native	1	8,7	4 x 4	Fair to Poor	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2	1.5	None required		NA	76
84	101	<i>Corymbia maculata</i>	Spotted Gum	Young	Victorian native	1	12	4 x 5	Fair to Poor	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2	1.5	None required		NA	76
85	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	23	9 x 7	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	2.8	1.8	None required		NA	76
86	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	21	8 x 6	Fair	Fair to Poor	Mod.C	21-40 y	Acute forks.	No hollows, No nests	No	2.5	1.8	None required		NA	76
87	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	32	9 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.8	2.3	None required		NA	76
88	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	31	10 x 7	Fair	Fair	Mod.B	>40 y	Acute forks.	No hollows, Nesting site	No	3.7	2.3	None required		NA	76
89	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	10	6 x 4	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2	1.5	None required		NA	76
90	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	15	5 x 4	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	76
91	101	<i>Corymbia maculata</i>	Spotted Gum	Young	Victorian native	1	9	4 x 3	Fair to Poor	Fair to Poor	Low	11-20 y		No hollows, No nests	No	2	1.5	None required		NA	76
92	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	31	8 x 7	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.7	2.3	None required		NA	76
93	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	19	7 x 6	Fair	Fair to Poor	Mod.C	>40 y		No hollows, No nests	No	2.3	1.8	None required		NA	76
94	4	<i>Eucalyptus melliodora</i>	Yellow Box	Semi-mature	Victorian native	1	12,12	6 x 4	Fair	Fair to Poor	Low	21-40 y		No hollows	No	2	1.8	None required		NA	3
95	4	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Semi-mature	Australian native	1	16,13	8 x 7	Fair	Fair	Mod.C	21-40 y		No hollows	No	2.5	2	None required		NA	3
96	4	<i>Cupressus macrocarpa</i> 'Goldcrest'	Golden Monterey Cypress	Semi-mature	Exotic conifer	1	20	5 x 6	Fair to Poor	Fair	Low	6-10 y		No hollows	No	2.4	2	None required		NA	3
97	4	<i>Eucalyptus melliodora</i>	Yellow Box	Semi-mature	Victorian native	1	27,24	10 x 8	Fair	Fair	Mod.B	>40 y		No hollows	No	4.3	2.3	None required		NA	3

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
98	5	<i>Eucalyptus viminalis</i>	Manna Gum	Early-mature	Victorian native	1	31,30,17	10 x 8	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.6	2.5	None required		NA	4
99	5	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	1	36,30	9 x 8	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks.	No hollows	No	5.6	2.5	None required		NA	4
100	5	<i>Pinus halepensis</i>	Aleppo Pine	Semi-mature	Exotic conifer	1	26,22	10 x 8	Good	Fair	Mod.B	>40 y		No hollows	No	4.1	2.7	None required		NA	4
101	5	<i>Pinus halepensis</i>	Aleppo Pine	Semi-mature	Exotic conifer	1	35	9 x 8	Good	Fair	Mod.B	>40 y		No hollows	No	4.2	2.3	None required		NA	4
102	5	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	35	12 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.2	2.3	None required		NA	4
103	5	<i>Eucalyptus melliodora</i>	Yellow Box	Semi-mature	Victorian native	1	35	13 x 8	Fair	Fair	Mod.B	21-40 y		No hollows	No	4.2	2.3	None required		NA	4
104	6	<i>Eucalyptus microcarpa</i>	Grey Box	Semi-mature	Indigenous (Planted)	1	20	6 x 3	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Partly suppressed - crown bias. Crowded by Dwarf Sugar gums.	No hollows, No nests	No	2.4	1.8	None required		NA	5
105	6	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	23	6 x 5	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks. Crowded by Leyland cypresses.	No hollows, No nests	No	2.8	2	None required		NA	5
106	6	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	1	40,38 (est.)	10 x 8	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks. Crowded by Leyland cypresses.	No hollows, No nests	No	6.6	2.7	None required		NA	5
107	6	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Maturing	Australian native	1	45,30, (est.)	9 x 9	Fair	Fair to Poor	Mod.B	11-20 y	Included bark forks. Crowded by Leyland cypresses.	No hollows, No nests	No	6.5	2.7	None required		NA	5
108	6	<i>Eucalyptus saligna</i>	Sydney Blue Gum	Maturing	Australian native	1	62	16 x 18	Good	Fair	Mod.A	>40 y		No hollows, No nests	No	7.4	2.8	None required		NA	5
109	6	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	26,21	8 x 9	Fair to Poor	Poor	Low	6-10 y	Co-dominant stems, over-extended limbs.	No hollows, No nests	No	4	2	None required		NA	5
110	6	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	23,21	8 x 10	Fair to Poor	Poor	Low	6-10 y	Co-dominant forks, over-extended limbs, previous failures.	No hollows, No nests	No	3.7	2	None required		NA	5
111	6	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	1	30,27,26	6 x 12	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.8	2.7	None required		NA	5
112	6	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	37	10 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	5
113	6	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	19,16,13	8 x 9	Fair to Poor	Poor	Low	6-10 y	Multi-stemmed.	No hollows, No nests	No	3.4	2	None required		NA	5
114	6	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	1	21,13	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Co-dominant forks.	No hollows, No nests	No	3	1.8	None required		NA	5
115	6	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	22,18,14,14,14 @MSm	10 x 12	Fair	Fair	Mod.B	21-40 y	Congested primary union.	No hollows, No nests	No	4.5	2.3	None required		NA	5
116	6	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	35	13 x 11	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	4.2	2.3	None required		NA	5
117	6	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	42	13 x 9	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	5	2.5	None required		NA	5
118	6	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	27	6 x 6	Fair	Fair to Poor	Mod.B	11-20 y	Over-extended limbs.	No hollows, No nests	No	3.2	2	None required		NA	5
119	6	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	28	6 x 5	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	3.4	2	None required		NA	5
120	7	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	39	9 x 10	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.7	2.5	None required		NA	6
121	7	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	1	55 (est.)	10 x 13	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	6.6	2.7	None required		NA	6
122	7	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	40	13 x 10	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.8	2.5	None required		NA	6
123	7	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	35	12 x 8	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.2	2.3	None required		NA	6
124	7	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	1	31	5 x 4	Dead	Poor	Very Low	<1 y		No hollows, No nests	No	3.7	2.3	None required		NA	6
125	10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	26,20,18	8 x 8	Fair	Fair	Mod.C	21-40 y		No hollows	No	4.5	2.5	None required		NA	9
126	10	<i>Eucalyptus melliodora</i>	Yellow Box	Early-mature	Victorian native	1	30	9 x 7	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows	No	3.6	2.3	None required		NA	9
127	10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	30	8 x 7	Fair	Fair to Poor	Mod.C	21-40 y	Acute forks.	No hollows	No	3.6	2	None required		NA	9
128	10	<i>Eucalyptus polyanthemos</i>	Red Box	Semi-mature	Victorian native	1	40	8 x 7	Fair to Poor	Fair	Low	11-20 y		No hollows	No	4.8	2.3	None required		NA	9
129	10	<i>Eucalyptus sp.</i>	Gum Tree	Early-mature	Australian native	1	40	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Lopped. E. sargentii.	No hollows	No	4.8	2.3	None required		NA	9
130	10	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	25	8 x 7	Fair to Poor	Fair to Poor	Low	11-20 y		No hollows	No	3	2	None required		NA	9

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
131	10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	34	8 x 8	Fair to Poor	Fair to Poor	Mod.C	21-40 y	Acute forks.	No hollows, No nests	No	4.1	2.3	None required		NA	9
132	10	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	43	16 x 13	Fair	Fair	Mod.B	>40 y		Nesting site	No	5.2	2.5	None required		NA	9
133	10	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	37	13 x 11	Fair	Fair to Poor	Mod.C	11-20 y	Epicormic shoots, multi-stemmed.	No hollows, No nests	No	4.4	2.3	None required		NA	9
134	10	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	1	33,31	7 x 10	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.4	2.5	None required		NA	9
135	10	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	26	7 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Multi-stemmed.	No hollows, No nests	No	3.1	2	None required		NA	9
136	10	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	61,25	16 x 8	Fair	Fair	Mod.B	>40 y		Nesting site	No	7.9	3.2	None required		NA	9
137	10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	24,18	9 x 5	Poor	Poor	Low	1-5 y		No hollows, No nests	No	3.6	2	None required		NA	9
138	10	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	19,7	8 x 7	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2.3	1.8	None required		NA	9
139	10	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	23,17	8 x 10	Fair	Fair to Poor	Mod.C	11-20 y	Co-dominant forks.	No hollows, No nests	No	3.4	2	None required		NA	9
140	10	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	36,29,26,23,19	10 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Congested primary union.	Hollows-Spouts	No	7.3	2.5	None required		NA	9
141	10	<i>Eucalyptus melliodora</i>	Yellow Box	Semi-mature	Victorian native	1	34	11 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.1	2.3	None required		NA	9
142	10	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	21,19	8 x 6	Fair to Poor	Poor	Low	6-10 y	Basal decay, basal wounds.	No hollows, No nests	No	3.4	1.8	None required		NA	9
143	10	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	17,13,11	7 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2.9	1.8	None required		NA	9
144	10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	39	10 x 9	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	4.7	2.3	None required		NA	9
145	10	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	46	15 x 13	Fair	Fair	Mod.B	>40 y		Nesting site	No	5.5	2.7	None required		NA	9
146	10	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	45	14 x 12	Fair	Fair to Poor	Mod.C	11-20 y	Deadwood >50mm, included bark forks, suppressed.	No hollows, No nests	No	5.4	2.7	None required		NA	9
147	10	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	56,55	17 x 15	Fair	Fair	Mod.B	21-40 y	Deadwood.	Nesting site	No	9.4	3.4	None required		NA	9
148	10	<i>Cupressus glabra</i>	Smooth Arizona Cypress	Early-mature	Exotic conifer	1	35	9 x 10	Fair	Fair	Mod.B	21-40 y		No hollows	No	4.2	2.3	None required		NA	9
149	10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	34	10 x 9	Fair	Fair to Poor	Mod.B	21-40 y	Acute forks.	No hollows	No	4.1	2.3	None required		NA	9
150	10	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Semi-mature	Victorian native	1	24	7 x 8	Fair to Poor	Poor	Low	6-10 y	Decay.	No hollows, No nests	No	2.9	2.3	None required		NA	9
151	10	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Semi-mature	Victorian native	1	15,12,12,8,8	5 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2.7	2	None required		NA	9
152	10	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Semi-mature	Victorian native	1	11,11,8,8,8 @MSm	6 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	2	None required		NA	9
153	12	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	70,42	8 x 14	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	9.8	3.3	None required		NA	11
154	16	<i>Eucalyptus polyanthemos</i>	Red Box	Early-mature	Victorian native	1	34	9 x 7	Good	Fair	Mod.A	21-40 y	Euc polyanthemos subsp. polyanthemos.	No hollows, No nests	No	4.1	2.3	None required		NA	15
155	102	<i>Eucalyptus platypus</i>	Round-leaved Moort	Semi-mature	Australian native	1	16	5 x 6	Fair	Poor	Low	6-10 y		No hollows, No nests	No	2	1.7	None required		NA	77
156	16	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	43,31	9 x 12	Fair	Poor	Low	6-10 y	Deadwood >50mm, decay, trunk wounds.	Hollows-Spouts	No	6.4	2.5	None required		NA	15
157	16	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	33	9 x 7	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	4	2.3	None required		NA	15
158	16	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	55 @<=0.5m	9 x 12	Fair	Poor	Mod.C	11-20 y	Congested primary union.	No hollows, No nests	No	6.6	2.7	None required		NA	15
159	16	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	1	24,21	7 x 10	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.8	2	None required		NA	15
160	16	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	31	10 x 8	Fair	Fair	Mod.B	>40 y		Nesting site	No	3.7	2.3	None required		NA	15
161	18	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	44,36	12 x 10	Fair	Fair	Mod.B	21-40 y	Epicormic shoots, previous failures.	Nesting site	No	6.8	2.7	None required		NA	17
162	18	<i>Acacia implexa</i>	Lightwood	Semi-mature	Victorian native	1	26	7 x 6	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3.1	2	None required		NA	17
163	18	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	57	13 x 12	Fair	Fair	Mod.B	>40 y	Exposed roots.	No hollows, Nesting site	No	6.8	2.8	None required		NA	17

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
164	19	<i>Eucalyptus melliodora</i>	Yellow Box	Early-mature	Indigenous (Planted)	1	27,25 @ <=0.5m	4 x 5	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks, lopped, multi-stemmed, past powerline clearance.	No hollows, No nests	No	4.4	2	None required		NA	18
165	19	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	34	10 x 6	Fair	Fair	Mod.B	11-20 y	Past powerline clearance, crown bias -. East.	No hollows, No nests	No	4.1	2.3	None required		NA	18
166	19	<i>Allocasuarina verticillata</i>	Drooping She-oak	Early-mature	Indigenous (Planted)	1	25,15	6 x 6	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	3.5	2.3	None required		NA	18
167	19	<i>Pittosporum undulatum</i>	Sweet Pittosporum	Early-mature	Victorian native	1	25	4 x 4	Fair	Fair	Mod.C	11-20 y	Woody weed sp	No hollows, No nests	No	3	2	None required		NA	18
168	19	<i>Pittosporum undulatum</i>	Sweet Pittosporum	Early-mature	Victorian native	1	25	4 x 4	Fair	Fair	Mod.C	11-20 y	Woody weed sp	No hollows, No nests	No	3	2	None required		NA	18
169	21	<i>Callistemon 'Kings Park Special'</i>	King's Park Special Bottlebrush	Early-mature	Australian native	1	16	4 x 5	Fair	Fair to Poor	Mod.C	11-20 y	Sprawling shrub.	No hollows, No nests	No	2	1.8	None required		NA	20
170	21	<i>Cupressus macrocarpa</i>	Weeping Golden Monterey Cypress	Early-mature	Exotic conifer	1	20 (est.)	3 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Lopped.	No hollows, No nests	No	2.4	1.8	None required		NA	20
171	21	<i>Cupressus sempervirens</i>	Swane's Golden Pencil Pine	Early-mature	Exotic conifer	1	13	5 x 1	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	20
172	21	<i>Cupressus sempervirens</i>	Swane's Golden Pencil Pine	Early-mature	Exotic conifer	1	13	5 x 1	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	20
173	21	<i>Cupressus macrocarpa</i>	Weeping Golden Monterey Cypress	Early-mature	Exotic conifer	1	20	3 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Lopped.	No hollows, No nests	No	2.4	1.8	None required		NA	20
174	21	<i>Eucalyptus leucocorydon</i>	Pink-flowered Yellow Gum	Early-mature	Australian native	1	20	5 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Lopped.	No hollows, No nests	No	2.4	1.8	None required		NA	20
175	21	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	29,27,25,20,16	6 x 9	Fair to Poor	Fair to Poor	Low	11-20 y	Basal wounds, incipient decay, past stem failure.	No hollows, No nests	No	6.4	3	None required		NA	20
176	22	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	33	11 x 7	Fair	Fair	Mod.C	21-40 y	Not accessed_viewed from boundary.	No hollows, No nests	No	4	2.3	None required		NA	21
177	22	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	33 (est.)	11 x 7	Fair	Fair	Mod.B	>40 y	Not accessed_viewed from boundary.	No hollows, No nests	No	4	2.3	None required		NA	21
178	23	<i>Eucalyptus microcarpa</i>	Grey Box	Maturing	Indigenous	1	78	11 x 8	Fair	Fair to Poor	Mod.A	21-40 y		Trunk cavity, Habitat hollows-Main trunk	52.17	9.4	3.2	None required		NA	22
179	25	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	1	15,15,13	6 x 6	Fair	Poor	Mod.C	11-20 y	Deadwood >50mm, multi-stemmed.	No hollows, No nests	No	3	2.3	None required		NA	25
180	32	<i>Eucalyptus nicholii</i>	Narrow-leaved Black Peppermint	Maturing	Australian native	1	50	6 x 9	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	No	6	2.7	None required		NA	31
181	36	<i>Salix babylonica</i>	Weeping Willow	Early-mature	Exotic deciduous	1	40	7 x 9	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	4.8	2.3	None required		NA	34
182	36	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	1	40 (est.)	7 x 9	Fair	Fair	Mod.C	11-20 y	Not accessed_viewed from boundary.	No hollows, No nests	No	4.8	2.5	None required		NA	34
183	38	<i>Corymbia ficifolia</i>	Red-flowering Gum	Semi-mature	Australian native	1	16,14,9	6 x 6	Fair to Poor	Poor	Low	6-10 y	Basal wounds.	No hollows, No nests	No	2.6	1.8	None required		NA	36
184	40	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	42	11 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	ESO	5	2.5	None required		NA	38
185	40	<i>Eucalyptus leucocorydon</i>	Yellow Gum	Semi-mature	Victorian native	1	35	11 x 10	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	4.2	2.3	None required		NA	38
186	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	40	14 x 7	Fair	Fair	Mod.B	>40 y		No hollows	ESO	4.8	2.5	None required		NA	38
187	40	<i>Eucalyptus cladocalyx</i>	Bushy Sugar Gum	Early-mature	Australian native	1	32,31	7 x 11	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.3	2.7	None required		NA	38
188	40	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	1	30,25,20	7 x 7	Fair to Poor	Fair	Low	11-20 y		No hollows	No	5.3	2.7	None required		NA	38
189	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	40	7 x 9	Fair	Fair	Mod.A	>40 y		No hollows	ESO, 52.17	4.8	2.5	None required		NA	
190	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	53	17 x 10	Fair	Fair	Mod.A	>40 y		No hollows	ESO	6.4	2.7	None required		NA	38
191	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	49	18 x 10	Fair	Fair	Mod.A	>40 y		No hollows	ESO	5.9	2.7	None required		NA	38
192	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	41	14 x 8	Fair	Fair	Mod.B	>40 y		No hollows	ESO	4.9	2.5	None required		NA	38
193	40	<i>Eucalyptus gomphocephala</i>	Tuart	Maturing	Australian native	1	58,54	18 x 15	Fair	Fair	Mod.A	21-40 y	Acute forks.	No hollows	No	9.5	3.2	None required		NA	38
194	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	28	12 x 6	Fair	Fair	Mod.C	>40 y		No hollows	ESO	3.4	2.3	None required		NA	38

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
195	40	<i>Eucalyptus polyanthemus</i>	Red Box	Early-mature	Victorian native	1	43	11 x 12	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.2	2.5	None required		NA	38
196	40	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	45	11 x 12	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.4	2.5	None required		NA	38
197	40	<i>Eucalyptus viridis</i>	Green Mallee	Early-mature	Victorian native	1	28	11 x 6	Poor	Fair	Low	1-5 y		No hollows	No	3.4	2.3	None required		NA	38
198	40	<i>Eucalyptus viridis</i>	Green Mallee	Maturing	Victorian native	1	48	13 x 12	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.8	2.7	None required		NA	38
199	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	28	12 x 7	Fair	Fair to Poor	Mod.B	11-20 y	Codominant stem removed. not occluded	No hollows	No	3.4	2.3	None required		NA	38
200	40	<i>Eucalyptus saligna</i>	Sydney Blue Gum	Early-mature	Australian native	1	49	14 x 13	Fair to Poor	Fair	Mod.C	21-40 y	Co-dominant forks, deadwood, previous failures.	No hollows, No nests	No	5.9	2.8	None required		NA	38
201	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous (Planted)	1	57	20 x 13	Good	Fair	High	>40 y		No hollows, No nests	No	6.8	2.8	None required		NA	38
202	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	40	14 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.8	2.5	None required		NA	38
203	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	15	8 x 4	Poor	Fair to Poor	Low	6-10 y		No hollows, No nests	No	2	1.7	None required		NA	38
204	40	<i>Cupressus macrocarpa</i>	Monterey Cypress	Semi-mature	Exotic conifer	1	33	9 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4	2.3	None required		NA	38
205	40	<i>Eucalyptus cladocalyx 'Nana'</i>	Bushy Sugar Gum	Early-mature	Australian native	1	39	9 x 12	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.7	2.5	None required		NA	38
206	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	30	10 x 9	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Lost main leader.	No hollows, No nests	No	3.6	2.3	None required		NA	38
207	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	35	12 x 7	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.2	2.3	None required		NA	38
208	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	34	12 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.1	2.3	None required		NA	38
209	40	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	38	12 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.6	2.3	None required		NA	38
210	42	<i>Eucalyptus leucoxylin</i>	Yellow Gum	Early-mature	Victorian native	1	53	10 x 11	Fair	Fair	Mod.A	>40 y		No hollows, No nests	No	6.4	2.7	None required		NA	40
211	102	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	41	8 x 12	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.9	2.5	None required		NA	77
212	102	<i>Eucalyptus leucoxylin</i>	Yellow Gum	Early-mature	Victorian native	1	33,31,28	9 x 12	Fair	Fair	Mod.B	>40 y		Nesting site	No	6.4	2.7	None required		NA	40
213	102	<i>Eucalyptus leucoxylin</i>	Yellow Gum	Early-mature	Victorian native	1	36,33,23	9 x 12	Fair	Poor	Low	6-10 y		No hollows, No nests	No	6.5	2.5	None required		NA	40
214	42	<i>Eucalyptus gomphocephala</i>	Tuart	Early-mature	Australian native	1	38,33	10 x 13	Fair	Fair to Poor	Mod.C	11-20 y	Co-dominant forks, over-extended limbs.	No hollows, No nests	No	6	2.5	None required		NA	40
215	102	<i>Eucalyptus nicholii</i>	Narrow-leaved Black Peppermint	Early-mature	Australian native	1	31,28	8 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	5	2.3	None required		NA	40
216	42	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	52	11 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	6.2	2.7	None required		NA	40
217	42	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	52	12 x 14	Fair	Fair	Mod.A	>40 y		No hollows, No nests	No	6.2	2.7	None required		NA	40
218	42	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	37	8 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	40
219	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	73	8 x 13	Fair	Fair	High	>40 y		No hollows, No nests	52.17	8.8	3.2	None required		NA	43
220	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	33	5 x 6	Fair	Fair	Mod.A	>40 y	Partly suppressed - crown bias east.	No hollows, No nests	52.17	4	2.3	None required		NA	43
221	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	50	6 x 9	Fair	Fair	High	>40 y		No hollows, No nests	52.17	6	2.7	None required		NA	43
222	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	59	5 x 12	Fair	Fair	High	>40 y		No hollows, No nests	52.17	7.1	2.8	None required		NA	43
223	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	1	7	2 x 2	Fair	Fair	Mod.A	>40 y	Natural recruitment.	No hollows, No nests	52.17	2	1.5	None required		NA	43
224	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	1	5.4	2 x 2	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	2	1.5	None required		NA	43
225	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	1	7	2 x 2	Good	Fair	Mod.A	>40 y		No hollows, No nests	52.17	2	1.5	None required		NA	43
226	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	30	5 x 8	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	3.6	2.3	None required		NA	43
227	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	87	5 x 12	Fair	Fair	Mod.A	>40 y	Acute forks, crown bias - SW. Timber wedged in fork.	No hollows, No nests	52.17	10.4	3.3	None required		NA	43
228	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	82	8 x 12	Fair	Fair	Mod.A	>40 y	Partly suppressed - crown bias sth.	No hollows, No nests	52.17	9.8	3.3	None required		NA	43

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
229	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	60,56	8 x 15	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	9.8	3.2	None required		NA	43
230	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	60	7 x 6	Fair to Poor	Fair to Poor	Mod.A	21-40 y	Basal decay, basal wounds, deadwood >50mm. Natural recruitment occurring to south.	No hollows, No nests	52.17	7.2	3	None required		NA	43
231	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	68	8 x 10	Fair	Fair	Mod.A	>40 y	Box thorn. At base.	Trunk cavity	52.17	8.2	3	Crown maintenance	Remove weeds	Med	43
232	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	41	8 x 8	Fair	Fair to Poor	Mod.B	>40 y	Past limb failure, partly suppressed - crown bias sw.	No hollows, No nests	52.17	4.9	2.5	None required		NA	43
233	48	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	77	10 x 12	Fair	Fair	Mod.A	>40 y	Past limb failure.	No hollows, No nests	52.17	9.2	3.2	None required		NA	43
234	49	<i>Lycium ferocissimum</i>	BoxThorn	Maturing	Exotic evergreen	1	3	2 x 4	Fair to Poor	Very Poor	Very Low	<1 y	Box Thorn.	No hollows, No nests	No	2	1.5	Crown maintenance	Remove weeds	Med	44
235	49	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	110 (est.)	12 x 17	Good	Fair	Mod.A	>40 y	Not accessed_viewed from afar.	Habitat hollows- Main union, Hollows-Spouts	ESO, 52.17	13.2	3.9	None required		NA	
236	50	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	45,41	14 x 10	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	7.3	2.8	None required		NA	45
237	50	<i>Eucalyptus cladocalyx 'Nana'</i>	Bushy Sugar Gum	Maturing	Australian native	1	62	9 x 12	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	7.4	2.8	None required		NA	45
238	106	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	17,13	6 x 8	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2.6	1.8	None required		NA	81
239	106	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	1	35,27,22,22,22 @MSm	7 x 9	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	7	2.7	None required		NA	81
240	50	<i>Eucalyptus torquata</i>	Coral Gum	Maturing	Australian native	1	30 @1.0m	5 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Partly suppressed - crown bias east.	No hollows, No nests	No	3.6	2.3	None required		NA	45
241	50	<i>Eucalyptus sp.</i>	Gum Tree	Semi-mature	Australian native	1	15,11,8 (est.)	5 x 8	Fair	Fair to Poor	Mod.C	21-40 y		Nesting site	No	2.2	1.8	None required		NA	45
242	50	<i>Eucalyptus sp.</i>	Gum Tree	Semi-mature	Australian native	1	24,16 (est.)	5 x 8	Fair	Poor	Low	6-10 y		Nesting site	No	3.5	1.8	None required		NA	45
243	50	<i>Eucalyptus torquata</i>	Coral Gum	Maturing	Australian native	1	33	5 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Partly suppressed - crown bias east.	No hollows, No nests	No	4	2.3	None required		NA	45
244	50	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	60	18 x 16	Fair	Poor	Low	6-10 y	Basal wounds, burnt.	Nesting site	No	7.2	2.8	None required		NA	45
245	50	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	70	15 x 13	Fair	Poor	Low	1-5 y	Basal wounds. Fire at base likely to cause tree decline.	No hollows, No nests	No	8.4	3	None required		NA	45
246	50	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	48	13 x 11	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.8	2.7	None required		NA	45
247	50	<i>Eucalyptus gomphocephala</i>	Tuart	Early-mature	Australian native	1	30,27	6 x 6	Dead	Poor	Very Low	<1 y		No hollows, No nests	No	4.8	2.3	None required		NA	45
248	50	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	56	12 x 12	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	6.7	2.7	None required		NA	45
249	50	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	32	9 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks.	No hollows, No nests	No	3.8	2.3	Selective pruning	Reduce lesser co-dominant stem	Med	45
250	50	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	46	9 x 5	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks, co-dominant stems.	No hollows, No nests	No	5.5	2.5	None required		NA	45
251	51	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	90	7 x 14	Fair	Fair	Mod.A	>40 y	Past limb failure.	Hollows-Branch collar	52.17	10.8	3.3	None required		NA	46
252	51	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	1	9	2 x 2	Good	Fair	Mod.B	>40 y	Natural recruitment occurring to N & E.	No hollows, No nests	52.17	2	1.5	None required		NA	46
253	51	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	51	6 x 9	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	6.1	2.7	None required		NA	46
254	51	<i>Pinus halepensis</i>	Aleppo Pine	Maturing	Exotic conifer	1	72	18 x 14	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	8.6	3	None required		NA	46
255	51	<i>Quercus robur</i>	English Oak	Early-mature	Exotic deciduous	1	33	5 x 7	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4	2.5	None required		NA	46
256	51	<i>Brachychiton populneus</i>	Kurrajong	Maturing	Victorian native	1	72	9 x 9	Good	Fair	Mod.A	21-40 y		No hollows, No nests	No	8.6	3	None required		NA	46
257	51	<i>Brachychiton populneus</i>	Kurrajong	Maturing	Victorian native	1	72	9 x 9	Good	Fair	Mod.A	21-40 y		No hollows, No nests	No	8.6	3	None required		NA	46
258	51	<i>Allocasuarina verticillata</i>	Drooping She-oak	Maturing	Indigenous	1	87	7 x 12	Fair	Fair	Mod.B	11-20 y		No hollows, No nests	52.17	10.4	3.2	None required		NA	46
259	54	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Maturing	Victorian native	1	31,26	14 x 9	Fair	Fair	Mod.B	21-40 y	Acute forks.	No hollows, No nests	No	4.9	3	None required		NA	48

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
260	54	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	1	74	12 x 14	Fair	Poor	Low	6-10 y	Over-extended limbs, past limb failure. Reduced holding wood in main fork.	No hollows, No nests	No	8.9	3	None required		NA	48
261	54	<i>Eucalyptus gomphocephala</i>	Tuart	Maturing	Australian native	1	49	9 x 7	Fair	Fair	Mod.B	11-20 y		Bark slabs	No	5.9	2.5	None required		NA	48
262	54	<i>Eucalyptus gomphocephala</i>	Tuart	Maturing	Australian native	1	53	8 x 8	Fair	Fair	Mod.B	11-20 y	Trunk wounds.	No hollows, Bark slabs	No	6.4	2.3	None required		NA	48
263	54	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	1	70.49	11 x 16	Fair	Fair to Poor	Mod.B	11-20 y	Included bark forks, over-extended limbs, past limb failure, trunk wounds.	No hollows, No nests	No	10.3	3.2	None required		NA	48
264	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	38	12 x 6	Fair	Fair	Mod.B	21-40 y	Acute forks.	No hollows, No nests	No	4.6	2.3	None required		NA	48
265	54	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	45	16 x 13	Fair	Fair	Mod.B	21-40 y	Hangers, past branch failure.	No hollows, No nests	No	5.4	2.7	Crown maintenance	Remove hangers	Med	48
266	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	27	10 x 4	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.2	2	None required		NA	48
267	54	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	45	16 x 14	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.4	2.8	None required		NA	48
268	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	27	9 x 4	Fair	Fair	Mod.B	>40 y	Partly suppressed - crown bias.	No hollows, No nests	No	3.2	2.3	None required		NA	48
269	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	53	13 x 8	Good	Fair	Mod.B	>40 y	Acute forks.	No hollows, No nests	No	6.4	2.8	None required		NA	48
270	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	29	9 x 5	Good	Fair	Mod.B	>40 y		No hollows, No nests	No	3.5	2.3	None required		NA	48
271	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	48	10 x 10	Good	Fair	Mod.B	>40 y		No hollows, No nests	No	5.8	2.7	None required		NA	48
272	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	28	9 x 7	Good	Fair	Mod.B	>40 y		No hollows, No nests	No	3.4	2.3	None required		NA	48
273	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	46 @1.0m	10 x 9	Good	Fair	Mod.B	>40 y		No hollows, No nests	No	5.5	2.5	None required		NA	48
274	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	25	9 x 6	Good	Fair	Mod.B	>40 y	Partly suppressed - crown bias sth.	No hollows, No nests	No	3	2	None required		NA	48
275	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	34	9 x 9	Good	Fair	Mod.B	>40 y		No hollows, No nests	No	4.1	2.3	None required		NA	48
276	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	46	15 x 8	Fair	Fair	Mod.B	21-40 y	Past limb failure.	No hollows, No nests	No	5.5	2.7	None required		NA	48
277	54	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	1	36	5 x 5	Fair to Poor	Fair to Poor	Low	6-10 y	Deadwood >50mm, epicormic crown, main leader dead.	No hollows, No nests	No	4.3	2.3	None required		NA	48
278	54	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	24	8 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	2.9	2	None required		NA	48
279	54	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	24	5 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Multi-stemmed.	No hollows, No nests	No	2.9	2.3	Selective pruning	Remove lesser co-dominant stem	Med	48
280	57	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	37	15 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	51
281	57	<i>Eucalyptus saligna</i>	Sydney Blue Gum	Semi-mature	Australian native	1	34,29,8	13 x 12	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	5.4	2.5	None required		NA	51
282	57	<i>Cupressus macrocarpa</i> 'Goldcrest'	Golden Monterey Cypress	Early-mature	Exotic conifer	1	45	10 x 12	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.4	2.7	None required		NA	51
283	57	<i>Pinus halepensis</i>	Aleppo Pine	Semi-mature	Exotic conifer	1	30	7 x 7	Fair	Fair	Mod.B	>40 y		No hollows	No	3.6	2.3	None required		NA	51
284	57	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	25	7 x 5	Fair	Fair to Poor	Low	11-20 y	Suppressed.	No hollows	No	3	2	None required		NA	51
285	57	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	78	14 x 18	Good	Fair	Mod.A	21-40 y	Acute forks.	No hollows	No	9.4	3.2	None required		NA	51
286	57	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	1	38	9 x 12	Fair	Fair	Mod.B	21-40 y		No hollows	No	4.6	2.5	None required		NA	51
287	57	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Maturing	Victorian native	1	35,30,30,25	7 x 12	Fair	Poor	Low	6-10 y		No hollows	No	7.2	3.2	None required		NA	51
288	57	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	1	25,20,18,16 (est.)	8 x 12	Fair	Fair	Mod.B	21-40 y		No hollows	No	4.8	2.5	None required		NA	51
289	59	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	68	18 x 13	Fair	Fair to Poor	Mod.C	11-20 y	Basal wounds, deadwood >50mm, wounds.	No hollows, No nests	No	8.2	3	None required		NA	53
290	59	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	43,36,34,27	10 x 13	Fair	Poor	Low	11-20 y	Coppiced_ms_decay.	No hollows, No nests	No	8.5	3.4	None required		NA	53
291	59	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	25	8 x 5	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3	2	None required		NA	53

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
292	59	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Over-mature	Australian native	1	73	13 x 12	Fair to Poor	Fair to Poor	Low	6-10 y	Declining, foliage sparse.	No hollows, No nests	No	8.8	3	None required		NA	53
293	59	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	38	7 x 7	Fair to Poor	Poor	Low	6-10 y	Declining, lost main leader.	No hollows, No nests	No	4.6	2.5	None required		NA	53
294	59	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	20	10 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Foliage sparse.	No hollows, No nests	No	2.4	1.8	None required		NA	53
295	59	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Maturing	Australian native	1	57	11 x 15	Fair	Fair to Poor	Mod.C	11-20 y	Over-extended limbs, weed infested.	No hollows, No nests	No	6.8	2.8	None required		NA	53
296	59	<i>Acacia binervia</i>	Coast Myall	Maturing	Australian native	1	35	9 x 18	Fair to Poor	Fair to Poor	Low	6-10 y	Dieback, partly suppressed - crown bias sth	No hollows, No nests	No	4.2	2.3	None required		NA	53
297	59	<i>Eucalyptus astrigens</i>	Brown Mallet	Over-mature	Australian native	1	93	20 x 18	Fair to Poor	Poor	Low	6-10 y	Basal decay, deadwood >50mm, over-extended limbs, past stem failure.	No nests, Basal cavity	No	11.2	3.4	None required		NA	53
298	60	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	35,35 (est.)	5 x 12	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	5.9	2.5	None required		NA	54
299	59	<i>Brachychiton populneus</i>	Kurrajong	Early-mature	Victorian native	1	28	4 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.4	2.3	None required		NA	53
300	59	<i>Eucalyptus viminalis</i>	Manna Gum	Early-mature	Victorian native	1	58	10 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Congested primary union, leaning trunk.	No hollows, No nests	No	7	2.8	None required		NA	53
301	59	<i>Eucalyptus viminalis</i>	Manna Gum	Early-mature	Victorian native	1	65,50 (est.)	15 x 14	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks. Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	9.8	3	None required		NA	53
302	59	<i>Eucalyptus viminalis</i>	Manna Gum	Maturing	Victorian native	1	77	15 x 14	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks. Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	9.2	3.2	None required		NA	53
303	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	45	13 x 10	Good	Fair	Mod.B	21-40 y	Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	5.4	2.7	None required		NA	53
304	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	30	10 x 9	Fair	Fair	Mod.B	21-40 y	Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	3.6	2.3	None required		NA	53
305	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	29 (est.)	8 x 7	Fair	Fair	Mod.B	21-40 y	Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	3.5	2.3	None required		NA	53
306	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	40 (est.)	11 x 9	Fair	Fair	Mod.B	21-40 y	Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	4.8	2.5	None required		NA	53
307	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	42 (est.)	11 x 9	Fair	Fair	Mod.B	21-40 y	Base obscured by accumulated Cordyline leaves.	No hollows, No nests	No	5	2.5	None required		NA	53
308	59	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	12	4 x 4	Fair	Fair	Mod.C	>40 y		No hollows, No nests	No	2	1.5	None required		NA	53
309	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	40 (est.)	8 x 8	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.8	2.5	None required		NA	53
310	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Semi-mature	Australian native	1	20 (est.)	8 x 5	Fair	Fair	Mod.C	11-20 y		No hollows, No nests	No	2.4	1.8	None required		NA	53
311	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Semi-mature	Australian native	1	25 (est.)	8 x 6	Fair	Fair	Mod.C	11-20 y		No hollows, No nests	No	3	2	None required		NA	53
312	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Semi-mature	Australian native	1	19 (est.)	7 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Canker wounds, reduced foliage density.	No hollows, No nests	No	2.3	1.8	None required		NA	53
313	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	35 (est.)	8 x 9	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds. Low branching from base.	No hollows, No nests	No	4.2	2.5	None required		NA	53
314	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	33 (est.)	8 x 9	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds.	No hollows, No nests	No	4	2.3	None required		NA	53
315	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	27 (est.)	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds.	No hollows, No nests	No	3.2	2.3	None required		NA	53
316	59	<i>Casuarina cunninghamiana</i>	River She-oak	Semi-mature	Australian native	1	22 (est.)	4 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Reduced foliage density, partly suppressed - crown bias east.	No hollows, No nests	No	2.6	1.8	None required		NA	53
317	59	<i>Eucalyptus macrandra</i>	River Yate	Early-mature	Australian native	1	18	5 x 6	Fair	Fair	Mod.C	11-20 y		No hollows, No nests	No	2.2	1.7	None required		NA	53
318	59	<i>Eucalyptus macrandra</i>	River Yate	Early-mature	Australian native	1	14,12	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks.	No hollows, No nests	No	2.2	1.8	None required		NA	53
319	59	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	97 (est.)	10 x 14	Good	Fair to Poor	Mod.A	>40 y	Basal wounds, past stem failure. Singed at base.	Habitat hollows-Main union, Possible Scar tree	ESO, 52.17	11.6	3.9	Crown maintenance	Remove weeds	Med	53
320	59	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	95 (est.)	10 x 14	Good	Fair	Mod.A	>40 y	Bee hive, past limb failure, weed infested.	Habitat hollows-Main union	ESO, 52.17	11.4	3.4	Crown maintenance	Remove weeds	Med	53

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
321	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Maturing	Australian native	1	40,38,16,14	9 x 9	Fair	Fair to Poor	Mod.C	6-10 y	Canker wounds, included bark forks, past limb failure. In old dam.	No hollows, No nests	No	7.3	2.8	None required		NA	53
322	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Maturing	Australian native	1	22,18,16,15	9 x 8	Fair	Fair to Poor	Mod.C	6-10 y	Canker wounds, included bark forks. In old dam.	No hollows, No nests	No	4.7	2.5	None required		NA	53
323	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	26	7 x 4	Fair	Poor	Mod.B	6-10 y	On wall of dam.	No hollows, No nests	No	3.1	2	None required		NA	53
324	59	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	16,15	6 x 6	Fair	Fair to Poor	Mod.C	6-10 y	In old dam.	No hollows, No nests	No	2.6	2	None required		NA	53
325	59	<i>Eucalyptus sp.</i>	Gum Tree	Early-mature	Australian native	1	39	8 x 6	Dead	Very Poor	Very Low	<1 y		No hollows, No nests	No	4.7	2.3	None required		NA	53
326	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	33	7 x 6	Fair	Fair	Mod.B	21-40 y	Base of dam wall.	No hollows, No nests	No	4	2.3	None required		NA	53
327	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	27	7 x 6	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	3.2	2	None required		NA	53
328	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	38	9 x 7	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	4.6	2.3	None required		NA	53
329	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	27	9 x 6	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	3.2	2	None required		NA	53
330	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	28,20	8 x 7	Fair	Fair	Mod.B	21-40 y	Acute forks. At base of dam wall.	No hollows, No nests	No	4.1	2.3	None required		NA	53
331	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	51,38 @1.0m	10 x 14	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	7.6	2.8	None required		NA	53
332	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	48	10 x 10	Fair	Fair to Poor	Mod.B	21-40 y	Past limb failure. At base of dam wall.	No hollows, No nests	No	5.8	2.7	Crown maintenance	Remove hangers	Med	53
333	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	45	10 x 10	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	5.4	2.5	None required		NA	53
334	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	36	10 x 9	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	4.3	2.3	None required		NA	53
335	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	32	7 x 6	Fair to Poor	Fair to Poor	Mod.C	6-10 y	Dieback, main leader dead. At base of dam wall.	No hollows, No nests	No	3.8	2.3	Crown maintenance	Deadwood	Med	53
336	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	29,27	8 x 8	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	4.8	2.3	None required		NA	53
337	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Semi-mature	Victorian native	1	22	8 x 3	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	2.6	1.8	None required		NA	53
338	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	34	9 x 8	Fair	Fair to Poor	Mod.C	21-40 y	Included bark forks. At base of dam wall.	No hollows, No nests	No	4.1	2.3	Selective pruning	Reduce lesser co-dominant stem	Med	53
339	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	26,25	9 x 4	Fair	Fair to Poor	Mod.C	11-20 y	Co-dominant stems, included bark forks. At base of dam wall.	No hollows, No nests	No	4.3	2.3	Selective pruning	Reduce lesser co-dominant stem	Med	53
340	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	54	12 x 11	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	6.5	2.7	None required		NA	53
341	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Early-mature	Australian native	1	23,22	9 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds, included bark forks. At base of dam wall.	No hollows, No nests	No	3.8	2.3	None required		NA	53
342	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	27	8 x 5	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	3.2	2	None required		NA	53
343	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	23,22,18	9 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds, included bark forks. At base of dam wall.	No hollows, No nests	No	4.4	2.3	None required		NA	53
344	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	25,20	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds, included bark forks. At base of dam wall.	No hollows, No nests	No	3.8	2.3	None required		NA	53
345	59	<i>Eucalyptus viminalis</i>	Manna Gum	Early-mature	Victorian native	1	39	13 x 9	Fair	Fair to Poor	Mod.B	11-20 y	At base of dam wall.	No hollows, No nests	No	4.7	2.5	None required		NA	53
346	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	31	8 x 6	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	3.7	2.3	None required		NA	53
347	59	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	39	9 x 7	Fair	Fair	Mod.B	21-40 y	At base of dam wall.	No hollows, No nests	No	4.7	2.3	None required		NA	53
348	59	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	20,17,14,14	5 x 8	Fair	Poor	Very Low	21-40 y	Stump re-sprout.	No hollows, No nests	No	3.9	2.8	None required		NA	53
349	60	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	37 (est.)	10 x 10	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.4	2.3	None required		NA	54
350	60	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	48 (est.)	10 x 11	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Not accessed, viewed from boundary, minor dieback, reduced foliage density.	No hollows, No nests	No	5.8	2.7	None required		NA	54
351	60	<i>Washingtonia robusta</i>	Mexican Fan Palm	Maturing	Exotic palm	1	37 (est.)	16 x 5	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.4	2.3	None required		NA	54

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
352	60	<i>Eucalyptus polyanthemus</i>	Red Box	Early-mature	Victorian native	1	33 (est.)	8 x 7	Fair	Fair	Mod.B	21-40 y	Not accessed, viewed from afar.	No hollows, No nests	No	4	2.3	None required		NA	54
353	60	<i>Eucalyptus leucoxylon subsp. megalocarpa</i>	Large-fruited Yellow Gum	Early-mature	Australian native	1	38	9 x 9	Fair	Fair	Mod.B	21-40 y	Not accessed, viewed from afar.	No hollows, No nests	No	4.6	2.5	None required		NA	54
354	60	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	30 (est.)	8 x 8	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.6	2.3	None required		NA	54
355	64	<i>Eucalyptus botryoides</i>	Southern Mahogany	Maturing	Victorian native	1	90,38	15 x 18	Fair to Poor	Fair to Poor	Mod.C	21-40 y		Habitat hollows-Primary limbs, Hollows-Spouts, Nesting site	No	11.7	3.4	None required		NA	58
356	64	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	52	24 x 11	Fair	Fair	Mod.A	>40 y		No hollows, No nests	No	6.2	2.7	None required		NA	58
357	64	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	45	8 x 12	Poor	Poor	Mod.C	11-20 y	Deadwood >50mm.	No hollows, No nests	No	5.4	2.5	None required		NA	58
358	65	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	135	19 x 22	Poor	Fair to Poor	Low	6-10 y		Habitat hollows-Main trunk, Habitat hollows-Main union, Habitat hollows-Primary limbs, Nesting site	No	15	3.9	Crown reduction	Habitat pruning	Med	59
359	65	<i>Cupressus macrocarpa</i>	Monterey Cypress	Maturing	Exotic conifer	1	115 (est.)	14 x 20	Fair	Fair to Poor	Mod.C	11-20 y	Over-extended & subsiding limbs.	No hollows	No	13.8	3.6	None required			59
360	65	<i>Schinus ariera</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	115	14 x 19	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed. Over-extended limbs overhangs sheds.	Nesting site	No	13.8	3.6	None required			59
361	65	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	40 (est.)	12 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	4.8	2.5	None required		NA	59
362	66	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	1	47	7 x 12	Fair	Fair to Poor	Mod.C	11-20 y	Past limb failure, trunk wounds.	No hollows, No nests	No	5.6	2.5	None required		NA	60
363	66	<i>Pinus radiata</i>	Monterey Pine	Semi-mature	Exotic conifer	1	27	13 x 7	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.2	2	None required		NA	60
364	66	<i>Eucalyptus botryoides</i>	Southern Mahogany	Semi-mature	Victorian native	1	38	9 x 11	Fair	Fair to Poor	Mod.C	11-20 y	Suppressed.	No hollows, No nests	No	4.6	2.3	None required		NA	60
365	66	<i>Eucalyptus botryoides</i>	Southern Mahogany	Maturing	Victorian native	1	93,44	13 x 15	Fair	Fair	Mod.B	21-40 y	Crossing branches, previous failures.	Bark slabs, Habitat hollows-Primary limbs, Hollows-Branch collar	No	12.3	3.6	None required		NA	60
366	66	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	48	12 x 13	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Suppressed.	Bark slabs, Hollows-Spouts, Nesting site	No	5.8	2.7	None required		NA	60
367	66	<i>Pinus radiata</i>	Monterey Pine	Semi-mature	Exotic conifer	1	37	12 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	60
368	66	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	1	53	12 x 13	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	6.4	2.7	None required		NA	60
369	66	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	75	8 x 15	Fair	Fair to Poor	Mod.C	11-20 y	Over-extended limbs, subsiding limbs.	No hollows, No nests	No	9	3	None required		NA	60
370	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	95	14 x 8	Fair to Poor	Very Poor	Very Low	<1 y	Coppiced_ms_decay, trunk decay.	No hollows, No nests	No	11.4	3.3	None required		NA	60
371	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	1	120	14 x 12	Poor	Very Poor	Very Low	<1 y	Coppiced_ms_decay, basal decay, trunk decay.	No hollows, No nests	No	14.4	3.9	None required		NA	60
372	66	<i>Quercus robur</i>	English Oak	Early-mature	Exotic deciduous	1	35	8 x 12	Fair	Fair	Mod.B	21-40 y	Surrounded by fence, sheds, paving.	No hollows, No nests	No	4.2	2.3	None required		NA	60
373	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	36,37	15 x 12	Fair	Poor	Low	1-5 y	Coppiced_ms_decay, basal decay.	No hollows, No nests	No	6.2	3.4	None required		NA	60
374	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	84	9 x 9	Fair to Poor	Very Poor	Very Low	1-5 y	Coppiced_ms_decay.	No hollows, No nests	No	10.1	3.2	None required		NA	60
375	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	65	9 x 9	Fair to Poor	Very Poor	Very Low	1-5 y	Coppiced_ms_decay.	No hollows, No nests	No	7.8	2.8	None required		NA	60
376	66	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	1	30,27	4 x 6	Fair	Fair	Mod.C	21-40 y		No hollows, No nests	No	4.8	2.3	None required		NA	60
377	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	90 @0.8m	7 x 10	Fair to Poor	Poor	Very Low	6-10 y	Coppiced_ms_decay, basal wounds.	No hollows, No nests	No	10.8	3.2	None required		NA	60
378	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	39	14 x 12	Fair	Fair to Poor	Low	6-10 y	Basal wounds, lopped.	No hollows, No nests	No	4.7	2.3	None required		NA	60
379	68	<i>Quercus canariensis</i>	Algerian Oak	Semi-mature	Exotic deciduous	1	15	4 x 3	Fair	Fair to Poor	Low	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	62

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
380	68	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	1	23 (est.)	5 x 5	Fair	Fair	Low	21-40 y	Not accessed, viewed from afar.	No hollows, No nests	No	2.8	1.8	None required		NA	62
381	105	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	1	37	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	4.4	2.3	None required		NA	80
382	105	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	1	53	13 x 12	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	6.4	2.7	None required		NA	80
383	105	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	1	47	9 x 12	Fair	Fair to Poor	Mod.C	11-20 y	Lopped.	No hollows, No nests	No	5.6	2.7	None required		NA	80
384	69	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	1	16,14,12,12	7 x 8	Fair to Poor	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.3	1.8	None required		NA	63
385	69	<i>Eucalyptus melliodora</i>	Yellow Box	Semi-mature	Victorian native	1	33,31	8 x 10	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	5.4	2.5	None required		NA	63
386	69	<i>Eucalyptus microcarpa</i>	Grey Box	Semi-mature	Indigenous (Planted)	1	26	8 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	3.1	2	None required		NA	63
387	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	29	6 x 8	Fair	Fair	Mod.C	>40 y		No hollows	52.17	3.5	2.3	None required		NA	64
388	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	74	16 x 15	Fair	Fair	High	>40 y		No hollows	52.17	8.9	3.2	None required		NA	64
389	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	79	16 x 15	Fair	Fair	High	>40 y		No hollows	52.17	9.5	3.2	None required		NA	64
390	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	39	9 x 7	Fair	Fair	Mod.B	>40 y	Partly suppressed - crown bias southeast.	No hollows	52.17	4.7	2.5	None required		NA	64
391	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	39,35	12 x 9	Fair	Fair	Mod.B	>40 y		No hollows	52.17	6.3	2.8	None required		NA	64
392	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	27	6 x 5	Poor	Fair to Poor	Low	6-10 y	Declining, main leader dead.	No hollows	52.17	3.2	2.3	None required		NA	64
393	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	30	8 x 8	Fair	Fair	Mod.B	>40 y	Partly suppressed - crown bias east.	No hollows	52.17	3.6	2.3	None required		NA	64
394	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	89	16 x 15	Fair	Fair	High	21-40 y	Reduced foliage density.	No hollows	52.17	10.7	3.3	None required		NA	64
395	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	56	11 x 12	Fair	Fair	Mod.A	>40 y		No hollows	52.17	6.7	2.8	None required		NA	64
396	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	58,41	12 x 15	Fair	Fair	High	>40 y		No hollows	52.17	8.5	3.3	None required		NA	64
397	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	19,12	6 x 5	Fair	Fair	Mod.C	>40 y		No hollows	52.17	2.7	2.3	None required		NA	64
398	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	48	9 x 10	Fair	Fair	Mod.B	>40 y		No hollows	52.17	5.8	2.7	None required		NA	64
399	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	111	10 x 15	Fair	Fair	Mod.B	>40 y	Deadwood >50mm.	Bark slabs, Hollows-Branch collar, Hollows-Spouts	52.17	13.3	3.6	None required		NA	64
400	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	53,51	12 x 16	Fair	Fair to Poor	Mod.C	21-40 y	Co-dominant stems, deadwood >50mm, previous failures.	Hollows-Branch collar, Hollows-Spouts	52.17	8.8	3	None required		NA	64
401	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	52	10 x 14	Fair	Fair to Poor	Mod.C	21-40 y	Leaning trunk.	Hollows-Spouts	52.17	6.2	2.7	None required		NA	64
402	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	37	9 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	4.4	2.3	None required		NA	64
403	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	43	10 x 12	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	5.2	2.5	None required		NA	64
404	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	39	10 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	4.7	2.5	None required		NA	64
405	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	31	8 x 7	Fair to Poor	Fair to Poor	Mod.C	11-20 y		Hollows-Branch collar, Hollows-Spouts	52.17	3.7	2.3	None required		NA	64
406	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	47	10 x 13	Fair to Poor	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	52.17	5.6	2.5	None required		NA	64
407	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	96	11 x 16	Fair to Poor	Fair	Mod.C	21-40 y		Hollows-Branch collar, Hollows-Spouts	52.17	11.5	3.4	None required		NA	64
408	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	96	11 x 16	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	11.5	3.4	None required		NA	65
409	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	62	11 x 13	Good	Fair	High	>40 y		No hollows, No nests	52.17	7.4	2.8	None required		NA	65
410	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	45	10 x 11	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	5.4	2.5	None required		NA	65
411	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	64	12 x 14	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	7.7	2.8	None required		NA	65

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
412	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	86	11 x 15	Fair	Fair	Mod.A	>40 y		No hollows, No nests	52.17	10.3	3.3	None required		NA	65
413	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	83	9 x 13	Fair	Fair to Poor	Mod.C	21-40 y	Basal wounds.	Bark slabs, Hollows-Spouts	52.17	10	3.3	None required		NA	65
414	72	<i>Pinus radiata</i>	Monterey Pine	Maturing	Exotic conifer	1	77	12 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Lost main leader.	No hollows, No nests	No	9.2	3	None required		NA	66
415	72	<i>Eucalyptus globulus</i>	Southern Blue Gum	Maturing	Australian native	1	79	11 x 11	Fair to Poor	Fair to Poor	Mod.C	11-20 y		Hollows-Branch collar, Hollows-Spouts	No	9.5	3.2	None required		NA	66
416	72	<i>Eucalyptus globulus</i>	Southern Blue Gum	Maturing	Australian native	1	83	11 x 13	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Deadwood >50mm, declining.	Hollows-Branch collar, Hollows-Spouts	No	10	3.2	None required		NA	66
417	72	<i>Cupressus sempervirens</i>	Italian Cypress	Maturing	Exotic conifer	1	25 (est.)	9 x 4	Fair	Fair	Mod.C	11-20 y	Subsiding limbs.	No hollows, No nests	No	3	2.3	None required		NA	66
418	72	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	50	14 x 14	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	6	2.7	None required		NA	66
419	72	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	36,30	12 x 11	Fair	Fair to Poor	Mod.B	21-40 y	Acute forks, co-dominant stems, over-extended limbs.	No hollows, No nests	No	5.6	2.8	Selective pruning	Reduce over-extended branch, Reduce lesser co-dominant stem	Med	66
420	72	<i>Eucalyptus cladocalyx 'Nana'</i>	Bushy Sugar Gum	Maturing	Australian native	1	47	9 x 9	Fair to Poor	Poor	Mod.C	11-20 y	Basal wounds, past limb failure, partly suppressed - crown bias w.	No hollows, No nests	No	5.6	2.8	None required		NA	66
421	71	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	47	5 x 7	Fair	Poor	Low	6-10 y	Lost main leader, stump re-sprout.	No hollows, No nests	No	5.6	2.7	None required		NA	65
422	71	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	50 (est.)	9 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Subsiding limbs, weed infested.	No hollows, No nests	No	6	2.8	None required		NA	65
423	74	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	88	8 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks, reduced foliage density.	No hollows, No nests	No	10.6	3.2	None required		NA	74
424	85	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	35,30,22,20,14	7 x 12	Fair	Fair to Poor	Mod.B	>40 y	Main stem removed, secondary stems prostrate.	Trunk cavity, Habitat hollows-Main trunk	ESO, 52.17	6.8	2.8	None required		NA	75
425	85	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	56	15 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	6.7	2.7	None required		NA	75
426	85	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	40 (est.)	16 x 10	Fair	Fair	Mod.A	>40 y	Not accessed, viewed from boundary.	No hollows	ESO	4.8	2.5	None required		NA	75
427	85	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	40	17 x 11	Fair	Fair	Mod.A	>40 y	Not accessed, viewed from boundary.	No hollows	ESO, 52.17	4.8	2.5	None required		NA	75
428	85	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	35	9 x 12	Fair	Fair	Mod.B	>40 y	Not accessed, viewed from boundary.	No hollows, No nests	No	4.2	2.3	None required		NA	75
429	104	<i>Eucalyptus megacornuta</i>	Warted Yate	Semi-mature	Australian native	1	24,16	9 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.5	2	None required		NA	79
430	104	<i>Eucalyptus megacornuta</i>	Warted Yate	Semi-mature	Australian native	1	23,19,18,15 @MSm	8 x 12	Fair	Fair to Poor	Mod.C	11-20 y	Multi-stemmed.	No hollows, No nests	No	4.6	2	None required		NA	79
431	104	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Early-mature	Victorian native	1	18	3 x 5	Fair to Poor	Fair to Poor	Low	6-10 y	Past powerline clearance.	No hollows, No nests	No	2.2	1.8	None required		NA	79
432	104	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	1	34	10 x 6	Fair	Fair	Mod.C	11-20 y	Past powerline clearance.	No hollows, No nests	No	4.1	2.3	None required		NA	79
433	104	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	1	26	6 x 4	Dead	Very Poor	Very Low	<1 y		No hollows, No nests	No	3.1	2	None required		NA	79
434	104	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	1	35	8 x 7	Fair	Fair	Mod.C	11-20 y		No hollows, No nests	No	4.2	2.3	None required		NA	79
435	104	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	1	18	5 x 3	Dead	Very Poor	Very Low	<1 y		No hollows, No nests	No	2.2	1.8	None required		NA	79
436	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	34	5 x 6	Good	Fair	Mod.A	>40 y		No hollows, No nests	52.17	4.1	2.5	None required		NA	79
437	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	28,24	9 x 11	Fair	Poor	Low	6-10 y	Co-dominant stems.	No hollows, No nests	No	4.4	2.3	None required		NA	79
438	104	<i>Eucalyptus astrigens</i>	Brown Mallet	Semi-mature	Australian native	1	31,22,21,13	8 x 12	Fair	Fair to Poor	Mod.C	11-20 y	Congested primary union.	No hollows, No nests	No	5.4	2.3	None required		NA	79
439	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	45	10 x 10	Fair	Fair	Mod.B	>40 y		Nesting site	52.17	5.4	2.5	None required		NA	79
440	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	63	13 x 12	Fair	Fair	Mod.B	>40 y		Nesting site	52.17	7.6	2.8	None required		NA	79
441	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	1	28	7 x 9	Fair	Fair to Poor	Mod.C	21-40 y	Suppressed.	No hollows, No nests	52.17	3.4	2	None required		NA	79
442	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	76,42,23	10 x 14	Fair	Fair	Mod.B	>40 y		Hollows-Spouts, Nesting site	52.17	10.8	3.2	None required		NA	79

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
443	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	47	7 x 12	Fair	Fair to Poor	Mod.C	11-20 y	Crown bias -. Sth-east.	No hollows, No nests	52.17	5.6	2.5	None required		NA	79
444	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	56,26	7 x 11	Fair	Fair	Mod.B	>40 y		Nesting site	52.17	7.4	2.7	None required		NA	79
445	104	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	13,7	6 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.7	None required		NA	79
446	104	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	26	6 x 5	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.1	2	None required		NA	79
447	104	<i>Pinus radiata</i>	Monterey Pine	Semi-mature	Exotic conifer	1	25	6 x 7	Fair	Fair	Mod.B	>40 y		No hollows	No	3	2	None required		NA	79
448	104	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	26	7 x 6	Fair	Fair to Poor	Mod.C	21-40 y	Acute forks.	No hollows, No nests	No	3.1	2	None required		NA	79
449	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	31	8 x 9	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.7	2	None required		NA	79
450	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	18	7 x 5	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2.2	1.7	None required		NA	79
451	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	1	23	7 x 4	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2.8	1.8	None required		NA	79
452	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Semi-mature	Victorian native	1	23,17	7 x 5	Fair	Poor	Low	6-10 y	Acute forks, co-dominant stems.	No hollows, No nests	No	3.4	2	None required		NA	79
453	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Semi-mature	Victorian native	1	26	7 x 4	Poor	Very Poor	Very Low	1-5 y	Basal decay, basal wounds.	No hollows, No nests	No	3.1	2	None required		NA	79
454	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Semi-mature	Victorian native	1	15	6 x 4	Fair to Poor	Poor	Low	6-10 y	Basal decay, basal wounds.	No hollows, No nests	No	2	1.7	None required		NA	79
455	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Semi-mature	Victorian native	1	31	8 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.7	2.3	None required		NA	79
456	104	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	25	7 x 5	Fair	Fair to Poor	Mod.B	21-40 y	Co-dominant forks, co-dominant stems.	No hollows, No nests	No	3	2	Selective pruning	Reduce lesser co-dominant stem	Med	79
457	104	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	30	6 x 6	Good	Fair	Mod.B	>40 y		No hollows, No nests	No	3.6	2.3	None required		NA	79
458	104	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	24	6 x 5	Good	Fair	Mod.B	21-40 y	Past branch failure.	No hollows, No nests	No	2.9	2	Crown maintenance	Remove hangers	Med	79
459	104	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Maturing	Australian native	1	45	8 x 7	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.4	2.5	None required		NA	79
460	104	<i>Eucalyptus saligna</i>	Sydney Blue Gum	Semi-mature	Australian native	1	27	9 x 5	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Llcr.	No hollows, No nests	No	3.2	2.3	None required		NA	79
461	104	<i>Eucalyptus pauciflora</i>	Snow Gum	Early-mature	Victorian native	1	32 @1.0m	6 x 10	Fair	Fair to Poor	Mod.B	21-40 y	Basal wounds.	No hollows, No nests	No	3.8	2.3	None required		NA	79
462	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	53	12 x 9	Good	Fair	Mod.A	>40 y		No hollows, No nests	No	6.4	2.7	None required		NA	79
463	104	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Semi-mature	Australian native	1	2,2,2	2 x 2	Fair	Poor	Low	6-10 y	Stump re-sprout.	No hollows, No nests	No	2	1.7	None required		NA	79
464	104	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	40,40	7 x 9	Fair	Fair to Poor	Mod.B	11-20 y	Past limb failure, past powerline clearance, trunk wounds.	No hollows, No nests	No	6.8	2.8	None required		NA	79
465	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	43	8 x 10	Fair	Fair	Mod.B	11-20 y	Past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	5.2	2.5	None required		NA	79
466	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Maturing	Victorian native	1	140	20 x 14	Fair	Fair	Mod.B	11-20 y	Past powerline clearance.	No hollows, No nests	No	15	3.9	None required		NA	79
467	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	36,25,15	8 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Multi-stemmed. Cluster, self sown.	No hollows, No nests	No	5.6	2.8	None required		NA	79
468	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	74	12 x 13	Fair	Fair	Mod.B	11-20 y	Past limb failure.	No hollows, No nests	No	8.9	3	None required		NA	79
469	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	43	11 x 9	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.2	2.5	None required		NA	79
470	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	40	11 x 9	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.8	2.5	None required		NA	79
471	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	40	9 x 9	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.8	2.5	None required		NA	79
472	104	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	1	46	20 x 14	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.5	2.5	None required		NA	79
473	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	58	12 x 11	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	7	2.8	None required		NA	79
474	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	63 @0.8m	12 x 11	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	7.6	2.8	None required		NA	79
475	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	44	12 x 11	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	5.3	2.5	None required		NA	79
476	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	39,28	9 x 9	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.8	2.5	None required		NA	79

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
477	104	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	1	10,8,8	5 x 8	Fair	Poor	Low	6-10 y		No hollows, No nests	No	2	1.8	None required		NA	79
478	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	37	9 x 11	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	79
479	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	1	38,35,24	10 x 13	Fair to Poor	Poor	Low	6-10 y	Lost main leader, multi-stemmed.	No hollows, No nests	No	6.8	2.7	None required		NA	79
480	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	44	10 x 9	Fair	Fair	Mod.A	>40 y		No hollows, No nests	No	5.3	2.5	None required		NA	79
481	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	34	7 x 10	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	4.1	2.3	None required		NA	79
482	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	12,12,12,8, 8 @MSm	7 x 9	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2.5	1.8	None required		NA	79
483	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	19,16,15	7 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.5	2	None required		NA	79
484	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	28	7 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.4	2	None required		NA	79
485	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	15,12,10,8 @MSm	9 x 7	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	2.6	2	None required		NA	79
486	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	16,11,6	9 x 7	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.3	2	None required		NA	79
487	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	26,14,12	9 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.8	2.3	None required		NA	79
488	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	16,14,8	9 x 6	Fair to Poor	Poor	Low	6-10 y	Basal wounds.	No hollows, No nests	No	2.6	2	None required		NA	79
489	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	26	9 x 6	Fair to Poor	Poor	Low	6-10 y	Basal wounds.	No hollows, No nests	No	3.1	2	None required		NA	79
490	104	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	1	65,38	9 x 13	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	9	3	None required		NA	79
491	104	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	1	18,17,15,15, 13 @MSm	6 x 11	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	4.2	2	None required		NA	79
492	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	38	8 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.6	2.3	None required		NA	79
493	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	22,19,14	8 x 11	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.9	2	None required		NA	79
494	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	35,30,28	9 x 14	Fair	Fair to Poor	Mod.C	21-40 y		Nesting site	52.17	6.5	2.5	None required		NA	79
495	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	43	8 x 13	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.2	2.5	None required		NA	79
496	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	23,21	8 x 10	Fair to Poor	Poor	Low	6-10 y	Basal decay, basal wounds.	No hollows, No nests	No	3.7	1.8	None required		NA	79
497	104	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	1	18,12	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.6	2	None required		NA	79
498	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	15,13,9	7 x 8	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.4	1.8	None required		NA	79
499	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	13,12,12	7 x 8	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.6	1.8	None required		NA	79
500	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	16,14	8 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks, multi-stemmed.	No hollows, No nests	No	2.6	1.8	None required		NA	79
501	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	23,12,9	8 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.1	2	None required		NA	79
502	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Maturing	Victorian native	1	44,37	11 x 10	Good	Fair	Mod.B	>40 y		No hollows	No	6.9	2.8	None required		NA	79
503	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Maturing	Victorian native	1	48,34	11 x 10	Good	Fair	Mod.B	>40 y		No hollows	No	7.1	2.8	None required		NA	79
504	104	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	42,33	11 x 11	Fair	Fair to Poor	Mod.B	>40 y	Acute forks.	No hollows	No	6.4	2.8	None required		NA	79
505	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	34	8 x 8	Fair	Fair to Poor	Mod.C	21-40 y	Trunk wounds.	No hollows	No	4.1	2.3	None required		NA	79
506	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	40,30	10 x 9	Fair	Fair to Poor	Mod.B	21-40 y		No hollows	No	6	2.8	None required		NA	79
507	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	33	8 x 8	Fair	Fair	Mod.B	21-40 y		No hollows	No	4	2.3	None required		NA	79
508	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	14,14,10,8	7 x 6	Poor	Fair to Poor	Low	1-5 y		No hollows	No	2.7	2.5	None required		NA	79
509	104	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	1	14,12,12,10	5 x 8	Fair	Fair	Mod.C	21-40 y		No hollows	No	2.9	2	None required		NA	79
510	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	34,31	10 x 10	Fair	Fair	Mod.B	21-40 y		No hollows	No	5.5	2.8	None required		NA	79

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
511	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	20,12	7 x 7	Poor	Fair to Poor	Low	6-10 y		No hollows	No	2.8	2	None required		NA	79
512	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	20	6 x 6	Poor	Fair to Poor	Low	6-10 y		No hollows	No	2.4	2	None required		NA	79
513	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	12,10	6 x 6	Fair	Fair to Poor	Low	11-20 y		No hollows	No	2	2	None required		NA	79
514	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	14,14,14	7 x 6	Fair to Poor	Fair	Low	11-20 y		No hollows	No	2.9	2	None required		NA	79
515	104	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	1	28,17	4 x 5	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.9	2.3	None required		NA	79
516	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	33	9 x 8	Poor	Poor	Low	<1 y		No hollows, No nests	No	4	2	None required		NA	79
517	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	35	9 x 10	Poor	Poor	Low	6-10 y		No hollows, No nests	No	4.2	2.3	None required		NA	79
518	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	37	9 x 9	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	4.4	2.3	None required		NA	79
519	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	36,27	7 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.4	2.3	None required		NA	79
520	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	45	8 x 11	Fair	Fair	Mod.A	>40 y		Nesting site	No	5.4	2.5	None required		NA	79
521	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	37	9 x 7	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	4.4	2.3	None required		NA	79
522	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	38	8 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.6	2.3	None required		NA	79
523	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	34	8 x 7	Fair to Poor	Fair	Mod.C	21-40 y		No hollows, No nests	No	4.1	2.3	None required		NA	79
524	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	33,31	9 x 8	Fair	Poor	Low	6-10 y	Co-dominant stems, included bark forks.	No hollows, No nests	No	5.4	2.3	None required		NA	79
525	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	23,21	7 x 10	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.7	2	None required		NA	79
526	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	38	8 x 10	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	4.6	2.3	None required		NA	79
527	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	36	9 x 10	Fair	Fair	Mod.B	>40 y		Nesting site	No	4.3	2.3	None required		NA	79
528	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	28	8 x 6	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3.4	2	None required		NA	79
529	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	36 @0.8m	6 x 10	Fair to Poor	Poor	Low	6-10 y	Suppressed.	No hollows, No nests	No	4.3	2.3	None required		NA	79
530	104	<i>Eucalyptus microcarpa</i>	Grey Box	Maturing	Indigenous (Planted)	1	53	18 x 13	Fair	Fair to Poor	Mod.C	11-20 y	Included bark forks.	No hollows, No nests	No	6.4	2.7	None required		NA	79
531	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	34	8 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.1	2.3	None required		NA	79
532	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	32	8 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.8	2.3	None required		NA	79
533	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	31	8 x 11	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.7	2	None required		NA	79
534	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	1	16,13	6 x 5	Fair	Poor	Low	6-10 y		No hollows, No nests	No	2.5	1.8	None required		NA	79
535	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	37	8 x 9	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	79
536	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	37	7 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.4	2.3	None required		NA	79
537	104	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	1	15,12	5 x 7	Fair	Poor	Low	6-10 y	Crossing branches.	No hollows, No nests	No	2.3	1.8	None required		NA	79
538	104	<i>Eucalyptus sideroxylon subsp. tricarpa</i>	Red Ironbark	Early-mature	Victorian native	1	46	9 x 14	Fair	Fair to Poor	Low	6-10 y	Basal wounds, past stem failure. Old crack.	No hollows, No nests	No	5.5	2.8	None required		NA	79
539	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Maturing	Australian native	1	54	10 x 11	Fair	Fair	Low	6-10 y		No hollows, No nests	No	6.5	2.7	None required		NA	79
540	104	<i>Eucalyptus sideroxylon subsp. tricarpa</i>	Red Ironbark	Early-mature	Victorian native	1	31	8 x 5	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.7	2.7	None required		NA	79
541	104	<i>Eucalyptus sideroxylon subsp. tricarpa</i>	Red Ironbark	Semi-mature	Victorian native	1	26	6 x 7	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.1	2	None required		NA	79
542	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	27	8 x 7	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.2	2	None required		NA	79
543	104	<i>Acacia baileyana</i>	Cootamundra Wattle	Semi-mature	Australian native	1	21,19	5 x 8	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3.4	1.8	None required		NA	79

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
544	104	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	40,27	12 x 10	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks, partly suppressed - crown bias se.	No hollows, No nests	No	5.8	2.7	None required		NA	79
545	104	<i>Eucalyptus sideroxylon subsp. tricarpa</i>	Red Ironbark	Semi-mature	Victorian native	1	26,24	7 x 8	Fair to Poor	Poor	Low	6-10 y	Included bark forks.	No hollows, No nests	No	4.2	2	None required		NA	79
546	104	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	98	19 x 17	Fair	Fair to Poor	Mod.B	11-20 y	Acute forks, over-extended limbs, past limb failure.	No hollows, No nests	No	11.8	3.4	None required		NA	79
547	104	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	90	20 x 15	Fair	Fair	Mod.B	11-20 y	Acute forks.	No hollows, No nests	No	10.8	3.4	None required		NA	79
548	104	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	70	20 x 16	Fair	Fair	Mod.B	11-20 y	Acute forks.	No hollows, No nests	No	8.4	3	None required		NA	79
549	104	<i>Eucalyptus occidentalis</i>	Swamp Yate	Maturing	Australian native	1	87	20 x 18	Fair	Fair	Mod.B	11-20 y	Acute forks, over-extended limbs, past limb failure.	No hollows, No nests	No	10.4	3.3	None required		NA	79
550	104	<i>Eucalyptus pulchella</i>	White Peppermint	Maturing	Australian native	1	26,23,18	13 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks, multi-stemmed, partly suppressed - crown bias w.	No hollows, No nests	No	4.7	2.3	None required		NA	79
551	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Semi-mature	Victorian native	1	22,20	7 x 8	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	3.6	2	None required		NA	79
552	104	<i>Eucalyptus microcarpa</i>	Grey Box	Maturing	Indigenous (Planted)	1	32	8 x 7	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.8	2.3	None required		NA	79
553	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	36	9 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.3	2.3	None required		NA	79
554	104	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	40	13 x 8	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.8	2.5	None required		NA	79
555	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Maturing	Victorian native	1	52	9 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks.	No hollows, No nests	No	6.2	2.7	None required		NA	79
556	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous (Planted)	1	44	10 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.3	2.5	None required		NA	79
557	104	<i>Eucalyptus leucoxydon 'Rosea'</i>	Pink-flowered Yellow Gum	Early-mature	Australian native	1	20,15	3 x 5	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks.	No hollows, No nests	No	3	2.7	None required		NA	79
558	104	<i>Eucalyptus sideroxylon subsp. tricarpa</i>	Red Ironbark	Early-mature	Victorian native	1	37	9 x 6	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.4	2.3	None required		NA	79
559	104	<i>Eucalyptus botryoides</i>	Southern Mahogany	Maturing	Victorian native	1	73	11 x 14	Fair	Fair	Mod.B	>40 y		Bark slabs, Hollows-Branch collar, Hollows-Spouts	No	8.8	3.2	None required		NA	79
560	104	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	27	8 x 5	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.2	2	None required		NA	79

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
561	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	31,30	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Acute forks, partly suppressed - crown bias s.	No hollows, No nests	No	5.2	2.5	None required		NA	79
562	104	<i>Eucalyptus sideroxylon subsp. tricarpa</i>	Red Ironbark	Early-mature	Victorian native	1	36	10 x 6	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	4.3	2.3	None required		NA	79
563	104	<i>Eucalyptus microcarpa</i>	Grey Box	Early-mature	Indigenous (Planted)	1	32	10 x 6	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3.8	2.3	None required		NA	79
564	104	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Early-mature	Victorian native	1	34	14 x 7	Fair	Fair	Mod.C	21-40 y	Acute forks, partly suppressed - crown bias.	No hollows, No nests	No	4.1	2.3	None required		NA	79
565	104	<i>Eucalyptus sp.</i>	Gum Tree	Early-mature	Indigenous (Planted)	1	39	10 x 12	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Crossing branches, partly suppressed - crown bias e.aromapholia?.	No hollows, No nests	No	4.7	2.3	None required		NA	79
566	104	<i>Eucalyptus leucoxylon 'Rosea'</i>	Pink-flowered Yellow Gum	Early-mature	Australian native	1	28	6 x 7	Fair	Fair	Mod.B	11-20 y	Partly suppressed - crown bias.	No hollows, No nests	No	3.4	2	None required		NA	79
567	104	<i>Eucalyptus microcarpa</i>	Grey Box	Semi-mature	Indigenous (Planted)	1	24,18	8 x 6	Fair	Poor	Low	6-10 y	Co-dominant stems, acute forks.	No hollows, No nests	No	3.6	2	None required		NA	79
568	104	<i>Eucalyptus microcarpa</i>	Grey Box	Semi-mature	Indigenous (Planted)	1	27	8 x 5	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.2	2	None required		NA	79
569	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	20,18,13	8 x 9	Fair	Poor	Low	6-10 y	Multi-stemmed.	No hollows, No nests	No	3.6	2	None required		NA	79
570	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	34,31,15	9 x 10	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.8	2.5	None required		NA	79
571	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	26,23	8 x 8	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	4.2	2.3	None required		NA	79
572	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	37,19,14	8 x 11	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	5.3	2.3	None required		NA	79
573	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Semi-mature	Australian native	1	34	7 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.1	2.3	None required		NA	79
574	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	22	6 x 3	Fair	Fair to Poor	Mod.C	11-20 y	Past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	2.6	2	None required		NA	79
575	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	28	8 x 5	Fair	Fair to Poor	Mod.B	11-20 y	Past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	3.4	2	None required		NA	79
576	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	23,19	8 x 5	Fair	Fair to Poor	Mod.B	11-20 y	Past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	3.6	2.3	None required		NA	79
577	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	32	9 x 6	Fair	Fair to Poor	Mod.B	11-20 y	Included bark forks, past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	3.8	2.3	None required		NA	79
578	104	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Early-mature	Victorian native	1	42	6 x 6	Fair	Fair to Poor	Mod.B	11-20 y	Epicormic shoots, lopped, past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	5	2.5	None required		NA	79
579	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	28	5 x 8	Fair	Poor	Mod.C	6-10 y	Abnormal lean, past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	3.4	2.3	Crown reduction	Crown reduction - 20%	Med	79
580	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	28,20,18	8 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Epicormic shoots, past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	4.7	2.5	None required		NA	79
581	104	<i>Corymbia maculata</i>	Spotted Gum	Early-mature	Victorian native	1	27	7 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Lopped, past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	3.2	2	None required		NA	79
582	104	<i>Eucalyptus spathulata</i>	Swamp Mallet	Early-mature	Australian native	1	40	10 x 9	Fair	Fair to Poor	Mod.B	11-20 y	Past powerline clearance, crown bias -. Nth.	No hollows, No nests	No	4.8	2.5	None required		NA	79
583	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	42,23	9 x 9	Fair	Fair	Mod.B	21-40 y	Trunk wounds, partly suppressed - crown bias nth.	No hollows, No nests	52.17	5.7	2.8	None required		NA	81
584	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	1	10	3 x 2	Fair	Fair to Poor	Mod.C	11-20 y	Partly suppressed - crown bias. Towards Leakes Rd.	No hollows, No nests	52.17	2	1.5	None required		NA	81
585	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	32	10 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	3.8	2.3	None required		NA	81
586	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	27	7 x 5	Fair	Fair to Poor	Mod.C	21-40 y	Limb wounds, partly suppressed - crown bias. Limb wounds, partly suppressed - crown bias east over road, has been hit by trucks	No hollows, No nests	52.17	3.2	2.3	Clearance pruning	Clearance pruning - vehicular	Med	81
587	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	38,25	8 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	5.5	2.7	None required		NA	81
588	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	44,27	9 x 14	Fair	Fair	Mod.B	>40 y	Basal wounds.	No hollows, No nests	52.17	6.2	2.8	None required		NA	81

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
589	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	1	26,22	8 x 6	Fair	Fair	Mod.B	>40 y		No hollows, No nests	52.17	4.1	2.3	None required		NA	81
590	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	106 (est.)	14 x 17	Fair	Fair	Mod.B	>40 y	Over-extended limbs.	No hollows, No nests	52.17	12.7	3.6	None required		NA	81
591	106	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	1	50,40,40,40,38	10 x 17	Fair	Fair to Poor	Mod.B	21-40 y	Hangers, multi-stemmed, past limb failure.	No hollows, No nests	52.17	11.2	3.6	Clearance pruning	Clearance pruning - vehicular, Other tasks - see comments	Med	81
592	71	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	1	10	4 x 2	Fair	Fair	Mod.C	>40 y	Recruitment.	No hollows, No nests	52.17	2	1.5	None required		NA	65

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G1	1	<i>Schinus areira</i>	Peppercorn Tree	Maturing	Exotic evergreen	6	60 (est.)	12 x 13	Fair	Fair to Poor	Mod.C	11-20 y	Weed infested, woody weed sp	No hollows, No nests	ESO2	7.2	2.8	None required		NA	1
G2	12	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	20	80	17 x 15	Fair	Fair	Mod.A	>40 y	Assorted maturity & size - recruitment occurring	Habitat hollows- Main union, Nesting site	ESO2, ESO5, 52.17	9.6	3.3	None required		NA	1,2,11
G3	1	<i>Crataegus sp., Prunus cerasifera</i>	Hawthorn, Cherry-plum	Maturing	Exotic deciduous	12	15 (est.)	5 x 5	Fair to Poor	Fair to Poor	Low	6-10 y	Woody weed sp On creek flats.	No hollows, No nests,	No	2	1.8	Crown maintenance	Remove weeds	Med	1
G4	101	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	12	80	19 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Multi-stemmed, wounds. Interspersed by numerous early mature Sugar Gums.	No hollows, No nests	No	9.6	3.2	None required		NA	1,76
G5	3	<i>Allocasuarina verticillata, Eucalyptus microcarpa</i>	Drooping She-oak, Grey Box	Early-mature	Victorian native	50	18	7 x 5	Fair	Fair	Mod.B	21-40 y	Drooping she-oaks are small/ suppressed.	No hollows, No nests	No	2.2	1.8	None required		NA	1,2
G6	101	<i>Eucalyptus viridis</i>	Green Mallee	Semi-mature	Victorian native	14	15	7 x 5	Fair	Fair to Poor	Mod.C	11-20 y	Multi-stemmed.	No hollows, No nests	No	2	1.8	None required		NA	2,76
G7	5	<i>Cupressus macrocarpa</i>	Monterey Cypress	Over-mature	Exotic conifer	3	60	9 x 9	Poor	Poor	Very Low	<1 y	In irreversible decline. 1 tree dead.	No hollows, No nests	No	7.2	2.8	None required		NA	2,4
G8	101	<i>Assorted mix of planted natives, Casuarina glauca, Eucalyptus astringens, Eucalyptus sideroxylon, Melaleuca armillaris, Melaleuca lanceolata</i>	Assorted mix of planted natives, Swamp She-oak, Brown Mallet, Red Ironbark, Bracelet Honey-myrtle	Maturing	Introduced natives, Australian native, Victorian native	50	35.50	15 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Past limb failure, weed infested. Messy group, Variable crown asymmetry, Astringens are overmature & falling apart, Glauca suckering.	No hollows, No nests	No	4.9	2.5	None required		NA	76
G9	101	<i>Eucalyptus leucoxylon, Eucalyptus melliodora, Eucalyptus microcarpa</i>	Yellow Gum, Yellow Box, Grey Box	Semi-mature	Introduced natives	55	15-30	7 x 6	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.7	2	None required		NA	76
G10	101	<i>Corymbia maculata, Eucalyptus leucoxylon, Eucalyptus microcarpa</i>	Spotted Gum, Yellow Gum, Grey Box	Semi-mature	Victorian native	10	10-25	8 x 6	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.1	2	None required		NA	76
G11	101	<i>Eucalyptus froggattii, Eucalyptus leucoxylon, Eucalyptus microcarpa</i>	Kamarooka Mallee, Yellow Gum, Grey Box	Semi-mature	Victorian native	55	10-25	7 x 6	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.1	1.8	None required		NA	76
G12	101	<i>Eucalyptus leucoxylon, Eucalyptus microcarpa</i>	Yellow Gum, Grey Box	Semi-mature	Introduced natives	25	20-30	9 x 5	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3	2	None required		NA	76
G13	101	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	20	20-30	9 x 6	Fair	Fair	Mod.B	21-40 y		No hollows	No	3	2.1	None required		NA	76
G14	101	<i>Eucalyptus cladocalyx, Eucalyptus microcarpa</i>	Sugar Gum, Grey Box	Semi-mature	Australian native, Victorian native	24	15-25	10 x 8	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Assorted mix of planted natives, multi-stemmed.	No hollows, No nests	No	2.4	2.3	None required		NA	76
G15	4	<i>Pinus radiata</i>	Monterey Pine	Maturing	Exotic conifer	11	40-90	13 x 13	Fair	Fair	Mod.B	11-20 y		No hollows	No	7.8	2.9	None required		NA	3
G16	5	<i>Olea europaea</i>	Olive	Semi-mature	Exotic evergreen	50	10-15	5 x 5	Fair	Fair	Low	11-20 y	Olive grove.	No hollows	No	2	1.7	None required		NA	4
G17	6	<i>Assorted mix of planted natives, Eucalyptus cladocalyx 'Nana', Eucalyptus platypus, Eucalyptus scoparia</i>	Assorted mix of planted natives, Bushy Sugar Gum, Round-leaved Moort, Wallangarra White Gum	Early-mature	Introduced natives, Australian native	20	27	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Past branch failure, partly suppressed - crown bias. Crowded by Pines & Leyland Cypress.	No hollows, No nests	No	3.2	2	None required		NA	5

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G18	6	Assortment of mixed species	Assortment of mixed species	Early-mature	Assorted	15	15	4 x 4	Fair to Poor	Fair to Poor	Low	6-10 y	Assortment of mixed species_low arb value. Old fruit trees around house lot & Prickly Pear.	No hollows, No nests	No	2	1.7	None required		NA	5
G19	6	Cupressus macrocarpa	Monterey Cypress	Semi-mature	Exotic conifer	4	15	3 x 3	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.7	None required		NA	5
G20	6	Assorted mix of exotic conifers, Pinus radiata, Platycladus orientalis, XCupressocyparislleylandii	Assorted mix of exotic conifers, Monterey Pine, Bookleaf Cypress, Leyland Cypress	Early-mature	Exotic conifer	110	15	5 x 4	Fair	Fair to Poor	Mod.C	11-20 y	Past branch failure, partly suppressed - crown bias. Pines & Leyland Cypress around house lot.	No hollows, No nests	No	2	1.7	None required		NA	5
G21	7	Assorted mix of exotic conifers, Assortment of mixed species, Eucalyptus cladocalyx, Melaleuca styphelioides, XCupressocyparislleylandii	Assorted mix of exotic conifers, Assortment of mixed species, Sugar Gum, Prickly-leaved Paperbark, Leyland Cypress	Early-mature	Exotic conifer, Assorted, Australian native	50	15	5 x 4	Fair to Poor	Fair to Poor	Low	6-10 y	Around house lot, Canker in Leyland cypress,.	No hollows, No nests	No	2	1.7	None required		NA	6
G22	7	Eucalyptus cladocalyx	Sugar Gum	Maturing	Australian native	40	25	12 x 8	Fair	Fair	Mod.C	11-20 y	In southern tree. Around house lot.	No hollows, No nests	No	3	2.1	None required		NA	6
G23	7	Eucalyptus cladocalyx	Sugar Gum	Maturing	Australian native	4	55	13 x 13	Fair	Fair to Poor	Mod.C	11-20 y	Past limb failure. In southern tree. Around house lot.	No hollows, No nests	No	6.6	2.7	None required		NA	6
G24	8	Assorted mix of exotic conifers, Cupressus sempervirens 'Swanes Golden', XCupressocyparislleylandii	Assorted mix of exotic conifers, Swane's Golden Pencil Pine, Leyland Cypress	Early-mature	Exotic conifer	10	18 (est.)	4 x 3	Fair to Poor	Fair to Poor	Low	11-20 y	Assortment of mixed species_low arb value. Canker in Leyland cypress.	No hollows, No nests	No	2.2	1.7	None required		NA	7
G25	9	Assorted mix of exotic conifers, XCupressocyparislleylandii	Assorted mix of exotic conifers, Leyland Cypress	Early-mature	Exotic conifer	100	15	5 x 4	Fair to Poor	Fair to Poor	Low	6-10 y	Canker in Leyland cypress, ~1/3 dead.	No hollows, No nests	No	2	1.7	None required		NA	8
G26	10	Melaleuca armillaris, Melaleuca styphelioides	Bracelet Honey-myrtle, Prickly-leaved Paperbark	Semi-mature	Victorian native, Australian native	5	25	4 x 5	Fair	Fair	Low	11-20 y		No hollows	No	3	2.1	None required		NA	9
G27	10	Acacia baileyana	Cootlamundra Wattle	Semi-mature	Australian native	2	15	3 x 4	Fair	Poor	Low	6-10 y		No hollows, No nests	No	2	1.7	None required		NA	9
G28	10	Assorted mix of exotic conifers, Ligustrum lucidum, Pittosporum undulatum, Prunus sp.	Assorted mix of exotic conifers, Shining Privet, Sweet Pittosporum, Plum	Semi-mature	Exotic conifer, Exotic evergreen, Victorian native, Exotic deciduous	8	10-35	5 x 4	Fair	Fair	Low	11-20 y		No hollows	No	3	2.4	None required		NA	9
G29	12	Assorted mix of planted natives, Assortment of mixed species, Eucalyptus camaldulensis, Pyrus calleryana, Schinus areira	Assorted mix of planted natives, Assortment of mixed species, River Red Gum, Callery's Pear, Peppercorn Tree	Early-mature	Introduced natives, Assorted, Victorian native, Exotic deciduous, Exotic evergreen	50	35 (est.)	14 x 10	Good	Fair	Mod.A	21-40 y	Not accessed, viewed from front.	Habitat hollows;Nesting sites_likely	No	4.2	2.4	None required		NA	2,11
G30	12	Allocasuarina verticillata, Eucalyptus cladocalyx, Eucalyptus leucoxylon subsp. megalocarpa	Drooping She-oak, Sugar Gum, Yellow Gum	Semi-mature	Victorian native, Australian native	18	10-20	7 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Assorted mix of planted natives.	No hollows, No nests	No	2	1.8	None required		NA	11

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G31	13	Assortment of mixed species, <i>Schinus areira</i>	Assortment of mixed species, Peppercorn Tree	Semi-mature	Assorted, Exotic evergreen	7	20	7 x 8	Fair	Fair	Low	11-20 y		No hollows	No	2.4	2	None required		NA	12
G32	14	<i>XCupressocyparis leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	20	10 (est.)	3 x 3	Fair to Poor	Fair to Poor	Low	6-10 y	Canker/galls, declining.	No hollows, No nests	No	2	1.5	None required		NA	13
G33	20	<i>Cupressus macrocarpa</i>	Monterey Cypress	Semi-mature	Exotic conifer	28	15-30	5 x 4	Poor	Poor	Low	1-5 y		No hollows, No nests	No	2.7	2	None required		NA	13,19
G34	15	Assorted mix of planted natives, <i>Allocasuarina verticillata</i> , <i>Eucalyptus camaldulensis</i> , <i>Eucalyptus cladocalyx</i> 'Nana', <i>Eucalyptus leucoxylon</i> 'Rosea', <i>Melaleuca armillaris</i> , <i>Melaleuca lanceolata</i>	Assorted mix of planted natives, Drooping She-oak, River Red Gum, Bushy Sugar Gum, Pink-flowered Yellow Gum	Semi-mature	Introduced natives, Victorian native, Australian native	20	20	8 x 7	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Assortment of mixed species_mod.c arb value.	No hollows, No nests	No	2.4	1.8	None required		NA	14
G35	16	<i>Corymbia maculata</i> , <i>Eucalyptus polyanthemus</i> , <i>Eucalyptus sideroxylon</i>	Spotted Gum, Red Box, Red Ironbark	Early-mature	Victorian native, Australian native	6	25	7 x 4	Fair	Fair	Mod.B	21-40 y		No hollows, No nests	No	3	2	None required		NA	15
G36	102	<i>Corymbia maculata</i> , <i>Eucalyptus camaldulensis</i> , <i>Eucalyptus cladocalyx</i> , <i>Eucalyptus leucoxylon</i> subsp. <i>megalocharpa</i>	Spotted Gum, River Red Gum, Sugar Gum, Large-fruited Yellow Gum	Semi-mature	Introduced natives	5	10-20	7 x 6	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Acute forks, basal wounds.	No hollows, No nests	No	2	1.8	None required		NA	15,77
G37	21	<i>Corymbia maculata</i> , <i>Eucalyptus confertum</i> , <i>Eucalyptus confertum</i>	Spotted Gum, Bald Island Marlock	Semi-mature	Victorian native, Australian native	65	15-30	8 x 7	Good	Fair	Mod.A	>40 y		No hollows, No nests	No	2.7	2	None required		NA	15,20
G38	21	<i>Corymbia maculata</i> , <i>Eucalyptus camaldulensis</i> , <i>Eucalyptus cladocalyx</i> , <i>Eucalyptus sideroxylon</i>	Spotted Gum, River Red Gum, Sugar Gum, Red Ironbark	Semi-mature	Victorian native, Australian native	33	10-20	7 x 4	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2	1.8	None required		NA	15,20
G39	21	<i>Corymbia maculata</i> , <i>Eucalyptus sideroxylon</i>	Spotted Gum, Red Ironbark	Semi-mature	Victorian native, Australian native	19	10-20	5 x 3	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.8	None required		NA	7,15,20
G40	17	<i>XCupressocyparis leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	13	20	9 x 8	Fair	Fair	Low	11-20 y		No hollows	No	2.4	2	None required		NA	16
G41	17	Assortment of mixed species	Assortment of mixed species	Semi-mature	Assorted	3	10-15	4 x 3	Fair	Fair	Low	11-20 y		No hollows	No	2	1.5	None required		NA	16
G42	18	<i>Acacia howittii</i>	Sticky Wattle	Semi-mature	Victorian native	16	5-10	4 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.5	None required		NA	17
G43	18	<i>Malus sp.</i> , <i>Prunus sp.</i>	Apple, Plum	Semi-mature	Exotic deciduous	300	5-10	3 x 4	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.5	None required		NA	17
G44	18	<i>Eucalyptus microcarpa</i>	Grey Box	Semi-mature	Indigenous (Planted)	26	5-10	3 x 3	Fair to Poor	Poor	Low	1-5 y	Coppiced_ms_decay.	No hollows, No nests	No	2	1.8	None required		NA	17
G45	19	Assortment of mixed species	Assortment of mixed species	Semi-mature	Assorted	40	10-15	5 x 5	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2	1.7	None required		NA	17,18
G46	23	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	50	90	14 x 15	Good	Fair	High	>40 y		Habitat hollows- Main union, Hollows-Spouts	ESO2, ESO5, 52.17	10.8	3.3	None required		NA	17,22

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G47	19	<i>Acacia mearnsii</i> , <i>Eucalyptus leucoxylon</i> subsp. <i>pruinosa</i> , <i>Eucalyptus microcarpa</i> , <i>Eucalyptus polyanthemus</i>	Late Black Wattle, Inland Blue Gum, Grey Box, Red Box	Semi-mature	Introduced natives	7	19	7 x 5	Fair	Fair to Poor	Mod.B	21-40 y	Acute forks, minor dieback. In Wattle.	No hollows, No nests	No	2.3	1.9	None required		NA	18
G48	19	<i>Rhododendron verticillata</i> , <i>Eucalyptus leucoxylon</i> subsp. <i>pruinosa</i> , <i>Eucalyptus microcarpa</i> , <i>Eucalyptus polyanthemus</i>	Drooping She-oak, Inland Blue Gum, Grey Box, Red Box	Semi-mature	Introduced natives	24	20,17	9 x 6	Fair	Fair to Poor	Mod.B	21-40 y	Acute forks, co-dominant forks.	No hollows, No nests	No	2.4	2.1	Selective pruning	Reduce lesser co-dominant stem, Remove lesser co-dominant stem	Med	18
G49	19	<i>Eucalyptus microcarpa</i> , <i>Eucalyptus polyanthemus</i>	Grey Box, Red Box	Semi-mature	Victorian native	9	17	7 x 5	Fair	Fair to Poor	Mod.B	21-40 y	Co-dominant forks. In two trees.	No hollows, No nests	No	2	1.8	Selective pruning	Reduce lesser co-dominant stem	Med	18
G50	19	<i>Eucalyptus microcarpa</i> , <i>Eucalyptus polyanthemus</i>	Grey Box, Red Box	Semi-mature	Introduced natives	6	17	6 x 4	Good	Fair	Mod.B	21-40 y		No hollows, No nests	No	2	1.8	None required		NA	18
G51	21	<i>XCupressocypariss leylandii</i>	Leyland Cypress	Early-mature	Exotic conifer	50	16 (est.)	5 x 3	Poor	Poor	Very Low	1-5 y	In irreversible decline. Canker in Leyland cypress,.	No hollows, No nests	No	2	1.8	None required		NA	20
G52	21	<i>Robinia pseudoacacia</i> 'Umbraculifera'	Mop Head Robinia	Early-mature	Exotic deciduous	30	14	3 x 2	Fair	Fair	Mod.C	11-20 y	Driveway avenue.	No hollows, No nests	No	2	1.7	None required		NA	20
G53	21	<i>XCupressocypariss leylandii</i>	Leyland Cypress	Early-mature	Exotic conifer	150	18 (est.)	5 x 3	Poor	Poor	Low	1-5 y	In irreversible decline. Canker in Leyland cypress,NW cnr most healthy, SE cnr worst.	No hollows, No nests	No	2.2	1.8	None required		NA	20
G54	21	Assortment of mixed species, <i>Malus</i> sp., <i>Olea europaea</i> , <i>Prunus</i> sp.	Assortment of mixed species, Apple, Olive, Plum	Early-mature	Assorted, Exotic deciduous, Exotic evergreen	20	12	3 x 3	Fair	Fair	Mod.C	6-10 y	Orchard.	No hollows, No nests	No	2	1.7	None required		NA	20
G55	22	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	13	20	6 x 4	Fair to Poor	Fair to Poor	Low	11-20 y	Minor dieback, woody weed sp	No hollows, No nests	No	2.4	1.8	None required		NA	21
G56	22	<i>XCupressocypariss leylandii</i> , <i>Opuntia</i> sp.	Leyland Cypress, Prickly Pear	Early-mature	Exotic conifer, Exotic evergreen weed	15	20	6 x 4	Poor	Poor	Low	1-5 y	Canker/galls. Prickly Pear, Canker in Leyland cypress,.	No hollows, No nests	No	2.4	1.8	None required		NA	21
G57	22	<i>Opuntia</i> sp.	Prickly Pear	Maturing	Exotic evergreen weed	50	10 @ <=0.5m	2 x 2	Poor	Poor	Very Low	1-5 y	Woody weed sp Prickly Pear.	No hollows, No nests	No	2	1.7	Crown maintenance	Remove weeds	Med	21
G58	23	<i>XCupressocypariss leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	40	5-10	5 x 4	Poor	Fair	Low	1-5 y	Cypress canker.	No hollows	No	2	1.5	None required		NA	22
G59	23	<i>XCupressocypariss leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	4	30	9 x 8	Fair	Fair	Mod.C	11-20 y		No hollows	No	3.6	2.3	None required		NA	22
G60	102	Assorted mix of planted natives, <i>Melaleuca armillaris</i> , <i>Melaleuca lanceolata</i>	Assorted mix of planted natives, Bracelet Honey-myrtle, Moonah	Early-mature	Introduced natives, Victorian native, Australian native	40	5	3 x 3	Fair	Fair to Poor	Low	11-20 y	Box thorn, shrub. Acacia itiaphylla.	No hollows, No nests	No	2	1.5	None required		NA	23,77
G61	25	Assorted mix of exotic conifers, <i>XCupressocypariss leylandii</i>	Assorted mix of exotic conifers, Leyland Cypress	Early-mature	Exotic conifer	30	20	6 x 6	Fair to Poor	Fair to Poor	Low	6-10 y	Cypress canker becoming evident.	No hollows, No nests	No	2.4	1.8	None required		NA	25

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G62	26	<i>Olea europaea</i> , <i>Prunus cerasifera</i> , <i>Opuntia</i> sp.	Olive, Cherry-plum, Prickly Pear	Early-mature	Exotic evergreen, Exotic deciduous, Exotic evergreen weed	45	18 @<=0.5m	3 x 4	Fair	Fair	Mod.C	21-40 y	& Prickly Pear around shed.	No hollows, No nests	No	2.2	1.8	None required		NA	26
G63	108	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	15	55 (est.)	9 x 11	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed_viewed from boundary.	No hollows, No nests	No	6.6	2.7	None required		NA	83
G64	27	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	3	85	20 x 18	Fair	Fair	Mod.B	>40 y	Not accessed_viewed from boundary.	No hollows	No	10.2	3.4	None required		NA	8,24
G65	28	Assorted mix of planted natives, Assortment of mixed species	Assorted mix of planted natives, Assortment of mixed species	Early-mature	Introduced natives, Assorted	50	20	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed_viewed from boundary.	No hollows, No nests	No	2.4	1.8	None required		NA	27
G66	29	Assortment of mixed species, <i>Acacia vestita</i> , <i>Opuntia</i> sp.	Assortment of mixed species, Hairy Wattle, Prickly Pear	Maturing	Assorted, Australian native, Exotic evergreen weed	50	5	1 x 2	Fair to Poor	Poor	Low	1-5 y	Box thorn, shrub. Prickly pear, hedge wattle.	No hollows, No nests	No	2	1.5	None required		NA	28
G67	30	<i>leucoxydon</i> , <i>Eucalyptus melliodora</i> , <i>Eucalyptus polyanthemus</i> , <i>Eucalyptus sideroxydon</i> , <i>Eucalyptus viridis</i>	Yellow Gum, Yellow Box, Red Box, Red Ironbark, Green Mallee	Semi-mature	Australian native, Victorian native	60	10-35	7 x 5	Fair	Fair	Mod.B	21-40 y		No hollows	No	2.7	1.8	None required		NA	22,29
G68	30	Assorted mix of planted natives	Assorted mix of planted natives	Semi-mature	Introduced natives	30	10-30	6 x 5	Fair	Fair	Mod.C	21-40 y		No hollows	No	2.4	1.8	None required		NA	27,29
G69	30	Assorted mix of planted natives	Assorted mix of planted natives	Semi-mature	Introduced natives	20	10-20	6 x 5	Fair	Fair	Mod.C	21-40 y		No hollows	No	2	1.7	None required		NA	29
G70	30	<i>Adiantum heterophyllum</i> , <i>Corymbia citriodora</i> , <i>Eucalyptus cladocalyx</i> , <i>Eucalyptus sideroxydon</i> , <i>Schinus aerea</i>	Norfolk Island Pine, Lemon-scented Gum, Sugar Gum, Red Ironbark, Peppercorn Tree	Semi-mature	Australian conifer, Australian native, Exotic evergreen	40	20-80	10 x 9	Fair	Fair	Mod.B	21-40 y	Maintained garden.	No hollows	No	6	2.5	None required		NA	29
G71	31	<i>XCupressocyparis leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	50	15-25	6 x 5	Poor	Fair	Low	1-5 y	Trees around entire perimeter. cypress canker.	No hollows	No	2.4	2	None required		NA	30
G72	31	Assorted mix of exotic conifers, Assortment of mixed species, <i>Catalpa bignonioides</i> , <i>Eucalyptus leucoxydon</i> 'Rosea', <i>Olea europaea</i>	Assorted mix of exotic conifers, Assortment of mixed species, Indian Bean Tree, Pink-flowered Yellow Gum, Olive	Early-mature	Exotic conifer, Assorted, Exotic deciduous, Australian native, Exotic evergreen	40	10-35	8 x 6	Fair	Fair	Mod.C	11-20 y		No hollows	No	3	2	None required		NA	30
G73	32	Assortment of mixed species	Assortment of mixed species	Early-mature	Assorted	20	24	4 x 4	Fair to Poor	Fair to Poor	Low	11-20 y	Assorted mix of exotic conifers, assortment of mixed species_low arb value, past branch failure. Around house lot, Canker in Leyland cypress..	No hollows, No nests	No	2.9	2	None required		NA	31
G74	32	Assorted mix of planted natives, Assortment of mixed species	Assorted mix of planted natives, Assortment of mixed species	Early-mature	Introduced natives, Assorted	20	18	4 x 3	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.2	1.8	None required		NA	31
G75	34	<i>Cupressus macrocarpa</i> , <i>XCupressocyparis leylandii</i>	Monterey Cypress, Leyland Cypress	Maturing	Exotic conifer	20	15	3 x 4	Poor	Poor	Very Low	1-5 y	Assortment of mixed species_very low arb value, in irreversible decline. 8 collapsed.	No hollows, No nests	No	2	1.7	None required		NA	32

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G76	35	Assorted mix of exotic conifers, <i>Cupressus sempervirens</i> 'Stricta', <i>XCupressocyparis leylandii</i>	Assorted mix of exotic conifers, Pencil Pine, Leyland Cypress	Maturing	Exotic conifer	50	20	6 x 2	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed, viewed from boundary. Pencil Cypress OK, Canker in Leyland cypress- mostly dead.	No hollows, No nests	No	2.4	1.8	None required		NA	33
G77	36	Assorted mix of planted natives, Assortment of mixed species	Assorted mix of planted natives, Assortment of mixed species	Early-mature	Introduced natives, Assorted	20	20 (est.)	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed, viewed from boundary.	No hollows, No nests	No	2.4	1.8	None required		NA	34
G78	37	<i>XCupressocyparis leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	20	10	3 x 2	Poor	Poor	Very Low	<1 y	Cypress canker. In irreversible decline.	No hollows	No	2	1.5	None required			35
G79	37	<i>Cupressus macrocarpa</i>	Monterey Cypress	Maturing	Exotic conifer	2	55	12 x 8	Fair to Poor	Fair to Poor	Low	6-10 y		No hollows	No	6.6	2.8	None required		NA	35
G80	37	<i>Olea europaea</i>	Olive	Maturing	Exotic evergreen	170	5-10	4 x 4	Fair	Fair	Low	21-40 y		No hollows	No	2	1.5	None required		NA	35
G81	39	Assorted mix of exotic conifers	Assorted mix of exotic conifers	Early-mature	Exotic conifer	30	15-40	9 x 8	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.3	2	None required		NA	36,37
G82	39	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	20	20-30	8 x 6	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3	2.1	None required		NA	37
G83	39	<i>Crataegus laevigata</i>	English Hawthorn	Semi-mature	Exotic deciduous	10	10	3 x 3	Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.5	None required		NA	37
G84	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	9	20-50	7 x 7	Fair	Fair	Mod.A	>40 y		No hollows	ESO2, ESO5, 52.17	4.2	2.3	None required		NA	38
G85	40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	7	20-70	8 x 7	Fair	Fair	Mod.A	>40 y		Habitat hollows- Primary limbs, Hollows-Branch collar	ESO2, ESO5, 52.17	5.4	2.5	None required		NA	38
G86	54	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	8	20-30	7 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	ESO2, ESO5, 52.17	3	2.1	None required		NA	48
G87	40	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	12	25-35	9 x 10	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.6	2.3	None required		NA	38
G88	40	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Semi-mature	Victorian native	2	10	6 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.8	None required		NA	38
G89	41	<i>Cupressus macrocarpa</i> , <i>Schinus areira</i>	Monterey Cypress, Peppercorn Tree	Semi-mature	Exotic conifer, Exotic evergreen	8	15-30	6 x 8	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.7	2.1	None required		NA	39,46
G90	42	Assorted mix of planted natives, <i>Pinus radiata</i>	Assorted mix of planted natives, Monterey Pine	Semi-mature	Introduced natives, Exotic conifer	21	10-30	7 x 6	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.4	2.1	None required		NA	40
G91	42	<i>Olea europaea</i>	Olive	Semi-mature	Exotic evergreen	200	5-10	4 x 3	Fair to Poor	Poor	Low	6-10 y	Olive orchard.	No hollows, No nests	No	2	1.5	None required		NA	40
G92	42	<i>Pinus radiata</i>	Monterey Pine	Semi-mature	Exotic conifer	7	20-25	9 x 7	Fair to Poor	Fair	Mod.C	11-20 y		No hollows, No nests	No	2.7	2.1	None required		NA	40
G93	42	Assorted mix of exotic conifers, Assorted mix of planted natives	Assorted mix of exotic conifers, Assorted mix of planted natives	Semi-mature	Exotic conifer, Introduced natives	11	15-30	8 x 7	Fair	Fair to Poor	Mod.C	11-20 y	Co-dominant stems, multi-stemmed.	No hollows, No nests	No	2.7	2.1	None required		NA	40
G94	42	<i>Olea europaea</i>	Olive	Early-mature	Exotic evergreen	250	5-10	4 x 3	Fair to Poor	Poor	Low	6-10 y	Olive orchard.	No hollows, No nests	No	2	1.5	None required		NA	40
G95	42	<i>Cupressus macrocarpa</i> 'Goldcrest', <i>Pinus radiata</i>	Golden Monterey Cypress, Monterey Pine	Semi-mature	Exotic conifer	9	15-20	7 x 8	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Multi-stemmed.	No hollows, No nests	No	2.1	2	None required		NA	40
G96	42	<i>Cupressus macrocarpa</i> 'Goldcrest', <i>Pinus radiata</i>	Golden Monterey Cypress, Monterey Pine	Semi-mature	Exotic conifer	6	20	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.4	1.8	None required		NA	40
G97	42	<i>Pinus radiata</i>	Monterey Pine	Semi-mature	Exotic conifer	8	25	5 x 5	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3	2	None required		NA	40
G98	42	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	6	40 (est.)	11 x 9	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.8	2.5	None required		NA	40
G99	42	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	4	40 (est.)	9 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.8	2.5	None required		NA	40

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G100	44	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	10	25-30	4 x 7	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.3	2.3	None required		NA	41,52
G101	44	Assortment of mixed species	Assortment of mixed species	Early-mature	Assorted	40	15-40	7 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Assortment of mixed species_mod.c arb value.	No hollows, No nests	No	3.3	2.3	None required		NA	4,41,43,4
G102	44	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	8	20-35	7 x 8	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Not accessed_viewed from boundary.	No hollows, No nests	No	3.3	2.3	None required		NA	41,52
G103	104	<i>Cupressus sp.</i>	Cypress	Early-mature	Exotic conifer	25	18	3 x 4	Poor	Poor	Low	1-5 y		No hollows, No nests	No	2.2	1.8	None required		NA	42,79
G104	45	<i>Olea europaea</i>	Olive	Semi-mature	Exotic evergreen	16	10	3 x 3	Fair	Fair	Mod.C	11-20 y	D'way avenue.	No hollows, No nests	No	2	1.5	None required		NA	42
G105	45	Assorted mix of planted natives, Assortment of mixed species	Assorted mix of planted natives, Assortment of mixed species	Early-mature	Introduced natives, Assorted	40	17	6 x 5	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed_viewed from boundary.	No hollows, No nests	No	2	1.7	None required		NA	42
G106	45	<i>Cupressus sp.</i> , <i>XCupressocypariss leylandii</i>	Cypress, Leyland Cypress	Maturing	Exotic conifer	80	18	4 x 4	Fair to Poor	Fair to Poor	Low	6-10 y	Canker/galls. Cypress Canker.	No hollows, No nests	No	2.2	1.8	None required		NA	42
G107	45	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous (Planted)	3	19	6 x 5	Fair	Fair	Mod.B	21-40 y	Not accessed_viewed from boundary. Beside small dam.	No hollows, No nests	No	2.3	1.8	None required		NA	42
G108	48	Assorted mix of exotic conifers	Assorted mix of exotic conifers	Semi-mature	Exotic conifer	45	15-25	5 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2.4	2	None required		NA	43,46,79
G109	51	<i>Acacia aphylla</i>	Leafless Rock Wattle	Early-mature	Australian native	500	2	1 x 1	Fair	Fair	Low	6-10 y	Shrub.	No hollows, No nests	No	2	1.5	None required		NA	43,46
G110	49	<i>Eucalyptus cladocalyx</i> , <i>Pinus radiata</i>	Sugar Gum, Monterey Pine	Early-mature	Exotic conifer	4	30	14 x 11	Fair to Poor	Poor	Low	6-10 y	Basal wounds.	Hollows-Branch collar, Hollows-Spouts	No	3.6	2.3	None required		NA	44
G111	49	<i>Schinus areira</i>	Peppercorn Tree	Early-mature	Exotic evergreen	8	40-60	7 x 9	Fair to Poor	Poor	Low	6-10 y		Habitat hollows-Main union, Hollows-Spouts	No	6	2.7	None required		NA	44
G112	107	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	15	15-35	4 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	3	2.1	None required		NA	44,82
G113	49	<i>Opuntia sp.</i>	Prickly Pear	Early-mature	Exotic evergreen weed	20	15	2 x 2	Fair to Poor	Very Poor	Very Low	<1 y	Woody weed sp Prickly Pear.	No hollows, No nests	No	2	1.7	Crown maintenance	Remove weeds	Med	44
G114	107	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	33	50-75	13 x 15	Fair	Fair	Mod.B	>40 y		Nesting site	ESO2, ESO5, 52.17	7.5	3	None required		NA	4,41,44,8
G115	50	Assorted mix of planted natives, <i>Eucalyptus polyanthemus</i>	Assorted mix of planted natives, Red Box	Semi-mature	Introduced natives, Victorian native	4	10-15	6 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.8	None required		NA	45
G116	54	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	20	20-30	7 x 9	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3	2.4	None required		NA	45,48
G117	50	<i>Cupressus sp.</i>	Cypress	Early-mature	Exotic conifer	15	20	4 x 6	Fair to Poor	Fair to Poor	Low	6-10 y	Declining.	No hollows, No nests	No	2.4	2	None required		NA	45
G118	51	Assortment of mixed species, <i>Acacia sp.</i> , <i>Eucalyptus cladocalyx</i> , <i>Eucalyptus sideroxylon</i> , <i>Schinus areira</i>	Assortment of mixed species, Sugar Gum, Red Ironbark, Peppercorn Tree	Maturing	Assorted, Australian native, Exotic evergreen	22	45 (est.)	5 x 9	Fair	Fair	Low	11-20 y	Mostly Schinus, only 3-4 eucs - not in good codition.	No hollows, No nests	No	5.4	2.5	None required		NA	39,46
G119	51	<i>Fraxinus angustifolia</i>	Narrow-leaved Ash	Maturing	Exotic deciduous	2	65	10 x 13	Good	Fair	Mod.A	>40 y		No hollows, No nests	No	7.8	2.9	None required		NA	46
G120	52	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Semi-mature	Victorian native	3	20-30	7 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Co-dominant stems.	No hollows, No nests	No	3	2.1	None required		NA	47
G121	104	Assortment of mixed species	Assortment of mixed species	Semi-mature	Assorted	45	10-35	6 x 5	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2.7	2.1	None required		NA	47,79
G122	54	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Over-mature	Victorian native	9	20,20	5 x 7	Fair	Poor	Low	6-10 y	Subsiding limbs. Collapsing.	No hollows, No nests	No	2.4	2.1	None required		NA	48

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G123	54	Assortment of mixed species	Assortment of mixed species	Early-mature	Assorted	20	20	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Assortment of mixed species_mod.c arb value, assortment of mixed species_low arb value. Includes Ash, Cypress, Cootamundra Wattles, Bracelet Honey-Myrtle.	No hollows, No nests	No	2.4	1.8	None required		NA	48
G124	55	<i>Olea europaea</i>	Olive	Maturing	Exotic evergreen	200	15	3 x 4	Fair	Fair	Mod.C	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	49
G125	56	<i>Cupressus macrocarpa</i> , <i>Cupressus macrocarpa</i> 'Goldcrest'	Monterey Cypress, Golden Monterey Cypress	Maturing	Exotic conifer	50	55	15 x 13	Fair to Poor	Fair to Poor	Low	6-10 y	Major dieback. Cypress canker advancing through groups.	No hollows, No nests	No	6.6	2.8	None required		NA	49,50
G126	56	<i>Olea europaea</i>	Olive	Early-mature	Exotic evergreen	150	15	3 x 4	Fair	Fair	Mod.C	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	50
G127	56	<i>Olea europaea</i> , <i>XCupressocyparis leylandii</i>	Olive, Leyland Cypress	Early-mature	Exotic evergreen, Exotic conifer	60	15	3 x 4	Poor	Poor	Very Low	<1 y	Cypress canker advancing through groups.	No hollows, No nests	No	2	1.7	None required		NA	50
G128	57	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	9	30-40	12 x 11	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.2	2.4	None required		NA	51
G129	57	Assortment of mixed species	Assortment of mixed species	Early-mature	Assorted	25	20	6 x 6	Fair	Fair to Poor	Mod.C	11-20 y	Assortment of mixed species_low arb value, not accessed_viewed from boundary.	No hollows, No nests	No	2.4	2	None required		NA	51
G130	59	Assortment of mixed species, <i>Acacia baileyana</i> , <i>Cupressus macrocarpa</i> 'Goldcrest', <i>Eucalyptus cladocalyx</i> , <i>Fraxinus angustifolia</i> , <i>Lagunaria patersonia</i> , <i>Olea europaea</i> , <i>Schinus areira</i>	Assortment of mixed species, Cootamundra Wattle, Golden Monterey Cypress, Sugar Gum, Narrow-leaved Ash	Semi-mature	Assorted, Australian native, Exotic conifer, Exotic deciduous	20	20	7 x 7	Fair	Fair to Poor	Low	11-20 y	Assortment of mixed species_low arb value. Around house lot.	No hollows, No nests	No	2.4	1.8	None required		NA	53
G131	59	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Semi-mature	Australian native	38	45	19 x 14	Fair	Fair to Poor	Mod.C	11-20 y	Deadwood, incipient decay, over-extended limbs, past branch failure, wounds, partly suppressed - crown bias windrow group around house lot. Some coppiced	No hollows, No nests	No	5.4	2.5	None required		NA	53
G132	59	<i>XCupressocyparis leylandii</i>	Leyland Cypress	Semi-mature	Exotic conifer	40	12	5 x 4	Dead	Very Poor	Very Low	<1 y	Weed infested. Box Thorn.	No hollows, No nests	No	2	1.7	None required		NA	53
G133	59	<i>Eucalyptus camaldulensis</i>	River Red Gum	Maturing	Indigenous	14	90	9 x 14	Good	Fair	High	11-20 y	Past limb failure, weed infested. Some recruitment occurring.	Habitat hollows- Main union, Hollows-Spouts	ESO2, ESO5, 52.17	10.8	3.7	Crown maintenance	Remove weeds	Med	50,53
G134	59	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	Semi-mature	Australian native	7	25	10 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Canker wounds, included bark forks. At base of dam wall.	No hollows, No nests	No	3	2.3	None required		NA	53
G135	104	<i>XCupressocyparis leylandii</i>	Leyland Cypress	Early-mature	Exotic conifer	25	23	6 x 6	Fair to Poor	Fair to Poor	Low	6-10 y	Canker/galls. Windbreak.	No hollows, No nests	No	2.8	1.9	None required		NA	53,79
G136	60	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	25	45	13 x 11	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Deadwood >50mm, over-extended limbs, wounds.	No hollows, No nests	No	5.4	2.7	None required		NA	54
G137	60	Assortment of mixed species, <i>Fraxinus</i> sp.	Assortment of mixed species, Ash	Early-mature	Assorted, Exotic deciduous	20	18	6 x 5	Fair to Poor	Fair to Poor	Low	6-10 y	Assortment of mixed species_low arb value.	No hollows, No nests	No	2.2	1.7	None required		NA	54
G138	60	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Early-mature	Australian native	30	35 (est.)	8 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Incipient decay, over-extended limbs, past branch failure, wounds, crown bias -. Incipient decay present in a few worse ones.	No hollows, No nests	No	4.2	2.3	None required		NA	54
G139	60	<i>Eucalyptus leucoxylon</i> 'Rosea'	Pink-flowered Yellow Gum	Early-mature	Australian native	7	18	5 x 4	Fair	Fair to Poor	Mod.C	11-20 y	Not accessed_viewed from boundary, multi-stemmed.	No hollows, No nests	No	2.2	2	None required		NA	54

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G140	104	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	112	30-50	10 x 8	Fair	Fair to Poor	Mod.C	11-20 y	Deadwood, previous failures.	No hollows, No nests	No	4.8	2.4	None required		NA	5,56,59, 61
G141	61	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Early-mature	Australian native	25	20-30	12 x 9	Fair	Fair to Poor	Mod.C	11-20 y	Deadwood, over-extended limbs. Planted around perimeter of house lot.	No hollows, No nests	No	3	2.1	None required		NA	55
G142	62	Assorted mix of planted natives, <i>Eucalyptus globulus</i>	Assorted mix of planted natives, Southern Blue Gum	Semi-mature	Introduced natives, Australian native	65	20-30	7 x 6	Fair	Fair	Mod.B	>40 y	Assorted natives planted in association with development of BP Service Centre.	No hollows, No nests	No	3	2.1	None required		NA	56,83
G143	63	<i>Fraxinus angustifolia</i>	Narrow-leaved Ash	Maturing	Exotic deciduous	40	20	6 x 7	Fair to Poor	Fair to Poor	Low	6-10 y	Not accessed, viewed from boundary, woody weed sp Around house lot.	No hollows, No nests	No	2.4	1.8	None required		NA	57
G144	64	<i>Schinus ariera</i> , <i>Eucalyptus cladocalyx</i>	Peppercorn Tree, Sugar Gum	Maturing	Exotic evergreen, Australian native	22	65	10-19 x 14	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Past limb failure, over-extended limbs, incipient decay. Linear shelterbelt.	No Hollows	No	7.8	2.9	None required			58
G145	64	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	45	20-35	7 x 8	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	3.3	2.3	None required		NA	58,79
G146	64	<i>Olea europaea</i> , <i>Schinus areira</i>	Olive, Peppercorn Tree	Semi-mature	Exotic evergreen	55	25-40	7 x 9	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.9	2.1	None required		NA	58
G147	64	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	2	31,22	6 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	3.6	2.1	None required		NA	58
G148	65	Assortment of mixed species	Assortment of mixed species	Semi-mature	Assorted	22	10-30	7 x 5	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.4	2.1	None required		NA	59
G149	66	<i>Pinus radiata</i> , <i>XCupressocyparislleylandii</i>	Monterey Pine, Leyland Cypress	Early-mature	Exotic conifer	37	40 (est.)	16 x 12	Fair to Poor	Fair to Poor	Low	6-10 y	Declining. Cypress canker advancing through group, 10 dead trees.	No hollows, No nests	No	4.8	2.5	None required		NA	58,60
G150	66	<i>Eucalyptus botryoides</i>	Southern Mahogany	Over-mature	Victorian native	7	60 (est.)	14 x 13	Fair	Poor	Low	6-10 y	Coppiced_ms_decay, basal decay, trunk decay.	No hollows, No nests	No	7.2	2.8	None required		NA	60
G151	66	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	6	30	7 x 5	Dead	Very Poor	Very Low	<1 y		No hollows, No nests	No	3.6	2.1	None required		NA	60
G152	66	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	10	20-30	9 x 10	Fair to Poor	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	3	2.4	None required		NA	60
G153	66	<i>Malus sp.</i> , <i>Olea europaea</i> , <i>Prunus sp.</i>	Apple, Olive, Plum	Semi-mature	Exotic deciduous, Exotic evergreen	35	10-15	5 x 5	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.8	None required		NA	60
G154	66	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	5	30-40	16 x 13	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	4.2	2.5	None required		NA	60
G155	66	<i>Malus sp.</i> , <i>Prunus sp.</i>	Apple, Plum	Semi-mature	Exotic deciduous	44	5-10	5 x 4	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.8	None required		NA	60
G156	66	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	4	20-25	9 x 13	Fair	Fair to Poor	Mod.C	11-20 y		No hollows, No nests	No	2.7	2.1	None required		NA	60
G157	66	<i>Pinus radiata</i>	Monterey Pine	Early-mature	Exotic conifer	30	20-45	11 x 9	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.9	2.6	None required		NA	60
G158	66	<i>Cupressus macrocarpa</i>	Monterey Cypress	Early-mature	Exotic conifer	9	25-35	9 x 8	Fair	Fair	Mod.B	>40 y		No hollows, No nests	No	3.6	2.3	None required		NA	60
G159	66	<i>Cupressus macrocarpa</i> , <i>Cupressus macrocarpa</i> 'Goldcrest', <i>Lagunaria patersonia</i> , <i>Photinia glabra</i> , <i>Schinus areira</i>	Monterey Cypress, Golden Monterey Cypress, Norfolk Island Hibiscus, Pink Tips, Peppercorn Tree	Semi-mature	Exotic conifer, Australian native, Exotic evergreen	7	20-35	10 x 11	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	3.3	2.1	None required		NA	60
G160	66	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Over-mature	Australian native	4	100	16 x 14	Fair	Very Poor	Very Low	1-5 y	Coppiced_ms_decay, trunk decay.	No hollows, No nests	No	12	3.4	None required		NA	60
G161	67	Assorted mix of exotic conifers	Assorted mix of exotic conifers	Early-mature	Exotic conifer	45	20	5 x 5	Fair to Poor	Fair to Poor	Low	6-10 y	Assorted mix of exotic conifers. Around perimeter of house block.	No hollows, No nests	No	2.4	1.8	None required		NA	61
G162	68	Assortment of mixed species	Assortment of mixed species	Early-mature	Assorted	30	10	3 x 3	Fair	Fair to Poor	Low	6-10 y	Assortment of mixed species_low arb value. Inc. Olives & fruit trees.	No hollows, No nests	No	2	1.5	None required		NA	62,79
G163	105	<i>Schinus areira</i>	Peppercorn Tree	Semi-mature	Exotic evergreen	3	15-25	6 x 7	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2.4	2.1	None required		NA	63,80

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width m	Health	Structure	Arb rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G164	105	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	40	40-80	17 x 15	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Coppiced_ms_decay, deadwood, wounds.	Hollows-Branch collar, Hollows-Spouts, Nesting site	No	7.2	3.1	None required		NA	63.80
G165	69	<i>Olea europaea</i> , <i>Prunus</i> sp.	Olive, Plum	Semi-mature	Exotic evergreen, Exotic deciduous	9	5-10	3 x 4	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.5	None required		NA	63
G166	70	<i>Prunus</i> sp.	Plum	Early-mature	Exotic deciduous	5	10-20	5 x 5	Fair to Poor	Fair to Poor	Low	6-10 y		No hollows	No	2	1.8	None required		NA	64
G167	70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	4	10-20	3 x 4	Fair to Poor	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	52.17	2	1.8	None required		NA	64
G168	72	<i>Cupressus macrocarpa</i> , <i>Pinus radiata</i>	Monterey Cypress, Monterey Pine	Over-mature	Exotic conifer	5	40-80	13 x 12	Poor	Fair to Poor	Low	1-5 y		No hollows	No	7.2	2.7	None required		NA	66
G169	72	<i>Cupressus glabra</i>	Smooth Arizona Cypress	Maturing	Exotic conifer	6	30	6 x 6	Fair	Fair	Mod.C	11-20 y		No hollows, No nests	No	3.6	2.2	None required		NA	66
G170	72	Assorted mix of exotic conifers, Assortment of mixed species	Assorted mix of exotic conifers, Assortment of mixed species	Maturing	Exotic conifer, Assorted	18	25	6 x 6	Fair to Poor	Fair to Poor	Low	11-20 y	Assortment of mixed species_low arb value. Includes 2 decrepit Pines.	No hollows, No nests	No	3	2	None required		NA	66
G171	72	<i>Eucalyptus cladocalyx</i>	Sugar Gum	Maturing	Australian native	3	14,14,14,13,12	4 x 4	Fair	Poor	Very Low	1-5 y	Lopped, past powerline clearance, stump re-sprout.	No hollows, No nests	No	2	2.7	None required		NA	66
G172	74	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	40	37	9 x 10	Fair to Poor	Fair to Poor	Mod.C	11-20 y	Past limb failure, wounds. ~6 dead trees within the group, lining both sides of d'way.	No hollows, No nests	No	4.4	2.3	None required		NA	74
G173	71	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	18	37	9 x 10	Fair	Fair to Poor	Mod.C	11-20 y	Past limb failure, wounds.	No hollows, No nests	No	4.4	2.3	None required		NA	65
G174	74	<i>Pinus radiata</i>	Monterey Pine	Over-mature	Exotic conifer	7	45	17 x 8	Poor	Poor	Very Low	1-5 y	In irreversible decline. 3 dead, 2 collapsed.	No hollows, No nests	No	5.4	2.7	None required		NA	65,74
G175	74	<i>Eucalyptus cladocalyx</i> 'Nana'	Bushy Sugar Gum	Maturing	Australian native	30	37	9 x 8	Fair	Fair	Mod.C	11-20 y	Basal wounds, over-extended limbs, past limb failure, wounds.	No hollows, No nests	No	4.4	2.4	None required		NA	65,74
G176	85	<i>Cupressus macrocarpa</i>	Monterey Cypress	Semi-mature	Exotic conifer	15	20-30	5 x 6	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	3	2.3	None required		NA	75
G177	85	<i>Eucalyptus botryoides</i>	Southern Mahogany	Early-mature	Victorian native	4	20-40	7 x 7	Poor	Poor	Low	6-10 y		Hollows-Branch collar, Hollows-Spouts	No	3.6	2.4	None required		NA	75
G178	85	Assorted mix of planted natives, <i>Eucalyptus botryoides</i> , <i>Eucalyptus camaldulensis</i> , <i>Eucalyptus microcarpa</i>	Assorted mix of planted natives, Southern Mahogany, River Red Gum, Grey Box	Early-mature	Introduced natives	14	30-50	12 x 9	Fair	Fair	Mod.A	>40 y		No hollows, No nests	No	4.8	2.6	None required		NA	75
G179	85	<i>Eucalyptus camaldulensis</i>	River Red Gum	Semi-mature	Indigenous	7	20-30	5 x 5	Fair	Fair	Mod.B	>40 y		Nesting site	ESO2, ESO5, 52.17	3	2.3	None required		NA	75
G180	85	<i>Eucalyptus camaldulensis</i>	River Red Gum	Early-mature	Indigenous	12	20-50	9 x 9	Fair	Fair	Mod.A	>40 y	Not accessed_viewed from boundary.	No hollows	ESO2, ESO5, 52.17	4.2	2.3	None required		NA	75
G181	85	Assorted <i>Eucalypts</i> , <i>Melaleucas</i> , conifers, evergreen	Assorted Gums, Paperbarks, Conifers	Early-mature	Victorian native, Australian native, Exotic conifer	35	30	5-6 x 5-6	Fair	Fair to Poor	Mod.C	11-20 y		No hollows	No	3.6	2.2	None required			85
G182	104	<i>Acacia pycnantha</i> , <i>Eucalyptus camaldulensis</i>	Golden Wattle, River Red Gum	Semi-mature	Indigenous	18	19	4 x 5	Fair	Fair	Mod.B	21-40 y	Past powerline clearance. HV & LV adjacent to Nth.	No hollows, No nests	52.17	2.3	1.8	None required		NA	79
G183	104	<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle	Semi-mature	Victorian native	4	15	3 x 5	Fair	Fair to Poor	Mod.C	6-10 y	Subsiding limbs.	No hollows, No nests	No	2	2	None required		NA	79
G184	104	<i>Eucalyptus camaldulensis</i>	River Red Gum	Young	Indigenous	40	5-10	3 x 3	Fair to Poor	Fair to Poor	Low	11-20 y	Saplings.	No hollows, No nests	52.17	2	1.5	None required		NA	79
G185	104	<i>Acacia melanoxylon</i>	Blackwood	Semi-mature	Victorian native	9	10-15	4 x 3	Fair to Poor	Poor	Low	6-10 y		No hollows, No nests	No	2	1.7	None required		NA	79

Tree Id	Prop Id No.	Species	Common Name	Age class	Origin	No of trees	DBH cm	Height x Width_m	Health	Structure	Arb_rating	ULE yrs	Comments	Hollows	Permit	TPZ rad_m	SRZ rad_m	Works Class	Rec. works	Priority	Map No
G186	104	Assorted mix of planted natives	Assorted mix of planted natives	Semi-mature	Introduced natives	35	10-25	6 x 5	Poor	Fair to Poor	Low	6-10 y		No hollows, No nests	No	2	2.1	None required		NA	49,79
G187	104	<i>Acacia pycnantha</i> , <i>Eucalyptus sideroxylon</i> subsp. <i>tricarpa</i>	Golden Wattle, Red Ironbark	Early-mature	Victorian native	120	33	7 x 4	Fair	Fair	Mod.B	21-40 y	Three rows of Alternate plantings, A pycnantha starting to decline but recruiting, Ironbarks becoming dominant.	No hollows, No nests	No	4	2.3	None required		NA	79
G188	104	Assorted mix of planted natives	Assorted mix of planted natives	Semi-mature	Victorian natives	34	10-20	7 x 4	Fair	Fair to Poor	Mod.C	21-40 y		No hollows, No nests	No	2	1.7	None required		NA	79
G189	106	<i>Acacia aphylla</i>	Leafless Rock Wattle	Maturing	Australian native	70	5	1 x 2	Fair	Fair to Poor	Low	6-10 y	Box thorn. inhibiting RRG recruitment.	No hollows, No nests	No	2	1.5	None required		NA	81
G190	106	<i>Corymbia maculata</i>	Spotted Gum	Semi-mature	Victorian native	50	13	5 x 3	Fair	Fair	Mod.B	>40 y	Street tree. Recent plantings at 12m spacings flanking west side of Leakes Rd duplication area.	No hollows, No nests	No	2	1.5	None required		NA	81

Appendix 1B: Tree numbers sorted by Arboricultural rating: Melton East PSP



Tree & Group numbers sorted by Arboricultural

Arb_rating	Count of trees	% of population	Tree numbers
High	11	1.4%	201, 219, 221, 222, 388, 389, 394, 396, 409, G46, G133
Mod.A	52	6.6%	5, 20, 36, 38, 45, 108, 154, 178, 189, 190, 191, 193, 210, 217, 220, 223, 224, 225, 226, 227, 228, 229, 230, 231, 233, 235, 236, 251, 253, 256, 257, 285, 319, 320, 356, 395, 408, 412, 426, 427, 436, 462, 480, 520, G2, G29, G37, G84, G85, G119, G178, G180
Mod.B	286	36.6%	4, 7, 10, 18, 19, 21, 22, 24, 25, 26, 28, 29, 30, 31, 35, 39, 40, 43, 46, 47, 48, 49, 51, 54, 57, 58, 59, 60, 62, 63, 69, 72, 82, 85, 87, 88, 92, 97, 98, 99, 100, 101, 102, 103, 105, 106, 107, 111, 112, 115, 116, 117, 118, 119, 120, 121, 122, 123, 132, 134, 136, 141, 145, 147, 148, 149, 153, 160, 161, 163, 165, 166, 171, 172, 177, 180, 184, 186, 187, 192, 195, 196, 198, 199, 202, 204, 205, 207, 208, 209, 211, 212, 216, 218, 232, 237, 246, 248, 250, 252, 254, 255, 258, 259, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 280, 282, 283, 286, 288, 291, 299, 301, 302, 303, 304, 305, 306, 307, 309, 323, 326, 327, 328, 329, 330, 331, 332, 333, 334, 336, 337, 340, 342, 345, 346, 347, 349, 351, 352, 353, 354, 361, 363, 365, 367, 368, 372, 382, 390, 391, 393, 398, 399, 402, 403, 404, 410, 411, 418, 419, 424, 425, 428, 429, 439, 440, 442, 444, 447, 449, 455, 456, 457, 458, 459, 461, 464, 465, 466, 468, 469, 470, 471, 472, 473, 474, 475, 476, 478, 483, 484, 485, 487, 490, 492, 493, 495, 501, 502, 503, 504, 506, 507, 510, 515, 519, 522, 527, 531, 532, 535, 536, 540, 544, 546, 547, 548, 549, 552, 553, 554, 556, 558, 559, 560, 562, 563, 566, 570, 572, 573, 575, 576, 577, 578, 582, 583, 585, 587, 588, 589, 590, 591, G5, G12, G13, G15, G35, G47, G48, G49, G50, G64, G67, G70, G86, G98, G99, G107, G114, G128, G142, G154, G157, G158, G179, G182, G187, G190
Mod.C	249	31.8%	1, 2, 3, 6, 8, 9, 17, 23, 27, 32, 34, 37, 41, 44, 50, 53, 55, 56, 61, 64, 68, 70, 73, 74, 75, 76, 77, 80, 81, 83, 84, 86, 89, 90, 93, 95, 104, 114, 125, 126, 127, 129, 131, 133, 135, 138, 139, 140, 144, 146, 157, 158, 159, 162, 164, 167, 168, 169, 170, 173, 174, 176, 179, 181, 182, 185, 194, 200, 206, 214, 238, 239, 240, 241, 243, 249, 279, 281, 289, 294, 295, 298, 300, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 321, 322, 324, 335, 338, 339, 341, 343, 344, 350, 355, 357, 359, 360, 362, 364, 366, 369, 376, 381, 383, 384, 387, 397, 400, 401, 405, 406, 407, 413, 414, 415, 416, 417, 420, 422, 423, 430, 432, 434, 438, 441, 443, 446, 448, 450, 451, 460, 467, 482, 486, 494, 497, 498, 499, 500, 505, 509, 518, 523, 525, 526, 528, 530, 533, 541, 542, 543, 550, 555, 557, 561, 564, 565, 568, 571, 574, 579, 580, 581, 584, 586, 592, G1, G4, G6, G8, G9, G10, G11, G14, G17, G20, G22, G23, G30, G34, G36, G38, G45, G52, G54, G59, G62, G63, G65, G68, G69, G72, G74, G76, G77, G81, G82, G87, G89, G90, G92, G93, G95, G96, G97, G100, G101, G102, G104, G105, G116, G120, G121, G123, G124, G126, G129, G131, G134, G136, G138, G139, G140, G141, G144, G146, G148, G152, G156, G159, G164, G167, G169, G172, G173, G175, G181, G183, G188
Low	159	20.3%	11, 12, 13, 14, 15, 16, 33, 42, 52, 65, 66, 67, 71, 78, 79, 91, 94, 96, 109, 110, 113, 128, 130, 137, 142, 143, 150, 151, 152, 155, 156, 175, 183, 188, 197, 203, 213, 215, 242, 244, 245, 260, 277, 284, 287, 290, 292, 293, 296, 297, 358, 373, 378, 379, 380, 385, 386, 392, 421, 431, 437, 445, 452, 454, 463, 477, 479, 481, 488, 489, 491, 496, 508, 511, 512, 513, 514, 516, 517, 521, 524, 529, 534, 537, 538, 539, 545, 551, 567, 569, G3, G16, G18, G19, G21, G24, G25, G26, G27, G28, G31, G32, G33, G39, G40, G41, G42, G43, G44, G53, G55, G56, G58, G60, G61, G66, G71, G73, G79, G80, G83, G88, G91, G94, G103, G106, G108, G109, G110, G111, G112, G115, G117, G118, G122, G125, G130, G135, G137, G143, G145, G147, G149, G150, G153, G155, G161, G162, G163, G165, G166, G168, G170, G176, G177, G184, G185, G186, G189
Very Low	25	3.2%	124, 234, 247, 325, 348, 370, 371, 374, 375, 377, 433, 435, 453, G7, G51, G57, G75, G78, G113, G127, G132, G151, G160, G171, G174
Total	782	100%	

Appendix 1C: Properties sorted by tree count & Arb. rating: Melton East PSP

Prop_id	Arb_rating	Total
1	Mod.A	1
	Mod.B	1
	Mod.C	4
	Low	1
1 Total		7
3	Mod.B	3
	Mod.C	4
	Low	6
3 Total		13
4	Mod.B	2
	Mod.C	1
	Low	2
4 Total		5
5	Mod.B	6
	Low	1
	Very Low	1
5 Total		8
6	Mod.A	1
	Mod.B	10
	Mod.C	4
	Low	5
6 Total		20
7	Mod.B	4
	Mod.C	2
	Low	1
	Very Low	1
7 Total		8
8	Low	1
8 Total		1
9	Low	1
9 Total		1
10	Mod.B	8
	Mod.C	12
	Low	11
10 Total		31
11	No trees	0
12	Mod.A	2
	Mod.B	1
	Mod.C	1
12 Total		4
13	Low	1
13 Total		1
14	Low	1
14 Total		1
15	Mod.C	1
15 Total		1

Prop_id	Arb_rating	Total
16	Mod.A	1
	Mod.B	2
	Mod.C	3
	Low	1
16 Total		7
17	Low	2
17 Total		2
18	Mod.B	2
	Mod.C	1
	Low	3
18 Total		6
19	Mod.B	6
	Mod.C	4
19 Total		10
20	Low	1
20 Total		1
21	Mod.A	1
	Mod.B	2
	Mod.C	7
	Low	3
	Very Low	1
21 Total		14
22	Mod.B	1
	Mod.C	1
	Low	2
	Very Low	1
22 Total		5
23	High	1
	Mod.A	1
	Mod.C	1
	Low	1
23 Total		4
24	No trees	0
25	Mod.C	1
	Low	1
25 Total		2
26	Mod.C	1
26 Total		1
27	Mod.B	1
27 Total		1
28	Mod.C	1
28 Total		1
29	Low	1
29 Total		1

Prop_id	Arb_rating	Total
30	Mod.B	2
	Mod.C	2
30 Total		4
31	Mod.C	1
	Low	1
31 Total		2
32	Mod.B	1
	Mod.C	1
	Low	1
32 Total		3
33	No Prop. ID	
34	Very Low	1
34 Total		1
35	Mod.C	1
35 Total		1
36	Mod.C	3
36 Total		3
37	Low	2
	Very Low	1
37 Total		3
38	Low	1
38 Total		1
39	Mod.C	2
	Low	1
39 Total		3
40	High	1
	Mod.A	6
	Mod.B	14
	Mod.C	5
	Low	4
40 Total		30
41	Mod.C	1
41 Total		1
42	Mod.A	2
	Mod.B	4
	Mod.C	7
	Low	2
42 Total		15
43	No Prop. ID	
44	Mod.C	3
44 Total		3
45	Mod.B	1
	Mod.C	2
	Low	1
45 Total		4

Prop_id	Arb_rating	Total
No Prop. ID 46 or 47		
48	High	3
	Mod.A	11
	Mod.B	1
	Low	1
48 Total		16
49	Mod.A	1
	Low	2
	Very Low	2
49 Total		5
50	Mod.A	1
	Mod.B	4
	Mod.C	4
	Low	5
	Very Low	1
50 Total		15
51	Mod.A	5
	Mod.B	4
	Low	2
51 Total		11
52	Mod.C	1
52 Total		1
53	No Prop. ID	
54	Mod.B	19
	Mod.C	3
	Low	3
54 Total		25
55	Mod.C	1
55 Total		1
56	Mod.C	1
	Low	1
	Very Low	1
56 Total		3
57	Mod.A	1
	Mod.B	6
	Mod.C	2
	Low	2
57 Total		11
58	No trees	0
59	High	1
	Mod.A	2
	Mod.B	27
	Mod.C	25
	Low	6
	Very Low	3
59 Total		64

Prop_id	Arb_rating	Total
60	Mod.B	5
	Mod.C	5
	Low	1
60 Total		11
61	Mod.C	1
61 Total		1
62	Mod.B	1
62 Total		1
63	Low	1
63 Total		1
64	Mod.A	1
	Mod.C	4
	Low	2
64 Total		7
65	Mod.B	1
	Mod.C	3
	Low	1
65 Total		5
66	Mod.B	8
	Mod.C	8
	Low	6
	Very Low	7
66 Total		29
67	Low	1
67 Total		1
68	Low	3
68 Total		3
69	Mod.C	1
	Low	3
69 Total		4
70	High	4
	Mod.A	1
	Mod.B	8
	Mod.C	8
	Low	2
70 Total		23
71	High	1
	Mod.A	2
	Mod.B	2
	Mod.C	4
	Low	1
71 Total		10
72	Mod.B	2
	Mod.C	6
	Low	2
	Very Low	1
72 Total		11

Prop_id	Arb_rating	Total
73	No trees	0
74	Mod.C	3
	Very Low	1
74 Total		4
75,76,77,78	No trees	0
80,83	No trees	0
84	No Prop. ID	
85	Mod.A	4
	Mod.B	4
	Mod.C	1
	Low	2
85 Total		11
101	Mod.A	4
	Mod.B	36
	Mod.C	35
Melton Hwy	Low	10
101 Total		85
102	Mod.B	2
Mt Cottrell Rd	Mod.C	1
	Low	4
102 Total		7
104	Mod.A	4
	Mod.B	75
	Mod.C	47
	Low	36
Beattys Rd	Very Low	3
104 Total		165
105	Mod.B	1
	Mod.C	3
Paynes Rd	Low	1
105 Total		5
106	Mod.B	8
	Mod.C	4
Leakes Rd	Low	1
106 Total		13
107		
Water Res. Rd	Mod.B	1
	Low	1
107 Total		2
108		
West'n Hwy	Mod.C	1
108 Total		1
Grand Total		782