




LEGEND

- Trees
 - ▲ Very high
 - ◆ High
 - Moderate
 - Low
 - Very Low
- Tree groups
 - Very high
 - High
 - Moderate
 - Low
 - Very Low
- Protection zones
 - NRZ
 - SRZ
 - PSP boundary

**APPENDIX 2
TREE LOCATION
PLAN**

PROJECT
Parwan Employment Precinct - PSP

TL REF. 014320	MAP NO. 18 / 18
CLIENT Department of Transport & Planning	DATE 2026-02-27



TREE LOCATION DISCLAIMER
Tree locations are approximate


COORDINATE REFERENCE SYSTEM
EPSG:7855 | GDA 2020 MGA Zone 55



TREELOGIC PTY LTD
ABN: 95 080 021 610 u11/107 Heatherdale Rd, Ringwood, 3134
TEL: 1300 656 926




Tree ID: 1




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 4




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 7




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 2




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 5




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 8




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 3




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 6




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 1

Tree ID: 9




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 10




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 13




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 16




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 11




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 14




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 17




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 12




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 1

Tree ID: 15




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 18




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 19




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 22




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 25




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 20




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 23




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 26




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 21




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 24




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 27




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 28




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 31




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 34




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 29




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 32




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 35




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 30




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 33




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 36




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 37




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 40




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 43




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 38




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 41




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 44




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 39




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 42




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 45




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 46




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 49




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 52




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 47




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 50




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 53




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 48




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 51




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 54




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 55




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 58




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 61




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 56




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very low
 Property: 27
 Map ref: 2

Tree ID: 59




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 62




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 57




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 60




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 63




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 64




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 67




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 70




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 65




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 68




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very low
 Property: 27
 Map ref: 2

Tree ID: 71




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 66




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 69




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very low
 Property: 27
 Map ref: 2

Tree ID: 72




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 73




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 76




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 79




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 74




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 77




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 80




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 75




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 78




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 81




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 82




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 85




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 88




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 83




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 86




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 89




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 84




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 87




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 90




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 91




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 94




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 97




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 92




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 95




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 98




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 93




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 96




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 99




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very low
 Property: 27
 Map ref: 2

Tree ID: 100



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 103




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 106




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 101




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 104




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 107




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 102




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 105




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 108




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 109




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 112




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 115




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 110




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 113




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 116




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 111




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 114




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 117




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 118




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 121




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 124




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 119




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 122




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 125




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 120




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 123



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 126



Species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 127



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Tree ID: 130



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 133



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 128



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Tree ID: 131



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 134



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Tree ID: 129



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 132



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 135



Species: *Eucalyptus leucoxyton*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Tree ID: 136



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Tree ID: 139



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 27
Map ref: 2

Tree ID: 142



Species: *Eucalyptus melliodora*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 137



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 140



Species: *Corymbia citriodora*
Origin: Australian native
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 143



Species: *Melaleuca armillaris*
Origin: Victorian native
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 138



Species: *Eucalyptus leucoxyton*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Tree ID: 141




Species: *Eucalyptus leucoxyton*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 144




Species: *Melaleuca armillaris*
Origin: Victorian native
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 145




Species: *Melaleuca armillaris*
 Origin: Victorian native
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 148




Species: *Corymbia maculata*
 Origin: Victorian native
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 151




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 146




Species: *Corymbia citriodora*
 Origin: Australian native
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 149




Species: *Corymbia maculata*
 Origin: Victorian native
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 152



Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 147




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 150




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: Very low
 Property: 27
 Map ref: 2

Tree ID: 153




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 154




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 157




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 160




Species: *Hesperocyparis macrocarpa*
 Origin: Exotic conifer
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 155




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 158




Species: *Hesperocyparis macrocarpa*
 Origin: Exotic conifer
 Retention value: Moderate
 Property: 27
 Map ref: 2

Tree ID: 161




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 156




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 2

Tree ID: 159




Species: *Hesperocyparis macrocarpa*
 Origin: Exotic conifer
 Retention value: Very low
 Property: 27
 Map ref: 2

Tree ID: 162




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 26
 Map ref: 2

Tree ID: 163




Species: *Hesperocyparis macrocarpa*
 Origin: Exotic conifer
 Retention value: Very low
 Property: 26
 Map ref: 2

Tree ID: 166




Species: *Corymbia citriodora*
 Origin: Australian native
 Retention value: Moderate
 Property: 26
 Map ref: 2

Tree ID: 169




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 164




Species: *Hesperocyparis macrocarpa*
 Origin: Exotic conifer
 Retention value: Very low
 Property: 26
 Map ref: 2

Tree ID: 167




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Very low
 Property: 26
 Map ref: 2

Tree ID: 170




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Tree ID: 165




Species: *Hesperocyparis macrocarpa*
 Origin: Exotic conifer
 Retention value: Low
 Property: 26
 Map ref: 2

Tree ID: 168



Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 171



Species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2

Tree ID: 172



Species: *Schinus areira*
Origin: Exotic evergreen
Retention value: Very low
Property: 27
Map ref: 2

Tree ID: 175



Species: *Acacia implexa*
Origin: Indigenous
Retention value: Low
Property: 26
Map ref: 2

Tree ID: 178



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 173



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 176



Species: *Acacia implexa*
Origin: Indigenous
Retention value: Very low
Property: 26
Map ref: 2

Tree ID: 179



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 174



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 177



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 180



Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 181



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 184



Species: *Cedrus deodara*
Origin: Exotic conifer
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 187



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: Very low
Property: 26
Map ref: 2

Tree ID: 182



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 185



Species: *Brachychiton populneus*
Origin: Victorian native
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 188



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 183



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 186



Species: *Prunus sp.*
Origin: Exotic deciduous
Retention value: Very low
Property: 26
Map ref: 2

Tree ID: 189



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 190



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 193



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 196



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 191



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 194



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 197



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 2

Tree ID: 192



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 2

Tree ID: 195











Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 3


Tree ID: 198



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: Moderate
Property: 26
Map ref: 3




Tree ID: 208




Species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: Very high
 Property: 26
 Map ref: 3

Tree ID: 211




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Low
 Property: 26
 Map ref: 3

Tree ID: 214




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: Very high
 Property: 26
 Map ref: 3

Tree ID: 209




Species: *Acacia melanoxylon*
 Origin: Indigenous
 Retention value: Low
 Property: 26
 Map ref: 3

Tree ID: 212




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Low
 Property: 26
 Map ref: 3

Tree ID: 215




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property: 26
 Map ref: 3

Tree ID: 210




Species: *Acacia melanoxylon*
 Origin: Indigenous
 Retention value: Low
 Property: 26
 Map ref: 3

Tree ID: 213




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 26
 Map ref: 3

Tree ID: 216




Species: *Robinia pseudoacacia*
 Origin: Exotic deciduous
 Retention value: Low
 Property: 26
 Map ref: 3

Tree ID: 217




Species: *Eucalyptus sideroxylon*
 Origin: Victorian native
 Retention value: Moderate
 Property: 26
 Map ref: 3

Tree ID: 220




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 26
 Map ref: 3

Tree ID: 223




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 3

Tree ID: 218




Species: *Eucalyptus sideroxylon*
 Origin: Victorian native
 Retention value: Moderate
 Property: 26
 Map ref: 3

Tree ID: 221




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 26
 Map ref: 3

Tree ID: 224




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 3

Tree ID: 219




Species: *Eucalyptus sp.*
 Origin: Australian native
 Retention value: Low
 Property: 26
 Map ref: 3

Tree ID: 222




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 3

Tree ID: 225




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 3

Tree ID: 226




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 4

Tree ID: 229




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 232




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 227




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 230




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 233




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 4

Tree ID: 228




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 4

Tree ID: 231




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 234




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 3

Tree ID: 235




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 3

Tree ID: 238




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 3

Tree ID: 241




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 3

Tree ID: 236




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 3

Tree ID: 239




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 3

Tree ID: 242




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 3

Tree ID: 237




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 3

Tree ID: 240



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 3

Tree ID: 243




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 3

Tree ID: 244




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 247




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 3

Tree ID: 250




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 245




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 248




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 251




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 246




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 249




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 252




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 253



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 4

Tree ID: 256




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 4

Tree ID: 259




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 254




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 257




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 4

Tree ID: 260




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 255




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 258



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 261



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 4

Tree ID: 262



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 4

Tree ID: 265



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 27
Map ref: 3

Tree ID: 268



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 1

Tree ID: 263



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 3

Tree ID: 266



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 3

Tree ID: 269



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 27
Map ref: 1

Tree ID: 264



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 3

Tree ID: 267



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 27
Map ref: 1

Tree ID: 270




Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 27
Map ref: 1

Tree ID: 271



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 274




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 277




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 272




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 275




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 1

Tree ID: 278




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 1

Tree ID: 273




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 276



Species: *Eucalyptus leucoxyton*
 Origin: Indigenous
 Retention value: High
 Property: 27
 Map ref: 1

Tree ID: 279



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Tree ID: 280



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 1

Tree ID: 283



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 27
Map ref: 1

Tree ID: 286



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Very high
Property: 25
Map ref: 1

Tree ID: 281



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 1

Tree ID: 284



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 2

Tree ID: 287



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 25
Map ref: 1

Tree ID: 282



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 1

Tree ID: 285



Species: *Salix sp.*
Origin: Exotic deciduous
Retention value: Low
Property: 27
Map ref: 2

Tree ID: 288



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 25
Map ref: 1

Tree ID: 289



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Very high
Property: 25
Map ref: 1

Tree ID: 292



Species: *Acacia mearnsii*
Origin: Indigenous
Retention value: Moderate
Property: 63
Map ref: 1

Tree ID: 295



Species: *Eucalyptus melliodora*
Origin: Indigenous
Retention value: Moderate
Property: 63
Map ref: 1

Tree ID: 290



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 63
Map ref: 1

Tree ID: 293



Species: *Acacia mearnsii*
Origin: Indigenous
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 296



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 63
Map ref: 1

Tree ID: 291



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 25
Map ref: 1

Tree ID: 294



Species: *Eucalyptus mannifera*
Origin: Victorian native
Retention value: Moderate
Property: 63
Map ref: 1

Tree ID: 297



Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 298



Species: *Schinus areira*
Origin: Exotic evergreen
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 301



Species: *Acacia melanoxylon*
Origin: Indigenous
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 304



Species: *Eucalyptus bauermaniana*
Origin: Indigenous (planted)
Retention value: Low
Property: 39
Map ref: 1

Tree ID: 299



Species: *Acacia melanoxylon*
Origin: Indigenous (planted)
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 302



Species: *Schinus areira*
Origin: Exotic evergreen
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 305



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 39
Map ref: 1

Tree ID: 300



Species: *Acacia melanoxylon*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 63
Map ref: 1

Tree ID: 303



Species: *Schinus areira*
Origin: Exotic evergreen
Retention value: Low
Property: 63
Map ref: 1

Tree ID: 306



Species: *Quercus robur*
Origin: Exotic deciduous
Retention value: Moderate
Property: 39
Map ref: 1

Tree ID: 307



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: Low
Property: 39
Map ref: 1

Tree ID: 310



Species: *Eucalyptus leucoxyton*
Origin: Indigenous
Retention value: High
Property: 26
Map ref: 1

Tree ID: 313



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property:
Map ref: 1

Tree ID: 308



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: Low
Property: 39
Map ref: 1

Tree ID: 311



Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Low
Property: 26
Map ref: 1

Tree ID: 314



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property:
Map ref: 1

Tree ID: 309



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: Low
Property: 39
Map ref: 1

Tree ID: 312



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property:
Map ref: 1

Tree ID: 315



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 50
Map ref: 1

Tree ID: 316



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: Very high
Property: 50
Map ref: 1

Tree ID: 319



Species: *Eucalyptus polyanthemos*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 50
Map ref: 1

Tree ID: 322



Species: *Eucalyptus leucoxylon*
Origin: Indigenous (planted)
Retention value: High
Property: 50
Map ref: 1

Tree ID: 317



Species: *Eucalyptus leucoxylon*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 50
Map ref: 1

Tree ID: 320



Species: *Eucalyptus polyanthemos*
Origin: Indigenous (planted)
Retention value: Low
Property: 50
Map ref: 1

Tree ID: 323



Species: *Corymbia maculata*
Origin: Victorian native
Retention value: Moderate
Property: 50
Map ref: 1

Tree ID: 318



Species: *Eucalyptus polyanthemos*
Origin: Indigenous (planted)
Retention value: Low
Property: 50
Map ref: 1

Tree ID: 321




Species: *Eucalyptus leucoxylon*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 50
Map ref: 1

Tree ID: 324




Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Moderate
Property: 52
Map ref: 1

Tree ID: 325



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 52
 Map ref: 14

Tree ID: 328




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 53
 Map ref: 14

Tree ID: 331




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 53
 Map ref: 14

Tree ID: 326




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Low
 Property: 52
 Map ref: 1

Tree ID: 329




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 53
 Map ref: 14

Tree ID: 332




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: High
 Property: 22
 Map ref: 3

Tree ID: 327




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 53
 Map ref: 14

Tree ID: 330












Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 53
 Map ref: 14


Tree ID: 333



Species: *Fraxinus angustifolia*
 Origin: Indigenous
 Retention value: High
 Property: 22
 Map ref: 3




Tree ID: 343




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Low
 Property: 21
 Map ref: 5

Tree ID: 346




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 21
 Map ref: 5

Tree ID: 349




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 21
 Map ref: 5

Tree ID: 344




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Tree ID: 347




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 21
 Map ref: 5

Tree ID: 350




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Tree ID: 345




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Tree ID: 348



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 21
 Map ref: 5

Tree ID: 351



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Tree ID: 352



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 21
Map ref: 5

Tree ID: 355



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 358



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 353



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 356



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 359



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 354



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 357



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 21
Map ref: 5

Tree ID: 360



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 361



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 364



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 367



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 21
Map ref: 5

Tree ID: 362



Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: High
Property: 21
Map ref: 5

Tree ID: 365



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 368



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 21
Map ref: 5

Tree ID: 363



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 366



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 369



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 370



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 21
Map ref: 5

Tree ID: 373



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Very high
Property: 21
Map ref: 6

Tree ID: 376



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: Moderate
Property: 19
Map ref: 6

Tree ID: 371



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Very high
Property: 21
Map ref: 6

Tree ID: 374



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Very high
Property: 21
Map ref: 6

Tree ID: 377



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: Moderate
Property: 19
Map ref: 6

Tree ID: 372



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Very high
Property: 21
Map ref: 6

Tree ID: 375




Species: *Eucalyptus cladocalyx 'Nana'*
Origin: Australian native
Retention value: Low
Property: 21
Map ref: 6

Tree ID: 378




Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: High
Property: 19
Map ref: 6

Tree ID: 379




Species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: Very high
 Property: 19
 Map ref: 6

Tree ID: 382




Species: *Eucalyptus cladocalyx*
 Origin: Australian native
 Retention value: Low
 Property: 20
 Map ref: 6

Tree ID: 385




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 24
 Map ref: 7

Tree ID: 380




Species: *Eucalyptus melliodora*
 Origin: Indigenous
 Retention value: Moderate
 Property: 20
 Map ref: 6

Tree ID: 383




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous
 Retention value: Very high
 Property: 20
 Map ref: 6

Tree ID: 386




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 24
 Map ref: 8

Tree ID: 381




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property: 20
 Map ref: 6

Tree ID: 384



Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Low
 Property: 24
 Map ref: 7

Tree ID: 387



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 24
 Map ref: 8

Tree ID: 388



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 24
Map ref: 8

Tree ID: 391



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 24
Map ref: 8

Tree ID: 394



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 24
Map ref: 7

Tree ID: 389



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 24
Map ref: 8

Tree ID: 392



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 24
Map ref: 8

Tree ID: 395



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 29
Map ref: 7

Tree ID: 390



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 24
Map ref: 8

Tree ID: 393




Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 24
Map ref: 7

Tree ID: 396




Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: High
Property: 28
Map ref: 7

Tree ID: 397




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 28
 Map ref: 7

Tree ID: 400




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 7

Tree ID: 403




Species: *Salix sp.*
 Origin: Exotic evergreen
 Retention value: Very low
 Property: 30
 Map ref: 8

Tree ID: 398




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 28
 Map ref: 7

Tree ID: 401




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 7

Tree ID: 404



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 399




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 7

Tree ID: 402




Species: *Salix sp.*
 Origin: Exotic deciduous
 Retention value: Very low
 Property: 30
 Map ref: 8

Tree ID: 405




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 406




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 409




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 412




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 407




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 410




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 413




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 408




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very high
 Property: 30
 Map ref: 8

Tree ID: 411




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 414




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 415




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 418




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 421




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 416




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 419




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 422




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Tree ID: 417




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 420



Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Low
 Property: 30
 Map ref: 8

Tree ID: 423



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Tree ID: 424



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 77
Map ref: 9

Tree ID: 427



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 80
Map ref: 10

Tree ID: 430



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 79
Map ref: 10

Tree ID: 425



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 78
Map ref: 10

Tree ID: 428



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: High
Property: 80
Map ref: 10

Tree ID: 431



Species: *Eucalyptus gomphocephala*
Origin: Australian native
Retention value: Low
Property: 79
Map ref: 10

Tree ID: 426



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Low
Property: 79
Map ref: 10

Tree ID: 429



Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Low
Property: 79
Map ref: 10

Tree ID: 432



Species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Low
Property: 79
Map ref: 10

Tree ID: 433



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 78
Map ref: 10

Tree ID: 436



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property:
Map ref: 9

Tree ID: 439



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property:
Map ref: 9

Tree ID: 434



Species: *Eucalyptus sp.*
Origin: Australian native
Retention value: Moderate
Property: 76
Map ref: 9

Tree ID: 437



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property:
Map ref: 9

Tree ID: 440



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property:
Map ref: 9

Tree ID: 435



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 76
Map ref: 9

Tree ID: 438




Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property:
Map ref: 9

Tree ID: 441




Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property:
Map ref: 9

Tree ID: 442




Species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 9

Tree ID: 445




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 31
 Map ref: 9

Tree ID: 448




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 31
 Map ref: 9

Tree ID: 443




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 9

Tree ID: 446




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 31
 Map ref: 9

Tree ID: 449




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 31
 Map ref: 9

Tree ID: 444




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 9

Tree ID: 447



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 31
 Map ref: 9

Tree ID: 450



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 31
 Map ref: 9

Tree ID: 451



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 31
Map ref: 9

Tree ID: 454



Species: *Eucalyptus polyanthemos*
Origin: Indigenous (planted)
Retention value: High
Property: 73
Map ref: 12

Tree ID: 457



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 65
Map ref: 12

Tree ID: 452



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 12
Map ref: 12

Tree ID: 455



Species: *Melaleuca styphelioides*
Origin: Australian native
Retention value: Moderate
Property: 12
Map ref: 12

Tree ID: 458



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 65
Map ref: 12

Tree ID: 453



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 73
Map ref: 12

Tree ID: 456




Species: *Eucalyptus globulus*
Origin: Victorian native
Retention value: Moderate
Property: 35
Map ref: 12

Tree ID: 459




Species: *Eucalyptus botryoides*
Origin: Victorian native
Retention value: Low
Property: 65
Map ref: 12

Tree ID: 460



Species: *Corymbia citriodora*
 Origin: Australian native
 Retention value: Moderate
 Property: 65
 Map ref: 12

Tree ID: 463




Species: *Eucalyptus microcarpa*
 Origin: Indigenous (planted)
 Retention value: Moderate
 Property: 61
 Map ref: 13

Tree ID: 466




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 59
 Map ref: 14

Tree ID: 461




Species: *Eucalyptus sideroxylon*
 Origin: Victorian native
 Retention value: High
 Property: 61
 Map ref: 13

Tree ID: 464




Species: *Eucalyptus microcarpa*
 Origin: Indigenous (planted)
 Retention value: High
 Property: 61
 Map ref: 13

Tree ID: 467




Species: *Schinus areira*
 Origin: Exotic evergreen
 Retention value: Low
 Property: 59
 Map ref: 13

Tree ID: 462




Species: *Eucalyptus microcarpa*
 Origin: Indigenous (planted)
 Retention value: High
 Property: 61
 Map ref: 13

Tree ID: 465




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 59
 Map ref: 14

Tree ID: 468




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 55
 Map ref: 14

Tree ID: 469



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 55
 Map ref: 14

Tree ID: 472




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 475




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 470




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 473




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 476




Species: *Eucalyptus leucoxyton*
 Origin: Indigenous (planted)
 Retention value: Low
 Property: 56
 Map ref: 14

Tree ID: 471




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 474



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 477



Species: *Eucalyptus leucoxyton*
 Origin: Indigenous (planted)
 Retention value: Moderate
 Property: 56
 Map ref: 14

Tree ID: 478



Species: *Eucalyptus leucoxylon*
Origin: Indigenous (planted)
Retention value: Low
Property: 60
Map ref: 14

Tree ID: 481



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 60
Map ref: 14

Tree ID: 484



Species: *Eucalyptus viminalis*
Origin: Indigenous
Retention value: Low
Property: 60
Map ref: 14

Tree ID: 479



Species: *Eucalyptus leucoxylon*
Origin: Indigenous (planted)
Retention value: Low
Property: 60
Map ref: 14

Tree ID: 482



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 60
Map ref: 14

Tree ID: 485



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Low
Property: 60
Map ref: 14

Tree ID: 480



Species: *Eucalyptus leucoxylon*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 483



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 486



Species: *Eucalyptus melliodora*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 487



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 490



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Very high
Property: 60
Map ref: 14

Tree ID: 493



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Very high
Property: 60
Map ref: 14

Tree ID: 488



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 491



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 494



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 60
Map ref: 14

Tree ID: 489



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 492



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 495



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 60
Map ref: 14

Tree ID: 496



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 62
Map ref: 13

Tree ID: 499



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 66
Map ref: 13

Tree ID: 502



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 74
Map ref: 13

Tree ID: 497



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 66
Map ref: 13

Tree ID: 500



Species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: High
Property: 73
Map ref: 13

Tree ID: 503



Species: *Eucalyptus cladocalyx*
Origin: Australian native
Retention value: Low
Property: 74
Map ref: 13

Tree ID: 498



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 66
Map ref: 13

Tree ID: 501



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 74
Map ref: 13

Tree ID: 504



Species: *Eucalyptus cladocalyx*
Origin: Australian native
Retention value: Low
Property: 74
Map ref: 13

Tree ID: 505



Species: *Eucalyptus cladocalyx*
Origin: Australian native
Retention value: Low
Property: 74
Map ref: 13

Tree ID: 508



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Low
Property:
Map ref: 10

Tree ID: 511



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 86
Map ref: 10

Tree ID: 506



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Low
Property: 86
Map ref: 10

Tree ID: 509



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 86
Map ref: 10

Tree ID: 512



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: High
Property: 86
Map ref: 10

Tree ID: 507



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property:
Map ref: 10

Tree ID: 510




Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 86
Map ref: 10

Tree ID: 513




Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Low
Property: 86
Map ref: 10

Tree ID: 514




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 517




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 520



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 515




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 518




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 521




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 516




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 86
 Map ref: 10

Tree ID: 519




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 522




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 523




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 86
 Map ref: 10

Tree ID: 526




Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 529




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 86
 Map ref: 10

Tree ID: 524




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 86
 Map ref: 10

Tree ID: 527




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 86
 Map ref: 10

Tree ID: 530




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 85
 Map ref: 10

Tree ID: 525



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 86
 Map ref: 10

Tree ID: 528



Species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 86
 Map ref: 10

Tree ID: 531



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 85
 Map ref: 10

Tree ID: 532



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 85
Map ref: 10

Tree ID: 535



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 85
Map ref: 10

Tree ID: 538



Species: *Pinus radiata*
Origin: Exotic conifer
Retention value: Low
Property: 85
Map ref: 10

Tree ID: 533



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 85
Map ref: 10

Tree ID: 536



Species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 85
Map ref: 10

Tree ID: 539



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 84
Map ref: 13

Tree ID: 534



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 85
Map ref: 10

Tree ID: 537



Species: *Unknown deciduous*
Origin: Exotic deciduous
Retention value: Moderate
Property: 85
Map ref: 10

Tree ID: 540



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 84
Map ref: 13

Tree ID: 541



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 84
Map ref: 11

Tree ID: 544



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 90
Map ref: 11

Tree ID: 547



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 41
Map ref: 11

Tree ID: 542



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 91
Map ref: 11

Tree ID: 545



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 90
Map ref: 11

Tree ID: 548



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 41
Map ref: 11

Tree ID: 543



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 90
Map ref: 11

Tree ID: 546



Species: *Eucalyptus cladocalyx*
Origin: Australian native
Retention value: High
Property: 90
Map ref: 11

Tree ID: 549



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Very high
Property: 41
Map ref: 15

Tree ID: 550



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 41
Map ref: 15

Tree ID: 553



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 82
Map ref: 14

Tree ID: 556



Species: *Eucalyptus sideroxylon*
Origin: Indigenous
Retention value: High
Property: 82
Map ref: 14

Tree ID: 551



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 81
Map ref: 14

Tree ID: 554



Species: *Eucalyptus polyanthemos*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 82
Map ref: 14

Tree ID: 557



Species: *Eucalyptus sp.*
Origin: Australian native
Retention value: Moderate
Property: 82
Map ref: 14

Tree ID: 552



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 81
Map ref: 14

Tree ID: 555




Species: *Schinus areira*
Origin: Exotic evergreen
Retention value: Moderate
Property: 82
Map ref: 14

Tree ID: 558




Species: *Eucalyptus sp.*
Origin: Australian native
Retention value: Low
Property: 82
Map ref: 14

Tree ID: 559




Species: *Eucalyptus* sp.
Origin: Australian native
Retention value: Moderate
Property: 82
Map ref: 14

Tree ID: 562




Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 16
Map ref: 15

Tree ID: 565




Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 16
Map ref: 15

Tree ID: 560




Species: *Eucalyptus cladocalyx*
Origin: Australian native
Retention value: Moderate
Property: 9
Map ref: 14

Tree ID: 563




Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 16
Map ref: 15

Tree ID: 566




Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 16
Map ref: 15

Tree ID: 561




Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 9
Map ref: 15

Tree ID: 564



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: High
Property: 16
Map ref: 15

Tree ID: 567



Species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 18
Map ref: 16

Tree ID: 568



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 18
Map ref: 16

Tree ID: 571



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 574



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 569



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 18
Map ref: 16

Tree ID: 572



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 575



Species: *Corymbia maculata*
Origin: Victorian native
Retention value: High
Property: 15
Map ref: 17

Tree ID: 570



Species: *Eucalyptus mannifera*
Origin: Victorian native
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 573



Species: *Corymbia maculata*
Origin: Victorian native
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 576



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 577



Species: *Corymbia maculata*
Origin: Victorian native
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 580



Species: *Brachychiton populneus*
Origin: Victorian native
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 583



Species: *Eucalyptus microcarpa*
Origin: Indigenous (planted)
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 578



Species: *Corymbia maculata*
Origin: Victorian native
Retention value: Moderate
Property: 15
Map ref: 17

Tree ID: 581



Species: *Eucalyptus camaldulensis*
Origin: Indigenous (planted)
Retention value: High
Property: 15
Map ref: 17

Tree ID: 584



Species: *Brachychiton populneus*
Origin: Victorian native
Retention value: Low
Property: 15
Map ref: 17

Tree ID: 579



Species: *Corymbia maculata*
Origin: Victorian native
Retention value: High
Property: 15
Map ref: 17

Tree ID: 582




Species: *Acacia baileyana*
Origin: Australian native
Retention value: Low
Property: 15
Map ref: 17

Tree ID: 585



Species: *Eucalyptus sideroxylon*
Origin: Victorian native
Retention value: High
Property: 15
Map ref: 17

Tree ID: 586




Species: *Casuarina cunninghamiana*
 Origin: Australian native
 Retention value: Low
 Property: 15
 Map ref: 17

Tree ID: 589




Species: *Corymbia citriodora*
 Origin: Australian native
 Retention value: High
 Property: 15
 Map ref: 17

Tree ID: 592



Species: *Eucalyptus leucoxylon*
 Origin: Indigenous (planted)
 Retention value: Low
 Property: 15
 Map ref: 17

Tree ID: 587




Species: *Corymbia maculata*
 Origin: Victorian native
 Retention value: Moderate
 Property: 15
 Map ref: 17

Tree ID: 590




Species: *Jacaranda mimosifolia*
 Origin: Indigenous
 Retention value: Moderate
 Property: 15
 Map ref: 17

Tree ID: 593




Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 8
 Map ref: 18

Tree ID: 588




Species: *Eucalyptus leucoxylon*
 Origin: Indigenous (planted)
 Retention value: Moderate
 Property: 15
 Map ref: 17

Tree ID: 591



Species: *Corymbia citriodora*
 Origin: Australian native
 Retention value: Moderate
 Property: 15
 Map ref: 17

Tree ID: 594



Species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 8
 Map ref: 18

Tree ID: 595



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 8
Map ref: 18

Tree ID: 598



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 601



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 596



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 599



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 602



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 597



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 600



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 603



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 14

Tree ID: 604



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 607



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 610



Species: *Eucalyptus cladocalyx*
Origin: Australian native
Retention value: Moderate
Property:
Map ref: 18

Tree ID: 605



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 608



Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 5
Map ref: 18

Tree ID: 606




Species: *Brachychiton populneus*
Origin: Victorian native
Retention value: Moderate
Property: 6
Map ref: 18

Tree ID: 609




Species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 5
Map ref: 18

Group ID: G1




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Group ID: G4




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Group ID: G7




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Group ID: G2




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Group ID: G5




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 1

Group ID: G8




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 27
 Map ref: 2

Group ID: G3




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Group ID: G6



















Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 27
 Map ref: 1

Group ID: G9



Primary species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: Very high
 Property: 27
 Map ref: 2





Group ID: G28



Primary species: *Eucalyptus sp.*
Origin: Indigenous
Retention value: Moderate
Property: 27
Map ref: 3

Group ID: G31



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Group ID: G34



Primary species: *Acacia melanoxylon*
Origin: Indigenous
Retention value: Low
Property: 63
Map ref: 1

Group ID: G29



Primary species: *Eucalyptus melliodora*
Origin: Planted native
Retention value: Moderate
Property: 27
Map ref: 3

Group ID: G32



Primary species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 25
Map ref: 1

Group ID: G35



Primary species: *Acacia melanoxylon*
Origin: Indigenous
Retention value: Very low
Property: 63
Map ref: 1

Group ID: G30



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 27
Map ref: 2

Group ID: G33




Primary species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: High
Property: 25
Map ref: 1

Group ID: G36




Primary species: *Schinus areira*
Origin: Weed species
Retention value: Very low
Property: 63
Map ref: 1

Group ID: G37




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 39
 Map ref: 1

Group ID: G40



Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 50
 Map ref: 1

Group ID: G43




Primary species: *Eucalyptus sp.*
 Origin: Mixed native & exotic
 Retention value: Low
 Property: 50
 Map ref: 1

Group ID: G38




Primary species: *Acacia mearnsii*
 Origin: Planted native
 Retention value: Low
 Property: 39
 Map ref: 1

Group ID: G41




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Moderate
 Property: 50
 Map ref: 1

Group ID: G44




Primary species: *Pinus radiata*
 Origin: Planted exotic
 Retention value: Low
 Property: 50
 Map ref: 1

Group ID: G39




Primary species: *Acacia mearnsii*
 Origin: Planted native
 Retention value: Low
 Property: 39
 Map ref: 1

Group ID: G42




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Moderate
 Property: 50
 Map ref: 1

Group ID: G45




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Moderate
 Property: 50
 Map ref: 1

Group ID: G46




Primary species: *Eucalyptus sp.*
 Origin: Planted native
 Retention value: Low
 Property: 50
 Map ref: 1

Group ID: G49




Primary species: *Eucalyptus cladocalyx*
 Origin: Mixed native & exotic
 Retention value: Low
 Property: 53
 Map ref: 14

Group ID: G52




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 22
 Map ref: 3

Group ID: G47




Primary species: *Eucalyptus sp.*
 Origin: Planted native
 Retention value: Low
 Property: 50
 Map ref: 1

Group ID: G50




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 53
 Map ref: 14

Group ID: G53




Primary species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: High
 Property: 22
 Map ref: 5

Group ID: G48




Primary species: *Fraxinus angustifolia*
 Origin: Planted exotic
 Retention value: Low
 Property: 50
 Map ref: 4

Group ID: G51




Primary species: *Eucalyptus sp.*
 Origin: Mixed native & exotic
 Retention value: Moderate
 Property: 22
 Map ref: 3

Group ID: G54




Primary species: *Eucalyptus sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property: 23
 Map ref: 5

Group ID: G55



Primary species: *Eucalyptus microcarpa*
 Origin: Planted native
 Retention value: Moderate
 Property: 23
 Map ref: 5

Group ID: G58




Primary species: *Acacia implexa*
 Origin: Indigenous
 Retention value: Low
 Property: 21
 Map ref: 5

Group ID: G61




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Group ID: G56




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 21
 Map ref: 5

Group ID: G59




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Group ID: G62




Primary species: *Acacia implexa*
 Origin: Indigenous
 Retention value: Low
 Property: 21
 Map ref: 5

Group ID: G57




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Group ID: G60




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Group ID: G63




Primary species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 21
 Map ref: 5

Group ID: G64




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 21
 Map ref: 5

Group ID: G67




Primary species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: Very high
 Property: 21
 Map ref: 6

Group ID: G70




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 19
 Map ref: 6

Group ID: G65




Primary species: *Schinus areira*
 Origin: Weed species
 Retention value: Very low
 Property: 21
 Map ref: 6

Group ID: G68




Primary species: *Eucalyptus camaldulensis*
 Origin: Planted native
 Retention value: Moderate
 Property: 19
 Map ref: 6

Group ID: G71




Primary species: *Eucalyptus sp.*
 Origin: Planted native
 Retention value: Moderate
 Property: 19
 Map ref: 6

Group ID: G66




Primary species: *Eucalyptus camaldulensis*
 Origin: Indigenous
 Retention value: Very high
 Property: 21
 Map ref: 6

Group ID: G69



Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Low
 Property: 19
 Map ref: 6

Group ID: G72



Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Moderate
 Property: 19
 Map ref: 6

Group ID: G73



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 19
Map ref: 6

Group ID: G76



Primary species: *Pinus radiata*
Origin: Planted exotic
Retention value: Low
Property: 20
Map ref: 6

Group ID: G79



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 20
Map ref: 6

Group ID: G74



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 19
Map ref: 6

Group ID: G77



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 20
Map ref: 6

Group ID: G80



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 20
Map ref: 6

Group ID: G75



Primary species: *Eucalyptus melliodora*
Origin: Planted native
Retention value: Moderate
Property: 19
Map ref: 6

Group ID: G78




Primary species: *Pinus radiata*
Origin: Planted exotic
Retention value: Low
Property: 20
Map ref: 6

Group ID: G81




Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 21
Map ref: 6

Group ID: G82




Primary species: *x Cupressocyparis leylandii*
 Origin: Planted exotic
 Retention value: Low
 Property: 21
 Map ref: 6

Group ID: G85




Primary species: *Eucalyptus sp.*
 Origin: Planted native
 Retention value: Moderate
 Property: 25
 Map ref: 8

Group ID: G88




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 28
 Map ref: 7

Group ID: G83




Primary species: *Eucalyptus sp.*
 Origin: Planted native
 Retention value: Moderate
 Property: 21
 Map ref: 8

Group ID: G86




Primary species: *Eucalyptus microcarpa*
 Origin: Planted native
 Retention value: High
 Property: 21
 Map ref: 7

Group ID: G89




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 7

Group ID: G84




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 24
 Map ref: 8

Group ID: G87




Primary species: *Eucalyptus microcarpa*
 Origin: Planted native
 Retention value: High
 Property: 24
 Map ref: 7

Group ID: G90




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 7

Group ID: G91




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 8

Group ID: G94




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: High
 Property: 30
 Map ref: 8

Group ID: G97




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Group ID: G92




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: High
 Property: 30
 Map ref: 7

Group ID: G95




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Moderate
 Property: 30
 Map ref: 8

Group ID: G98




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property: 30
 Map ref: 8

Group ID: G93



Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 30
 Map ref: 8

Group ID: G96




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very high
 Property: 30
 Map ref: 8

Group ID: G99




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 8

Group ID: G100




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 8

Group ID: G103




Primary species: *Pinus radiata*
 Origin: Planted exotic
 Retention value: Low
 Property: 77
 Map ref: 9

Group ID: G106




Primary species: *Eucalyptus cladocalyx*
 Origin: Mixed native & exotic
 Retention value: Low
 Property: 80
 Map ref: 10

Group ID: G101




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 9

Group ID: G104




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 77
 Map ref: 9

Group ID: G107



Primary species: *Gleditsia triacanthos*
 Origin: Planted exotic
 Retention value: Moderate
 Property: 80
 Map ref: 10

Group ID: G102




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 9

Group ID: G105



Primary species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property:
 Map ref: 10

Group ID: G108



Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Low
 Property:
 Map ref: 9

Group ID: G109



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Low
Property: 9
Map ref: 9

Group ID: G112



Primary species: *Hesperocyparis glabra*
Origin: Planted exotic
Retention value: Moderate
Property: 73
Map ref: 12

Group ID: G115



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Low
Property: 73
Map ref: 12

Group ID: G110



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 31
Map ref: 9

Group ID: G113



Primary species: *Eucalyptus leucoxylon*
Origin: Indigenous
Retention value: Moderate
Property: 31
Map ref: 12

Group ID: G116



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 69
Map ref: 12

Group ID: G111



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property: 31
Map ref: 9

Group ID: G114



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 73
Map ref: 12

Group ID: G117



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 67
Map ref: 12

Group ID: G118



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 69
Map ref: 13

Group ID: G121



Primary species: *Hesperocyparis macrocarpa 'Saligna Aurea'*
Origin: Planted exotic
Retention value: Moderate
Property: 35
Map ref: 12

Group ID: G124



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 54
Map ref: 12

Group ID: G119



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 69
Map ref: 13

Group ID: G122



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 54
Map ref: 4

Group ID: G125



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 54
Map ref: 4

Group ID: G120



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 71
Map ref: 13

Group ID: G123



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 54
Map ref: 4

Group ID: G126



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 54
Map ref: 12

Group ID: G127



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted native
Retention value: Low
Property: 54
Map ref: 13

Group ID: G130



Primary species: *Eucalyptus sp.*
Origin: Mixed native & exotic
Retention value: Moderate
Property: 65
Map ref: 13

Group ID: G133



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 59
Map ref: 14

Group ID: G128



Primary species: *Eucalyptus sideroxylon*
Origin: Planted native
Retention value: Moderate
Property: 54
Map ref: 13

Group ID: G131



Primary species: *Eucalyptus globulus*
Origin: Planted native
Retention value: Moderate
Property: 63
Map ref: 13

Group ID: G134



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 59
Map ref: 14

Group ID: G129



Primary species: *Corymbia maculata*
Origin: Planted native
Retention value: Moderate
Property: 63
Map ref: 13

Group ID: G132



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 61
Map ref: 13

Group ID: G135



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 57
Map ref: 14

Group ID: G136



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 58
Map ref: 14

Group ID: G139



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 56
Map ref: 14

Group ID: G142



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 56
Map ref: 14

Group ID: G137



Primary species: *Acacia pycnantha*
Origin: Planted native
Retention value: Low
Property: 56
Map ref: 14

Group ID: G140



Primary species: *Eucalyptus camaldulensis*
Origin: Planted native
Retention value: Moderate
Property: 56
Map ref: 14

Group ID: G143



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 58
Map ref: 14

Group ID: G138



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 56
Map ref: 14

Group ID: G141



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 56
Map ref: 14

Group ID: G144



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 60
Map ref: 14

Group ID: G145



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Low
Property: 60
Map ref: 14

Group ID: G148



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Group ID: G151



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 62
Map ref: 13

Group ID: G146



Primary species: *Eucalyptus camaldulensis*
Origin: Indigenous
Retention value: Moderate
Property: 60
Map ref: 14

Group ID: G149



Primary species: *Hesperocyparis macrocarpa*
Origin: Mixed native & exotic
Retention value: Low
Property: 60
Map ref: 14

Group ID: G152



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 62
Map ref: 13

Group ID: G147



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 60
Map ref: 14

Group ID: G150



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Low
Property: 60
Map ref: 14

Group ID: G153



Primary species: *Eucalyptus sp.*
Origin: Mixed native & exotic
Retention value: Moderate
Property: 64
Map ref: 13

Group ID: G154



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 66
Map ref: 13

Group ID: G157



Primary species: *Eucalyptus spathulata*
Origin: Planted native
Retention value: Moderate
Property: 66
Map ref: 13

Group ID: G160



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 74
Map ref: 13

Group ID: G155



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 66
Map ref: 13

Group ID: G158



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 71
Map ref: 13

Group ID: G161



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 75
Map ref: 10

Group ID: G156



Primary species: *Melaleuca armillaris*
Origin: Planted native
Retention value: Low
Property: 66
Map ref: 13

Group ID: G159



Primary species: *Eucalyptus sp.*
Origin: Mixed native & exotic
Retention value: Moderate
Property: 74
Map ref: 13

Group ID: G162



Primary species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Low
Property:
Map ref: 10

Group ID: G163



Primary species: *Allocasuarina luehmannii*
Origin: Indigenous
Retention value: Moderate
Property: 85
Map ref: 10

Group ID: G166



Primary species: *Quercus sp.*
Origin: Planted exotic
Retention value: Moderate
Property: 85
Map ref: 10

Group ID: G169



Primary species: *Cupressus sp.*
Origin: Planted exotic
Retention value: Low
Property: 84
Map ref: 13

Group ID: G164



Primary species: *Pinus radiata*
Origin: Planted exotic
Retention value: Low
Property: 85
Map ref: 10

Group ID: G167



Primary species: *Cupressus sp.*
Origin: Planted exotic
Retention value: Low
Property: 85
Map ref: 10

Group ID: G170



Primary species: *Cupressus sp.*
Origin: Planted exotic
Retention value: Low
Property: 84
Map ref: 11

Group ID: G165



Primary species: *Eucalyptus camaldulensis*
Origin: Planted native
Retention value: Moderate
Property: 85
Map ref: 10

Group ID: G168




Primary species: *Pinus radiata*
Origin: Planted exotic
Retention value: Low
Property: 85
Map ref: 10

Group ID: G171




Primary species: *Cupressus sp.*
Origin: Planted exotic
Retention value: Low
Property: 85
Map ref: 11

Group ID: G172




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Very high
 Property: 85
 Map ref: 11

Group ID: G175




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Moderate
 Property: 91
 Map ref: 11

Group ID: G178




Primary species: *Eucalyptus sp.*
 Origin: Mixed native & exotic
 Retention value: Low
 Property: 91
 Map ref: 11

Group ID: G173




Primary species: *Acacia sp.*
 Origin: Indigenous
 Retention value: Moderate
 Property: 11
 Map ref: 11

Group ID: G176




Primary species: *Eucalyptus cladocalyx*
 Origin: Planted native
 Retention value: Low
 Property: 92
 Map ref: 11

Group ID: G179




Primary species: *Allocasuarina luehmannii*
 Origin: Indigenous
 Retention value: Moderate
 Property: 90
 Map ref: 11

Group ID: G174




Primary species: *Eucalyptus microcarpa*
 Origin: Indigenous
 Retention value: Moderate
 Property: 91
 Map ref: 11

Group ID: G177



Primary species: *Eucalyptus sp.*
 Origin: Mixed native & exotic
 Retention value: Low
 Property: 91
 Map ref: 11

Group ID: G180



Primary species: *Eucalyptus microcarpa*
 Origin: Planted native
 Retention value: Moderate
 Property: 90
 Map ref: 11

Group ID: G181



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Low
Property: 41
Map ref: 13

Group ID: G184



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: High
Property:
Map ref: 13

Group ID: G187



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 14

Group ID: G182



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: High
Property:
Map ref: 10

Group ID: G185



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 13

Group ID: G188



Primary species: *Melaleuca sp.*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 14

Group ID: G183



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: High
Property:
Map ref: 10

Group ID: G186



Primary species: *Acacia baileyana*
Origin: Planted native
Retention value: Low
Property:
Map ref: 13

Group ID: G189



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 14

Group ID: G190



Primary species: *Melaleuca sp.*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 14

Group ID: G193



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G196



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 82
Map ref: 15

Group ID: G191



Primary species: *Melaleuca sp.*
Origin: Planted native
Retention value: High
Property:
Map ref: 14

Group ID: G194



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 82
Map ref: 15

Group ID: G197



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G192



Primary species: *Melaleuca sp.*
Origin: Planted native
Retention value: High
Property:
Map ref: 14

Group ID: G195



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G198



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 82
Map ref: 15

Group ID: G199



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G202



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G205



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G200



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G203



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G206



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G201



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G204



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G207



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G208



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 21
Map ref: 15

Group ID: G211



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 82
Map ref: 14

Group ID: G214



Primary species: *Eucalyptus camaldulensis*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 14

Group ID: G209



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 82
Map ref: 14

Group ID: G212



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 81
Map ref: 14

Group ID: G215



Primary species: *Eucalyptus cladocalyx*
Origin: Mixed native & exotic
Retention value: Low
Property: 9
Map ref: 14

Group ID: G210



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 81
Map ref: 14

Group ID: G213



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 9
Map ref: 14

Group ID: G216



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 9
Map ref: 15

Group ID: G217



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 11
Map ref: 15

Group ID: G220



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Moderate
Property: 11
Map ref: 15

Group ID: G223




Primary species: *Hesperocyparis macrocarpa*
Origin: Mixed native & exotic
Retention value: Low
Property: 16
Map ref: 15

Group ID: G218



Primary species: *Acacia pycnantha*
Origin: Indigenous
Retention value: Low
Property: 11
Map ref: 15

Group ID: G221



Primary species: *Unknown evergreen*
Origin: Weed species
Retention value: Very Low
Property: 10
Map ref: 15

Group ID: G224



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Low
Property: 16
Map ref: 15

Group ID: G219



Primary species: *Cupressus sp.*
Origin: Mixed native & exotic
Retention value: Low
Property: 11
Map ref: 15

Group ID: G222



Primary species: *Eucalyptus cladocalyx*
Origin: Mixed native & exotic
Retention value: Low
Property: 10
Map ref: 15

Group ID: G225



Primary species: *Corymbia maculata*
Origin: Planted native
Retention value: Moderate
Property: 15
Map ref: 17

Group ID: G226



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 15
Map ref: 17

Group ID: G229



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 15
Map ref: 17

Group ID: G232



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Very low
Property: 15
Map ref: 17

Group ID: G227



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 15
Map ref: 17

Group ID: G230



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Very low
Property: 15
Map ref: 17

Group ID: G233



Primary species: *Eucalyptus camaldulensis*
Origin: Planted native
Retention value: High
Property: 15
Map ref: 17

Group ID: G228



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 15
Map ref: 17

Group ID: G231



Primary species: *Callitris sp.*
Origin: Mixed native & exotic
Retention value: Moderate
Property: 15
Map ref: 17

Group ID: G234



Primary species: *Eucalyptus sp.*
Origin: Mixed native & exotic
Retention value: Moderate
Property: 15
Map ref: 17

Group ID: G235



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 8
Map ref: 17

Group ID: G238



Primary species: *Eucalyptus botryoides*
Origin: Planted native
Retention value: Low
Property:
Map ref: 18

Group ID: G241



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: High
Property:
Map ref: 18

Group ID: G236



Primary species: *Hesperocyparis macrocarpa*
Origin: Planted exotic
Retention value: Moderate
Property: 7
Map ref: 14

Group ID: G239



Primary species: *Eucalyptus gomphocephala*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 18

Group ID: G242



Primary species: *Acacia pycnantha*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Group ID: G237



Primary species: *Cupressus sp.*
Origin: Planted native
Retention value: Low
Property: 7
Map ref: 14

Group ID: G240



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: High
Property:
Map ref: 18

Group ID: G243



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Group ID: G244



Primary species: *Schinus areira*
Origin: Weed species
Retention value: Very low
Property: 6
Map ref: 18

Group ID: G247



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 4
Map ref: 18

Group ID: G250



Primary species: *Schinus areira*
Origin: Mixed native & exotic
Retention value: Low
Property: 4
Map ref: 18

Group ID: G245



Primary species: *Eucalyptus microcarpa*
Origin: Indigenous
Retention value: Moderate
Property: 6
Map ref: 18

Group ID: G248



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 5
Map ref: 18

Group ID: G251



Primary species: *Corymbia maculata*
Origin: Planted native
Retention value: Moderate
Property: 4
Map ref: 18

Group ID: G246



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 5
Map ref: 18

Group ID: G249



Primary species: *Fraxinus angustifolia*
Origin: Weed species
Retention value: Very low
Property: 4
Map ref: 18

Group ID: G252



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 4
Map ref: 18

Group ID: G253



Primary species: *Eucalyptus microcarpa*
Origin: Planted native
Retention value: Moderate
Property: 4
Map ref: 18

Group ID: G256



Primary species: *Eucalyptus sp.*
Origin: Planted native
Retention value: Low
Property: 1
Map ref: 18

Group ID: G254



Primary species: *Eucalyptus gomphocephala*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 18

Group ID: G257



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property:
Map ref: 18

Group ID: G255



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Low
Property: 2
Map ref: 18

Group ID: G258



Primary species: *Eucalyptus cladocalyx*
Origin: Planted native
Retention value: Moderate
Property: 4
Map ref: 18

Appendix 4: Arboricultural Descriptors (February 2019)

© Tree Logic 2019

Note that not all of the described tree descriptors may be used in a tree assessment and report. The assessment is undertaken with regard to contemporary arboricultural practices and consists of a visual inspection of external and above-ground tree parts.

Tree Condition

The assessment of tree condition evaluates factors of health and structure. The descriptors of health and structure attributed to a tree evaluate the individual specimen to what could be considered typical for that species growing in its location under current climatic conditions. For example, some species can display inherently poor branching architecture, such as multiple acute branch attachments with included bark. Whilst these structural defects may technically be considered arboriculturally poor, they are typical for the species and may not constitute an increased risk of failure. These trees may be assigned a structural rating of fair-poor (rather than poor) at the discretion of the assessor.




Diagram 1: Indicative normal distribution curve for tree condition

Diagram 1 provides an indicative distribution curve for tree condition to illustrate that within a normal tree population the majority of specimens are centrally located within the condition range (normal distribution curve). Furthermore, that those individual trees with an assessed condition approaching the outer ends of the spectrum occur less often.

Tree Name

Provides botanical name, (genus, species, variety and cultivar) according to accepted international code of taxonomic classification, and common name.

Tree Type

Describes the general geographic origin of the species and its type e.g. deciduous or evergreen.

Category	Description
Indigenous	Occurs naturally in the area or region of the subject site. Remnant.
Victorian native	Occurs naturally within some part of the State of Victoria (not exclusively) but is not indigenous (component of EVC benchmark). Could be planted indigenous trees.
Australian native	Occurs naturally within Australia but is not a Victorian native or indigenous
Exotic deciduous	Occurs outside of Australia and typically sheds its leaves during winter
Exotic evergreen	Occurs outside of Australia and typically holds its leaves all year round
Exotic conifer	Occurs outside of Australia and is classified as a gymnosperm
Native conifer	Occurs naturally within Australia and is classified as a gymnosperm
Native Palm	Occurs naturally within Australia. Woody monocotyledon
Exotic Palm	Occurs outside of Australia. Woody monocotyledon

Height and Width

Indicates height and width of the individual tree; dimensions are expressed in metres. Crown heights are measured with a height meter where possible. Due to the topography of some sites and/or the density of vegetation it may not be possible to do this for every tree. Tree heights may be estimated in line with previous height meter readings in conjunction with assessor's experience. Crown widths are generally paced (estimated) at the widest axis or can be measured on two axes and averaged. In some instances the crown width can be measured on the four cardinal direction points (North, South, East and West).

Crown height, crown spread are generally recorded to the nearest half metre (crown spread would be rounded up) for dimensions up to 10 m and the nearest whole metre for dimensions over 10 m. Estimated dimensions

(e.g. for off-site or otherwise inaccessible trees where accurate data cannot be recovered) shall be clearly identified in the assessment data.

Trunk diameters

The position where trunk diameters are captured may vary dependent on the requirements of the specific assessment and an individual trees specific characteristics. DBH is the typical trunk diameter captured as it relates to the allocation of tree protection distances. The basal trunk diameter assists in the allocation of a structural root zone. Some municipalities require trunk diameters be captured at different heights, with 1.0 m above grade being a common requirement. The specific planning schemes will be checked to ascertain requirements.

Stem diameters shall be recorded in centimetres, rounded to the nearest 1 cm (0.01 m).

Diameter at Breast Height (DBH)

Indicates the trunk diameter (expressed in centimetres) of an individual tree measured at 1.4m above the existing ground level or where otherwise indicated, multiple leaders are measured individually. Plants with multiple leader habit may be measured at the base. The range of methods to suit particular trunk shapes, configurations and site conditions can be seen in Appendix A of Australian Standard AS 4970-2009 *Protection of trees on development sites*. Measurements undertaken using foresters tape or builders tape.

Basal trunk diameter

The basal dimension is the trunk diameter measured at the base of the trunk or main stem(s) immediately above the root buttress. Used to ascertain the Structural Root Zone (SRZ) as outlined in AS4970.

Health

Assesses various attributes to describe the overall health and vitality of the tree.

Category	Vitality, Extension growth	Decline symptoms, Deadwood, Dieback	Foliage density, colour, size, intactness	Pests and or disease
Good	Above typical. Excellent. Full canopy density	Negligible	Better than typical	Negligible
Fair	Typical vitality. >80% canopy density	Minor or expected. Little or no dead wood	Typical. Minor deficiencies or defects could be present.	Minor, within damage thresholds
Fair to Poor	Below typical - low vitality	More than typical. Small sub-branch dieback	Exhibiting deficiencies. Could be thinning, or smaller	Exceeds damage thresholds
Poor	Minimal - declining	Excessive, large and/or prominent amount & size of dead wood. Significant dieback	Exhibiting severe deficiencies. Thinning foliage, generally smaller or deformed	Extreme and contributing to decline
Dead	N/A	N/A	N/A	N/A

Structure


Assesses principal components of tree structure (Diagram 2).

Descriptor	Zone 1 - Root plate & lower stem	Zone 2 - Trunk	Zone 3 - Primary branch support	Zone 4 - Outer crown and roots
Good	No obvious damage, disease or decay; obvious basal flare / stable in ground	No obvious damage, disease or decay; well tapered	Well formed, attached, spaced and tapered. No history of failure.	No obvious damage, disease, decay or structural defect. No history of failure.

Fair	Minor damage or decay. Basal flare present.	Minor damage or decay	Generally, well attached, spaced and tapered branches. Minor structural deficiencies may be present or developing. No history of branch failure.	Minor damage, disease or decay; minor branch end-weight or over-extension. No history of branch failure.
Fair to Poor	Moderate damage or decay; minimal basal flare.	Moderate damage or decay; approaching recognised thresholds	Weak, decayed or with acute branch attachments; previous branch failure evidence.	Moderate damage, disease or decay; moderate branch end-weight or over-extension. Minor branch failure evident.
Poor	Major damage, disease or decay; fungal fruiting bodies present. Excessive lean placing pressure on root plate	Major damage, disease or decay; exceeds recognised thresholds; fungal fruiting bodies present. Acute lean. Stump re-sprout	Decayed, cavities or has acute branch attachments with included bark; excessive compression flaring; failure likely. Evidence of major branch failure.	Major damage, disease or decay; fungal fruiting bodies present; major branch end-weight or over-extension. Branch failure evident.
Very Poor	Excessive damage, disease or decay; unstable / loose in ground; altered exposure; failure probable	Excessive damage, disease or decay; cavities. Excessive lean. Stump re-sprout	Decayed, cavities or branch attachments with active split; failure imminent. History of major branch failure.	Excessive damage, disease or decay; excessive branch end-weight or over-extension. History of branch failure.

Diagram 2: Tree structure zones

1. Root plate & lower stem
2. Trunk
3. Primary branch support
4. Outer crown & roots



Structure ratings will also take into account general branching architecture, stem taper, live crown ratio, crown symmetry (bias or lean) and crown position such as tree being suppressed amongst more dominant trees.

The lowest or worst descriptor assigned to the tree in any column could generally be the overall rating assigned to the tree. The assessment for structure is limited to observations of external and above ground tree parts. It does not include any exploratory assessment of underground or internal tree parts unless this is requested as part of the investigation. Trees are assessed and then given a rating for a point in time. Generally, trees with a poor or very poor structure are beyond the benefit of practical arboricultural treatments.

The management of trees in the urban environment requires appropriate arboricultural input and consideration of risk. Risk potential will consider the combination of likelihood of failure and impact, including the perceived importance of the target(s).

Age class

Relates to the physiological stage of the tree's life cycle.

Category	Description
Young	Sapling tree and/or recently planted. Approximately 5 or less years in location.
Semi-mature	Tree increasing in size and yet to achieve expected size in situation. Primary developmental stage.
Early-mature	Tree established, generally growing vigorously. > 50% of attainable age/size.
Mature	Specimen approaching expected size in situation, with reduced incremental growth.
Over-mature	Mature full-size with a retrenching crown. Tree is senescent and in decline. Significant decay generally present.

Useful life expectancy

Assessment of useful life expectancy provides an indication of health and tree appropriateness and involves an estimate of how long a tree is likely to remain in the landscape based on species, stage of life (cycle), health, amenity, environmental services contribution, conflicts with adjacent infrastructure and risk to the community. It would enable tree managers to develop long-term plans for the eventual removal and replacement of existing trees in the public realm. It is not a measure of the biological life of the tree within the natural range of the species. It is more a measure of the health status and the trees positive contribution to the urban landscape.

Within an urban landscape context, particularly in relation to street trees, it could be considered a point where the costs to maintain the asset (tree) outweigh the benefits the tree is returning.

The assessment is based on the site conditions not being significantly altered and that any prescribed maintenance works are carried out (site conditions are presumed to remain relatively constant and the tree would be maintained under scheduled maintenance programs).

Useful Life Expectancy	Typical characteristics
<1 year (No remaining ULE)	Tree may be dead or mostly dead. Tree may exhibit major structural faults. Tree may be an imminent failure hazard. Excessive infrastructure damage with high risk potential that cannot be remedied.
1-5 years (Transitory, Brief)	Tree is exhibiting severe chronic decline. Crown is likely to be less than 50% typical density. Crown may be mostly epicormic growth. Dieback of large limbs is common (large deadwood may have been pruned out). Major structural defects that cannot be remedied. Tree may be over-mature and senescing. Infrastructure conflicts with heightened risk potential. Tree has outgrown site constraints.
6-10 years (Short)	Tree is exhibiting chronic decline. Crown density will be less than typical and epicormic growth is likely to present. The crown may still be mostly entire, but some dieback is likely to be evident. Dieback may include large limbs. Structural defects present that influence the tree's risk rating, amenity or vitality. Over-mature and senescing or early decline symptoms in short-lived species. Early infrastructure conflicts with potential to increase regardless of management inputs.
11-20 years (Moderate)	Tree not showing symptoms of chronic decline, but growth characteristics are likely to be reduced (bud development, extension growth etc.). Developing structural defects that reduce viability with limited scope for management. Tree may be over-mature and beginning to senesce. Potential for infrastructure conflicts regardless of management inputs.
21-40 years (Moderately long)	Trees displaying normal growth characteristics, but vitality is likely to be reduced (bud development, extension growth etc.). Structural issues relatively minor and manageable with arboricultural input. Tree may be growing in restricted environment (e.g. streetscapes) or may be in late maturity. Semi-mature and mature trees exhibiting normal growth characteristics. Juvenile trees in streetscapes.
>40 years (Long)	Generally juvenile and semi-mature trees exhibiting normal growth characteristics within adequate spaces to sustain growth, such as in parks or open space. Could also pertain to maturing, long-lived trees. No observable major structural defects. Tree well suited to the site with negligible potential for infrastructure conflicts.

Note that ULE may change for a tree dependent on the prevailing climatic conditions, sudden changes to a tree's growing environment creating an acute stress or impact by pathogens.

The ULE may not be applicable for trees that are manipulated, such as topiary, or grown for specific horticultural purposes, such as fruit trees.

There may be instances where remedial tree maintenance could extend a tree's ULE.

Arboricultural Rating

Relates to the combination of assigned tree condition factors, including health and structure (arboricultural merit) and ULE, and conveys an amenity value (An amenity tree can occupy a site that complements its surroundings in a useful manner which culminates in the aid, protection, comfort and emotional response of humans. Adapted from Coder, 2004). Amenity relates to the trees biological, functional and aesthetic

characteristics (Hitchmough, 1994) within an urban landscape context. The presence of any serious disease or tree-related hazards that would impact risk potential are considered.

The arboricultural rating can be used by applying only the main category high, moderate, low or very low without using the sub categories. The sub-categories can assist in differentiating a trees value and/or characteristic in more detail within the specific tree assessment context, such as a development site.

Arboricultural rating			
Category	Description		
High	<p>Exemplary specimen due to multiple factors which could include: good condition and vitality, large size/canopy and prominence in the landscape. Likely to be a very long-term component in the landscape with a long ULE.</p> <p>Other factors that could contribute to a high rating:</p> <ul style="list-style-type: none"> • Particularly good example of the species; rare or uncommon. • Tree has visual importance as a landscape feature; provides substantial contribution to landscape character. • Tree may have significant ecological or conservation value. • *Tree has historical, commemorative or other distinct social/cultural significance. <p>Trees in this category must be considered for retention and/or incorporated within design proposals.</p>		
Category	Description	Sub category	Description
Moderate	<p>Tree of moderate quality, in fair or typical condition. Tree may have a condition, and or structural problem that will respond to arboricultural treatment. These trees have the potential to be moderate- to long-term components of the landscape (moderate to long ULE) if managed appropriately. The sub-categories relate predominately to age, size and amenity. Trees in this category should be considered for retention and/or incorporated within design proposals.</p>	A	<p>Moderate to large, maturing tree. Suited to the site & contributes to the landscape character. Tree may have conservation or other cultural/social value.</p>
		B	<p>Moderate sized, established tree, > 50% of attainable age/size. Suited to the site & contributes to the landscape character (other attributes covered under 'Moderate' description)</p>
		C	<ul style="list-style-type: none"> • Young to semi-mature, generally a smaller tree, established, >15 cm DBH, >5 years in the location. Not a dominant canopy. No significant qualities currently but has the potential to become a higher value tree & long-term component of the landscape. Replacement of tree is likely to take up to 6 - 10 years to attain similar attributes. • Semi- to mature tree with accumulating deficiencies and reducing ULE, trending towards Low arboricultural value.
Category	Description		
Low	<p>Unremarkable tree of low quality or little amenity value. Tree in either poor health and/or with poor structure. Short to transitory useful life expectancy (<10 years).</p> <ul style="list-style-type: none"> • Tree is not prominent in the landscape due to its size or age, such as young trees with a stem diameter below 15 cm. Tree < 5 years in location. These trees are easily replaceable or capable of being transplanted. • Tree (species) is functionally inappropriate to the specific location. Is causing excessive damage/nuisance to adjacent infrastructure or would be expected to be problematic if retained (i.e. palm tree under power lines). • Unremarkable tree of no material landscape, conservation or other cultural value. Not visible from surrounding landscapes. • Tree infected with pathogens that could lead to its decline. • Tree has potential to be an environmental woody weed (may be dependent on location of tree in an urban landscape). • Tree impacting or suppressing trees of better quality. <p>Retention of such trees may be considered if not requiring a disproportionate expenditure of resources for a tree in its condition and location.</p>		
Category	Description		

Very low	<p>Trees of low quality with a brief to no remaining ULE (<5 years).</p> <ul style="list-style-type: none"> • Tree has either a severe structural defect or health problem or combination that cannot be sustained with practical arboricultural techniques and the loss of the tree or tree part would be expected in the short term. • Tree whose retention would not be viable after the removal of adjacent trees, such as trees that have developed in close spaced groups and would not be expected to adapt to severe and sudden alterations to environmental & site conditions, e.g. removal of adjacent shelter trees. • Small or young tree, <5m in height, <10cm DBH. Easily replaced in short-term or capable of being transplanted. • Acknowledged environmental woody weed species. Tree has a detrimental effect on the environment, for example, the tree has weed potential and is likely to spread into waterways or natural areas if nearby. • Tree infected with pathogens that will lead to decline and has potential to spread to adjacent trees. • Tree is dead (dead tree may offer habitat values) or is showing signs of significant, immediate, and irreversible overall decline. <p>Tree cannot realistically be retained and should be considered for removal.</p>
----------	--

Other considerations - Even though a tree may be declining or dead, a tree could be retained for other purposes such as habitat or soil stabilisation. These trees would still need to be managed appropriately to reduce risk.

*A tree may have (attract) a high value by the community for historical, commemorative or other distinct social/cultural significance factors, albeit the tree may not be in good condition. In the context of an assessment, for multiple reasons, but more so for development, if it is a noted 'significant' tree it should receive higher consideration during the planning process.

Trees have many values, not all of which are considered when an arboricultural assessment is undertaken. However, individual trees or tree group features may be considered important community resources because of unique or noteworthy characteristics or values other than their age, dimensions, health or structural condition. Recognition of one or more of the following criteria is designed to highlight other considerations that may influence the future management of such trees.

Significance	Description
Horticultural Value/ Rarity	Outstanding horticultural or genetic value; could be an important source of propagating stock, including specimens that are particularly resistant to disease or exposure. Any tree of a species or variety that is rare.
Historic, Aboriginal Cultural or Heritage Value	<p>Tree could have value as a remnant of a particular important historical period or a remnant of a site or activity no longer in action. Tree has a recognised association with historic aboriginal activities, including scar trees.</p> <p>Tree commemorates a particular occasion, including plantings by notable people, or having associations with an important event in local history.</p>
Ecological Value	<p>Tree could have value as habitat for indigenous wildlife, including providing breeding, foraging or roosting habitat, or is a component of a wildlife reserve.</p> <p>Remnant Indigenous vegetation that contribute to biological diversity</p>

Bibliography:

Coder, K D. (1996) Construction damage assessments: trees and sites, University of Georgia, USA

Coder, K. D. (2004). Amenity trees: Defining Concepts in Use. University of Georgia. Warnell School of Forest Resources, Publication SFR04-4. May 2004

Hitchmough, J.D. (1994) Urban landscape management, Inkata Press, Australia

Gooding, R.F., Ingram, J.B., Urban, J.R., Bloch, L.B., Steigerwaldt, W.M, Harris, R.W. and Allen, E.N. (2000) Guide for plant appraisal, 9th edition, International society of Arboriculture, USA

Pollard, A. H. (1974) Introductory statistics: a service course, Pergamon Press Australia, Australia.

Standards Australia (2009) Australian Standard AS 4970-2009 Protection of trees on development sites.

Appendix 5: Tree Protection Zones

Tree logic Pty. Ltd. © 2025

1. Introduction

To sustain trees on a development site, consideration must be given to the establishment of tree protection zones.

The physical dimensions of tree protection zones can sometimes be difficult to define. The projection of a tree's crown can provide a guide but is by no means the definitive measure. The unpredictable nature of roots and their growth, differences between species and their tolerances, and observable and hidden changes to the trees growing environment, because of development, are variables that must be considered.

Most vigorous, broad canopied trees survive well if the area within the drip-line of the canopy is protected. Fine root density is usually greater beneath the canopy than beyond (Gilman, 1997). If few to no roots over 3cm in diameter are encountered and severed during excavation the tree will probably tolerate the impact and root loss. A healthy tree can sustain a loss of between 30% and 50% of absorbing roots (Harris, Clark, Matheny, 1999), however encroachment into the structural root system of a tree may be problematic.

The structural root system of a tree is responsible for ensuring the stability of the entire tree structure in the ground. A tree could not sustain loss of structural root system and be expected to survive let alone stand up to average annual wind loads upon the crown.

2. Notional Root Zone (NRZ)

Calculation of the NRZ (as defined in Australian Standard AS 4970-2025 *Protection of trees on development sites*) is a theoretical zone that surrounds each tree radially. The NRZ for individual trees is calculated based on trunk (stem) diameter (DSH), measured at 1.4 metres up from ground level. The radius of the NRZ is calculated by multiplying the trees DBH by 12. NRZ distances are measured as a radius from the centre of the trunk at (or near) ground level. The minimum NRZ should be no less than 2m and the maximum no more than 15m radius. The NRZ of palms should be not less than 1.0m outside the crown projection.

Encroachment into the NRZ is permissible under certain circumstances though is dependent on both site conditions and tree characteristics. Minor encroachment, up to 10% of the NRZ, is generally permissible provided encroachment is compensated for by recruitment of an equal area contiguous with the NRZ. Examples are provided in Diagram 1. Encroachment between 10-20% is considered moderate encroachment and is only permissible if it can be demonstrated that after such encroachment the tree would remain viable. Major Encroachment, greater than 20% of the NRZ and/or incursion into the SRZ, may have deleterious effects on tree condition/stability and requires engagement of a project arborist to assist with alternative design options and/or undertake advanced investigations to demonstrate that the tree would remain viable.

Existing infrastructure around some trees may be within the NRZ or root plate radius. The roots of some trees may have grown in response to the site conditions and therefore if existing hard surfaces and building alignments are utilised in new designs the impacts on the trees should be minimal.

The most reliable way to estimate root disturbance is to find out where the roots are in relation to the demolition, excavation or construction works that will take place (Matheny & Clark, 1998). Exploratory excavation prior to commencement of construction can help establish the extent of the root system and where it may be appropriate to excavate or build.




Diagram 1: Examples of minor, moderate and major encroachment into a NRZ. (Extract from: AS4970-2025, Figure 1, p23 of 46)

3. Allocation of tree protection zone (TPZ)

Once it has been established, through an arboricultural assessment, which trees and tree groups are to be retained, the next step will require careful management through the development process to minimise any impacts on the designated trees. The successful retention of trees on any particular site will require the commitment and understanding of all parties involved in the development process.

The most important activity, after determining the trees that will be retained, is the implementation of a TPZ.

The intention of tree protection zones is to:

- mitigate tree hazards;
- provide adequate root space to sustain the health and aesthetics of the tree into the future;
- minimise changes to the trees growing environment, which is particularly important for mature specimens;
- minimise physical damage to the root system, canopy and trunk; and
- define the physical alignment of the tree protection fencing

TPZs are to be allocated to trees being retained within a site redevelopment. The method of allocating a TPZ to a tree will be influenced by the NRZ along with site factors, the tree species, its age, and developed form.


Tree root growth is opportunistic and occurs where the essentials to life (primarily air and water) are

present.

Heterogeneous soil conditions, existing barriers, hard surfaces and buildings may have inhibited the development of a symmetrically radiating root system. The TPZ should factor in site conditions along with any allowed encroachments, and allocate a zone that can realistically be protected and provide sufficient nourishment for the tree's ongoing vitality.

The TPZ should also consider the canopy and overall form of the tree which may require TPZ expanding beyond the NRZ in some areas (e.g. see Diagram 3). If the canopy requires severe pruning to accommodate a building or other works and in the process the form of the tree is diminished it may be worthwhile considering altering the design or removing the tree.

Importantly, the TPZ should account for any allowed encroachment within the NRZ, by allocating a compensatory area equal to the encroachment onto another area contiguous to the TPZ (see Diagrams 1 and 5).



Diagrams 2, 3, 4 & 5. Examples of TPZ establishment in different scenarios (Extract from: AS4970-2025, Figure 3, pp25-26 of 46)

General tree protection guidelines

The most important factors are:

- Prior to construction works the trees nominated for tree works should be pruned to remove larger dead wood. Pruning works may also identify other tree hazards that require remedial works.
- Installation of tree protection fencing. Once the tree protection zones have been determined the next step is to mulch the zone with woodchip and erect tree protection fencing. This must be completed prior to any materials being brought on-site, erection of temporary site facilities or demolition/earth works. The protection fencing must be sturdy and withstand winds and construction impacts. The protection fence should only be moved with approval of the site supervisor. Other root zone protection methods can be incorporated if the TPZ area needs to be traversed.

- Appropriate signage is to be fixed to the fencing to alert people as to importance of the tree protection zone.
- The importance of tree preservation must be communicated to all relevant parties involved with the site.
- Inspection of trees during excavation works.




Diagram 6: Protective fencing (Extract from: AS4970-2025, Figure 4, p28 of 46)

Exploratory excavation

The most reliable way to estimate root disturbance is to find out where the roots are in relation to the demolition, excavation or construction works that will take place (Matheny & Clark, 1998).

Exploratory excavation prior to commencement of construction can help establish the extent of the root system and where it may be appropriate to excavate or build. This also allows management decisions to be made and allows time for redesign works if required.

Any exploratory excavation within the allocated NRZ is to be undertaken with due care of the roots. Minor exploration is possible with hand tools. More extensive exploration may require the use of high pressure water or air excavation techniques. Either hydraulic or pneumatic excavation techniques will safely expose tree roots; both have specific benefits dependent on the situation and soil type. An arborist is to be consulted on which system is best suited for the site conditions.

Substantial roots are to be exposed and left intact.

Once roots are exposed decisions can be made regarding the management of the tree. Decisions will

be dependent on the tree species, its condition, its age, its relative tolerance to root loss, and the amount of root system exposed and requiring pruning.

Other alternative measures to encroaching the NRZ may include boring or tunnelling.

How to determine the diameter of a substantial root

The size of a substantial root will vary according to the distance of the exposed root to the trunk of the tree. The further away from the trunk of a tree that a root is, the less significant the root is likely to be to the tree’s health and stability.

The determination of what is a substantial root is often difficult because the form, depth and spread of roots will vary between species and sites. However, because smaller roots are connected to larger roots in a framework, there can be no doubt that if larger roots are severed, the smaller roots attached to them will die. Therefore, the larger the root, the more significant it may be.

Gilman (1997) suggests that trees may contain 4-11 major lateral roots and that the five largest lateral roots account (act as a conduit) for 75% of the total root system. These large lateral roots quickly taper within a distance to the tree, this distance is identified as the Structural Root Zone (SRZ). Within the SRZ distance, all roots and the soil surrounding the roots are deemed significant.

No root or soil disturbance is permitted within the SRZ

In the area outside the SRZ the tree may tolerate the loss of one or a number of roots. The table below indicates the size of tree roots, outside the SRZ that would be deemed substantial for various tree heights. The assessment of combined root loss within the NRZ would need to be undertaken by an arborist on an individual basis because the location of the tree, its condition and environment would need to be assess

Table 1: Estimated significant root sizes outside SRZ

Height of tree	Diameter of root	Height of tree	Diameter of root
Less than 5m	≥ 30mm	Less than 5m	≥ 30mm
Between 5m - 15m	≥ 50mm	Between 5m - 15m	≥ 50mm
More than 15m	≥ 70mm	More than 15m	≥ 70mm

Ground buffering

Where works are required to be undertaken within the tree root zone, surface, ground buffering and trunk and limb protection must be provided to minimise the potential for soil to become compacted and avoid potential for impact wounds to occur to surface roots, trunk or limbs. Refer below.






Diagram 7: Examples of ground buffering and trunk and limb protection (Extract from: AS4970-2025, Figure 5, p30 of 46)

Construction Guidelines

The following are guidelines that must be implemented to minimise the impact of the proposed construction works on the retained trees.

- The Tree Protection Zone (TPZ) is fenced and clearly marked at all times. The actual fence specifications should be a minimum of 1.2 - 1.5 metres of chain mesh or like fence with 1.8 meter posts (e.g. treated pine or star pickets) or like support every 3-4 metres and a top line of high visibility plastic hazard tape. The posts should be strong enough to sustain knocks from on site excavation equipment. This fence will deter the placement of building materials, entry of heavy equipment and vehicles and also the entry of workers and/or the public into the TPZ. Note: There are many different variations on the construction type and material used for TPZ fences, suffice to say that the fence should satisfy the responsible authority.
- Contractors and site workers should receive written and verbal instruction as to the importance of tree protection and preservation within the site. Successful tree preservation occurs when there is a commitment from all relevant parties involved in designing, constructing and managing a development project. Members of the project team need to interact with each other to minimise the impacts to the trees, either through design decisions or construction practices. The importance of tree preservation must be communicated to all relevant parties involved with the site.
- The consultant arborist is on-site to supervise excavation works around the existing trees where the TPZ will be encroached.
- A layer of organic mulch (woodchips) to a depth of no more than 100mm should be placed over the root systems within the TPZ of trees, which are to be retained so as to assist with moisture retention and to reduce the impact of compaction.
- No persons, vehicles or machinery to enter the TPZ without the consent of the consulting arborist or site manager.
- Where machinery is required to operate inside the TPZ it must be a small skid drive machine (i.e Dingo or similar) operating only forwards and backwards in a radial direction facing the tree trunk and not altering direction whilst inside the TPZ to avoid damaging, compacting or scuffing the roots.
- Any underground service installations within the allocated TPZ should be bored and utility authorities should common trench where possible.
- No fuel, oil dumps or chemicals shall be allowed in or stored on the TPZ and the servicing and re-fuelling of equipment and vehicles should be carried out away from the root zones.
- No storage of material, equipment or temporary building should take place over the root zone of any tree.
- Nothing whatsoever should be attached to any tree including temporary services wires, nails, screws or any other fixing device.
- Supplementary watering should be provided to all trees through any dry periods during and after the construction process. Proper watering is the most important maintenance task in terms of successfully retaining the designated trees. The areas under the canopy drip lines should be mulched with woodchip to a depth of no more than 100mm. The mulch will help maintain soil moisture levels. Testing with a soil probe in a number of locations around the tree will help ascertain soil moisture levels and requirements to irrigate. Water needs to be applied slowly to avoid runoff. A daily watering with 5 litres of water for every 30 mm of trunk calliper may provide the most even soil moisture level for roots (Watson & Himelick, 1997),

however light frequent irrigations should be avoided. Irrigation should wet the entire root zone and be allowed to dry out prior to another application.

References

- Bernatzky, A. 1978. *Tree Ecology and Preservation*. New York: Elsevier Publishing.
- British Standard 5837. 1991. *Guide for Trees in relation to construction*. British Standards Institute.
- Gilman, E. F. 1997. *Trees for Urban and Suburban Landscapes*. Delmar.
- Harris, R. W, Clark J.R. & Matheny N.P. 1999. *Arboriculture: Integrated Management of Landscape Trees, Shrubs and Vines, Third Edition*. Prentice - Hall, New Jersey.
- Helliwell, D. R. 1985. *Trees on Development Sites*. Arboricultural Association UK.
- Matheny, N. & Clark, J. R. 1998. *Trees and development – A technical guide to preservation of trees during land development*. International Society of Arboriculture, Publishers.
- Mattheck, C. & Breloer, H. 1994. *The Body Language of Trees*
HMSO Mattheck C. 2002. *Tree Mechanics*, Forschungszentrum Karlsruhe GMBH
- Tattar, T. A. 1989. *Diseases of Shade Trees*, 2nd ed. San Diego: Academic Press.
- Watson, G. W. & Himelick, E. B. 1997. *Principals and Practices of Planting Trees and Shrubs*. International Society of Arboriculture.

Copyright notice

©Tree Logic 2020. All rights reserved, except as expressly provided otherwise in this publication.

Disclaimer

Whilst the material contained in this Report has been formulated with all due care and skill, Tree Logic Pty Ltd (ACN 080 021 610) (Tree Logic) does not warrant or represent that the material is free from errors or omission, or that it is exhaustive. Tree Logic disclaims, to the extent permitted by law, all warranties of any kind, either expressed or implied.

To the extent permitted by law, you agree that Tree Logic, its employees and agents, are not liable to you or any other person or entity for any loss or damage caused or alleged to have been caused (including loss or damage resulting from negligence), either directly or indirectly, by your use of the information (including by way of example, arboricultural advice) made available to you in this report. Without limiting this disclaimer, in no event will Tree Logic be liable to you for any lost revenue or profits, or for special, indirect, consequential or incidental damage (however caused and regardless of the theory of liability) arising out of or related to your use of that information, even if Tree Logic has been advised of the possibility of such loss or damage.

Whilst the information contained in this Report is considered to be true and correct at the date of publication, changes in circumstances after the time of publication may impact upon the accuracy of this report. This disclaimer is governed by the law in force in the State of Victoria, Australia.

Reliance

This Report is addressed to you and may not be distributed to, or used or relied on by, another person without the prior written consent of Tree Logic. Tree Logic accepts no liability to any other person, entity or organisation with respect to the content of this Report unless that person, entity or organisation has first agreed in writing to the terms upon which this Report may be relied on by that other person, entity or organisation.

The report and any values expressed therein represent the opinion of Tree Logic's consultant and Tree Logic's fee is in no way conditional upon the reporting of a specified value, a stipulated result, the occurrence of a subsequent event, nor upon any finding to be reported.

There is no warranty or guarantee, expressed or implied by Tree Logic Pty. Ltd., that problems or deficiencies of the plants or site in question may not arise in the future. Tree condition can change quickly in response to environmental conditions or altered growing conditions.

There can be no guarantees provided for on-going tree safety. It should be noted that not all of the potential structural concerns associated with trees can be eliminated and that there will always be a residual risk following any mitigation works. Also, not all tree defects are observable and extreme weather events are unpredictable. Since trees are complex, living organisms, it is difficult to quantify and precisely measure all variables when inspecting a standing tree for hazard.

Trees should be reassessed on a regular basis; the scheduled period of reassessment will be dependent on the characteristics of the tree, the landscape context and perceived targets, and resources available to maintain them.